




PARALLEL I/O, 1-PORT PCI EXPRESS ADD-ON CARD



User Manual
DS-30020-1

Features and Benefits

1. Compliant with PCI Express Base spec 1.1
 2. Compliant with PCI Power Management
 3. Add one IEEE1284 Parallel port on system
 4. Supports Standard Parallel Port (SPP), Enhanced Parallel Port (EPP1.9) & Enhanced Capability Port (ECP)
 5. Data transfer rate up to 2.5Mbps
- PCI-Express x1
DB25 female connector x 1

System Requirements

Windows® 2000, Sever 2003 / CE / XP / Vista / Win 7 / Win 8 /
Win 8.1 / Win 10 / Linux

PCI Express-enabled system with an available PCI Express slot

Package Contents

- 1 x 2-Port Serial Interface Card, PCIe
- 1 x Low profile bracket
- 1 x Manual
- 1 x Driver CD

Hardware Installation

1. Turn off the power to your computer.
2. Unplug the power cord and remove your computer's cover.
3. Remove the slot bracket from an available PCIe slot.
4. To install the card, carefully align the card's bus connector with the selected PCIe slot on the motherboard. Push the board down firmly.
5. Replace the slot bracket's holding screw to secure the card.
6. Replace the computer cover and reconnect the power cord.

Driver Installation

Different systems please select its corresponding driver files

1. Insert the Driver CD into the CD-ROM drive.
2. At the Found New Hardware Wizard, select Locate
DS-30020-1\DS-30020-1_CD\Driver
4. Press "Install" button to install the drivers.
5. Click Close to complete the driver installation.
6. Restart the PC.
7. Once the system gets booted the Windows will automatically
matching the device driver

To Verify Windows® Driver Installation

Click on the **Device Manager** tab in System Properties, which you access from the Windows Control Panel. You should see one **PCI Express ECP Parallel Port ...** installed under **Ports (COM & LPT)** item

Hereby ASSMANN Electronic GmbH, declares that this device is in compliance with the requirements of Directive 2014/30/EU and the Directive 2011/65/EU for RoHS compliance. The complete declaration of conformity can be requested by post under the below mentioned manufacturer address.

Warning:

This device is a class B product. This equipment may cause some radio interference in living environment. In this case, the user can be requested to undertake appropriate measures to prevent interference.

www.assmann.com

Assmann Electronic GmbH
Auf dem Schüffel 3
58513 Lüdenscheid
Germany

