SIEMENS

Data sheet 5TA4716

DELTA fläche IP44, AP Dark gray/light gray Two-way switch, 10A 250V 66x 75 mm, with lamp +2 windows (neutral, light)



Model	
Product brand name	DELTA
Type of installation switch / rotary switch	No
Type of light source	Lighting with glow lamp
Type of composition	basic element with complete enclosure
Design of the operating mechanism	rocker
General technical data	
Type of switch	toggle switch
Mounting type	fixing with screw
Surface processing	others
Material	others
Protection class	
Protection class IP	IP44
Switching capacity	
Switching capacity current	10 A
Main circuit	
Operating voltage / Rated value	250 V

Subject to change without notice
© Copyright Siemens

Operating current / rated value	10 A

Appearance

Appearance	shiny
Color	grey

Product details

Product component	
• Labeling field	No
• Signaling contact	No
• Pushbutton switch	No
Product feature / halogen-free	Yes

Number

Number of actuating rockers	1

Connections

Type of electrical connection	Plug-in terminal

Mechanical Design

Height	82 mm
Depth	47 mm
Mounting type	surface mounted
Material / of the enclosure	plastic

Certificates

Reference code	
• acc. to DIN EN 61346-2	S
• acc. to DIN EN 81346-2	SF

General Product Approval	Declaration of Conformity	Test Certificates	
ÖVE VDE	EG-Konf.	Type Test Certificates/Test Report	Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA4716


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/5TA4716

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA4716

CAx-Online-Generator
http://www.siemens.com/cax

Tender specifications
http://www.siemens.com/specifications

Subject to change without notice
© Copyright Siemens



Subject to change without notice
© Copyright Siemens