

MSA Uncoded Compatible 5m 40G QSFP+ to QSFP+ Direct Attach Breakout Cable Twinax - 40 GbE QSFP+ Copper DAC 40 Gbps Low Power Passive Transceiver Module DAC

**Product ID:** QSFP40GPC5M



The QSFP40GPC5M is an MSA compliant direct-attach copper QSFP+ cable that's designed, programmed and tested to work in 40G network deployments. It delivers dependable 40 GbE connectivity over copper cabling, which is a cost-effective alternative to fiber-optic cable setups.

This passive Twinax cable supports 40 Gigabit Ethernet applications connected through QSFP+ (Mini-GBIC) ports. The cable is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

At 5 meters long and designed for high-speed performance, this copper QSFP+ cable is ideal for medium-distance applications such as across-rack network switch or server connections.

All StarTech.com SFP & SFP+ cables are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of direct-attach SFP Cables and SFP modules, providing the convenience and reliability you need to ensure dependable network performance.

## Certifications, Reports and Compatibility

### Applications

- Use in 40Gb Ethernet network applications
- Point-to-point in-rack and across-rack server or network switch connections

### Features

- MSA UNCODED QSFP+ CABLE (DAC): 40G direct attach cable works with MSA compliant switches the accept uncoded transceivers and modules

- **TECHNICAL SPECS:** 5m (16.4ft) 40 Gbps Passive Twinax (Copper) 2x QSFP+ Pluggable Connector 100 Ohm Impedance 30 AWG Wire Gauge PVC Cable Jacket Hot swappable MSA Compliant
- **DESIGNED FOR SERVER ROOMS:** DAC is a cost-effective copper alternative to fiber cable inside & between racks. Factory termination means high performance & reliability with less maintenance.
- **OUTSTANDING SUPPORT:** Backed by StarTech.com for the life of the cable itself, not your equipment; our cables won't void your OEM support and with access to our Tech Advisors 5/24
- **WORKS WITH MSA COMPLIANT SWITCHES:** Low power 40 GbE DAC also works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules and transceivers
- Hot-swappable

---

#### Hardware

|                       |                          |
|-----------------------|--------------------------|
| Warranty              | Lifetime                 |
| Compatible Brand      | MSA Compliant            |
| Cable Jacket Material | PVC - Polyvinyl Chloride |
| Cable Type            | Passive Copper Cable     |

---

#### Performance

|                              |                   |
|------------------------------|-------------------|
| Maximum Data Transfer Rate   | 40Gbps            |
| Impedance                    | 100 Ohm           |
| Compatible Networks          | 40 Gbps           |
| Power Consumption (In Watts) | < 0.1 W (per end) |

---

#### Connector(s)

|             |       |
|-------------|-------|
| Connector A | QSFP+ |
| Connector B | QSFP+ |

---

#### Environmental

|                       |                            |
|-----------------------|----------------------------|
| Operating Temperature | 0C to 70C (32F to 158F)    |
| Storage Temperature   | -40C to 80C (-40F to 158F) |

---

#### Physical Characteristics

|                |                 |
|----------------|-----------------|
| Product Length | 16.4 ft [5.0 m] |
|----------------|-----------------|

|                   |                   |
|-------------------|-------------------|
| Product Width     | 0.7 in [18.0 mm]  |
| Product Height    | 0.5 in [13.0 mm]  |
| Weight of Product | 15.7 oz [446.0 g] |

---

#### Packaging Information

|                           |                   |
|---------------------------|-------------------|
| Package Length            | 12.6 in [32.0 cm] |
| Package Width             | 9.8 in [25.0 cm]  |
| Package Height            | 1.0 in [25.0 mm]  |
| Shipping (Package) Weight | 16.4 oz [464.0 g] |

---

#### What's in the Box

|                     |             |
|---------------------|-------------|
| Included in Package | QSFP+ cable |
|---------------------|-------------|

---

***\*Product appearance and specifications are subject to change without notice.***

