

ideapad C340-14API 81N6004FPB

Product

ideapad C340-14API

Region

EET

Country/Region

Poland

Machine Type

81N6

Processor

AMD Ryzen 3 3200U (2C / 4T, 2.6 / 3.5GHz, 1MB L2 / 4MB L3)

Graphics

Integrated AMD Radeon Vega 3 Graphics

Chipset

AMD SoC Platform

Memory

1x 4GB DIMM DDR4-2400

Storage

256GB SSD M.2 2280

Display

14" FHD (1920x1080) TN 220nits Glossy

Touchscreen

10-point Multi-touch

Pen

None

Optical

None

Media Reader

4-in-1 Card Reader

Ethernet

None

WLAN + Bluetooth

11ac, 1x1 + BT4.2

WWAN

None

Case Material

PC / GF (Top) + PC / ABS (Bottom)

Bundled Accessories

None

Camera

720p

Microphone

2x, Array

Color

Onyx Black

Keyboard

Non-backlit, English

Fingerprint Reader

None

NFC

None

TPM

FW TPM 2.0

Battery

Integrated 45Wh

Power Adapter

65W Round Tip

Operating System

Windows 10 Home 64, Polish

Bundled Software

Office Trial

Base Warranty

2-year, Depot

Bundled Service

None

EAN / UPC / JAN

193386968955

End of Support

2025-07-07

Announce Date

2019-06-07

Recommended Services**Best**

3Y Depot/CCI upgrade from 2Y Depot/CCI delivery (5WS0K75717)



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.



AMD

Lenovo™

ideapad C340-14API AMD Platform Specifications

Product Specifications Reference (PSREF)

Processor	AMD Ryzen™ Mobile Processors with Radeon™ Vega Graphics								WLAN	One of the following, configurable by model: 802.11ac 1x1 Wi-Fi + Bluetooth 4.2, M.2 Card 802.11ac 2x2 Wi-Fi + Bluetooth 4.2, M.2 Card Bluetooth 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter
	Processor Number	# of Cores	# of Threads	Base Frequency	Max Turbo Frequency	Cache	Memory Types	Processor Graphics	Bluetooth™	
	Althon 300U	2	4	2.4 GHz	3.3 GHz	1MB L2 / 4MB L3	DDR4-2400	AMD Radeon Vega 3 Graphics	Media reader Ports	
	Ryzen 3 3200U			2.6 GHz	3.5 GHz	2MB L2 / 4MB L3		AMD Radeon Vega 6 Graphics	4-in-1 media reader (MMC, SD, SDHC, SDXC) Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C™ Gen 1, HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), AC power adapter jack, 3.5mm 0.14inch headphone / microphone combo jack <i>* Depending on many factors, actual data transfer speed may be lower than theoretical speed</i>	
	Ryzen 3 3300U	2.1 GHz	AMD Radeon Vega 8 Graphics	Dimensions Weight						
	Ryzen 5 3500U	4	8	2.1 GHz	3.7 GHz	2MB L2 / 4MB L3		AMD Radeon RX Vega 10 Graphics	Case color	
	Ryzen 7 3700U			2.3 GHz	4.0 GHz	Case material				
									Camera	
									Audio support	
									Keyboard	
									Touchpad	
Graphics	AMD Radeon Vega 3, Vega 6, Vega 8 or RX Vega 10 Graphics in processor only, supports external digital monitor via HDMI; supports dual independent display; Max resolution: 1920x1080@60Hz (HDMI)								Security	
Chipset	AMD SoC (System on Chip) platform								Security chip	
Memory	8GB max offering / 2400MHz DDR4, Optional: 4GB memory soldered to systemboard, one DDR4 SO-DIMM socket <i>* System clocks down for processors with lower memory controller</i>								Fingerprint reader	
Display	One of the following, configurable by model: 14.0" (356mm) HD (1366x768), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio 14.0" (356mm) FHD (1920x1080), TN, glossy, LED backlight, 220 nits, 16:9 aspect ratio 14.0" (356mm) FHD (1920x1080), IPS, glossy, LED backlight, 250 nits, 16:9 aspect ratio								Battery	
Multi-touch	Supports 10-finger gesture								Max battery life	
Multi-mode	4 modes: notebook, tablet, stand and tent; 360° hinge								AC adapter	
Pen (optional)	Lenovo Active Pen 2, with replaceable battery or without battery (battery need to be purchased separately for the models without battery)								Preload	
Storage	One of the following, configurable by model: Some: M.2 (2280) SSD / SATA 6.0Gb/s (e.g. xxxGB SSD M.2 2280) Some: M.2 (2242) SSD / PCIe NVMe, PCIe 3.0 x 2, 16Gb/s (e.g. xxxGB SSD M.2 2242 PCIe NVMe) Some: M.2 (2280) SSD / PCIe NVMe, PCIe 3.0 x 4, 32Gb/s (e.g. xxxGB SSD M.2 2280 PCIe NVMe)								Limited warranty	
Optical	None								Environment	
Ethernet	None									

Note: The specifications above may not be available in all regions.

Lenovo
May 2019

Lenovo™

ideapad C340-14API



AMD



AMD



AMD



AMD



AMD



AMD