




CINE SUPPORT SOLUTIONS 2026



Use toggle to view
Avenger & Manfrotto
content side by side



Download the Avenger Grip Catalogue App

- Explore our products
- Browse by catalogue or family
- Detailed product filtering
- Watch our unique video content
- Read exclusive in app articles
- View Avenger & Manfrotto content side by side
- Get regular updates on new content
- Save items to custom lists
- And much more!

Scan the QR code below to download or search
Avenger Grip on the App store for Apple devices
or the Google Play store for Android devices.



Connect with
the world of



Avenger

In 1988 the Avenger brand was established by the already successful Manfrotto company and started production in Feltre, responding to the specific needs of photo and cine markets.

Avenger's range of products, including stands, clamps, grips, light modifiers and accessories have been designed in consultation with key cine industry professionals delivering the right combination of quality and performance to meet the exacting demands of the motion picture industry.

Our products are built tough, to withstand extreme use whether in the studio or on location including rough atmospheric conditions. Avenger's now established and highly regarded products have become industry standards. Products such as **Strato Safe** and **Long John Silver** are used worldwide and have been designed and built to meet a specific need of the industry. Avenger's strength in research and development has led to a new standard in safety; the Buccaneer light stand is the world's first stand to achieve a low-loading height of just 94cm or 37 inches, yet able to raise an 80kg (176.3lb) cine-light 3 metres (9.84 feet) high. Innovation is at the heart

of all Avenger products, offering the highest quality, most reliable and safest products for you to use. Our world class research and development team ensure our products meet and exceed the internationally recognised safety standards such as DIN 56950, TÜV, ISO9001 and ISO14001 plus TÜV, DIN & CE quality assurance regimes. These accreditations are your guarantee that our products meet and exceed the most exacting tests for safety and reliability.

TÜV SÜD Certification Mark assures quality. Within our collection you will notice some products that are certified with TÜV SÜD. TÜV SÜD is a globally recognised, leading independent product certification body, providing minimum performance standards, certification and approval schemes for a wide range of products whether mandatory or voluntary. TÜV SÜD's distinctive blue octagon mark is instantly recognised everywhere as a symbol of quality and safety.

We have chosen to have our key products tested for compliance with the technical requirements of their voluntary standards; it is important to note that TÜV regularly updates the standards and we reassess our equipment for compliance, making modifications as and when required.

Our commitment to your safety never diminishes and is a key differentiator of the Avenger brand from others in the market.

As a Company, we also comply to **DIN 56950**. This safety standard applies to machinery and machinery installations used in places of assembly and in staging and production facilities for events and theatrical productions. Such facilities include theatres, multi-purpose halls, exhibition halls, film, television and radio studios. Avenger has a worldwide network of distribution partners to offer support; from assistance in product selection through to providing a fully comprehensive

after-sales service for further advice, spare parts and servicing.

We hope you find this catalogue a useful tool and remind you to visit our web site at www.avengergrip.com for the latest updates on products.

 All Avenger products are designed, engineered and made in Italy.

PRODUCTS

STANDS

8

LIGHT CONTROL

44

SYSTEMS

54

ACCESSORIES


84



STANDS



STANDS PROPERTIES



Aluminum and Steel versions available. Alu Stand for lightness and steel stand for robustness and durability.



Levelling leg available in all the stands for ease of use on all different floor types. A fundamental feature for outdoor applications.



All the components are assembled using bolts (no rivets) for extra rigidity and easy maintenance if required.



Captive handle: thanks to this special machining on the threads, it is impossible to lose the handle even if completely unscrewed.



Captive collars: thanks to a special design, even if the user unscrews the locking nut, of this component the inner alu insert and dedicated machining of the tube does not allow for the column to separate.



Storing Device: this clever component permits easy and safe storage during transportation or in the warehouse.



Mobile Column: thanks to the double handles on the spider casting, the stand becomes more stable when lowering the central column on to the ground.



Dedicated design of the collars. It avoids any fingers pinching.



All the bases are made of square tubes in order to guarantee the best stability.



Welded spigot (steel version) guarantees the highest mechanical performance and reliability during the products working life.




All the strategic aluminum components which have to guarantee safety of the product are made using the Gravity Casting technology. This process excludes any possibility of having air bubbles getting into the casting.



All the aluminum columns are assembled using electro-welded tubes. These components offer a higher stress resistance (bending and breaking) compared with the traditional extruded tubes.

HOW TO READ THE STAND CODES



CENTURY STANDS



A2016DCB

DETACHABLE / TURTLE BASE

A2016D C-STAND 16 DETACHABLE CHROME FINISH VERSION

84cm 2' 9"	155cm 5' 1"	84cm 2' 9"	95cm 3' 1"	5.6kg 12.3lb
10kg 22lb	28mm 1 1/8"	16mm 5/8"	28mm 1 1/8"	

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2016DCB C-STAND 16 DETACHABLE BLACK CHROME FINISH VERSION

A2022D C-STAND 22 DETACHABLE CHROME FINISH VERSION

110cm 3' 7"	222cm 7' 3"	110cm 3' 7"	95cm 3' 1"	5.9kg 13lb
10kg 22lb	28mm 1 1/8"	16mm 5/8"	28mm 1 1/8"	

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2022DCB C-STAND 22 DETACHABLE BLACK CHROME FINISH VERSION

A2030D C-STAND 30 DETACHABLE CHROME FINISH VERSION

134cm 4' 4"	300cm 9' 10"	134cm 4' 4"	95cm 3' 1"	6.2kg 13.7lb
10kg 22lb	28mm 1 1/8"	16mm 5/8"	28mm 1 1/8"	

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2030DCB C-STAND 30 DETACHABLE BLACK CHROME FINISH VERSION

* Please note the Japanese version of these stands have a 17.5mm female top attachment.



17.5mm

A2018F C-STAND 18 CHROME FINISH VERSION

84cm 2' 9"	175cm 5' 9"	84cm 2' 9"	95cm 3' 1"	4.3kg 9.5lb
8kg 17.6lb	16mm 5/8"			

Chrome plated steel stand.
3 sections, 2 risers.
Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2018FCB C-STAND 20 BLACK CHROME FINISH VERSION

A2018FJCB C-STAND 20 BLACK CHROME FINISH VERSION JAPANESE VERSION*



A2018F

A2025F C-STAND 25 CHROME FINISH VERSION

110cm 3' 7"	253cm 8' 4"	110cm 3' 7"	95cm 3' 1"	5kg 11lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2025FCB C-STAND 25 BLACK CHROME FINISH VERSION

A2025LJCB C-STAND 25 SLIDING LEG BLACK CHROME FINISH VERSION



A2018L

A2033F C-STAND 33 CHROME FINISH VERSION

134cm 4' 5"	328cm 10' 9"	134cm 4' 5"	95cm 3' 1"	5.5kg 12.1lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2033FCB C-STAND 40 BLACK CHROME FINISH VERSION

A2033LJCB C-STAND 33 SLIDING LEG BLACK CHROME FINISH VERSION



STANDARD / FIXED BASE

SLIDING LEG / ROCKY MOUNTAIN LEG

A2018L C-STAND 18 SLIDING LEG CHROME FINISH VERSION

84cm 2' 9"	175cm 5' 9"	84cm 2' 9"	95cm 3' 1"	4.3kg 9.5lb
8kg 17.6lb	16mm 5/8"			

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2018LCB C-STAND 18 SLIDING LEG BLACK CHROME FINISH VERSION

A2018LJ C-STAND 18 SLIDING LEG CHROME FINISH JAPANESE VERSION*

A2018LJCB C-STAND 18 SLIDING LEG BLACK CHROME FINISH JAPANESE VERSION*

A2025L C-STAND 25 SLIDING LEG CHROME FINISH VERSION

110cm 3' 7"	253cm 8' 4"	110cm 3' 7"	95cm 3' 1"	5.8kg 12.8lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2025LCB C-STAND 25 SLIDING LEG BLACK CHROME FINISH VERSION

A2025LJ C-STAND 25 SLIDING LEG CHROME FINISH JAPANESE VERSION*

A2025LJCB C-STAND 25 SLIDING LEG BLACK CHROME FINISH JAPANESE VERSION*

A2033L C-STAND 33 SLIDING LEG CHROME FINISH VERSION

134cm 4' 5"	328cm 10' 9"	134cm 4' 5"	95cm 3' 1"	5.5kg 12.1lb
10kg 22lb	16mm 5/8"			

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

A2033LCB C-STAND 33 SLIDING LEG BLACK CHROME FINISH VERSION

A2033LJ C-STAND 33 SLIDING LEG CHROME FINISH JAPANESE VERSION*

A2033LJCB C-STAND 33 SLIDING LEG BLACK CHROME FINISH JAPANESE VERSION*

CENTURY STANDS



A2014
C-STAND COLUMN 14
CHROME FINISH VERSION

68cm 2' 3"	139cm 4' 7"	2.2kg 4.9lb	16mm 5/8"	28mm 1 1/8"

3 sections (Ø: 35, 30, 25mm) chrome steel column.

A2014CB
C-STAND COLUMN 14
BLACK CHROME FINISH VERSION

* Please note the Japanese version of these stands have a 17.5mm female top attachment.



A2007
C-STAND MINI BASE
CHROME FINISH VERSION

27cm 11"	95cm 3' 1"	2.7kg 6.6lb	28mm 1 1/8"	

A2007CB
C-STAND MINI BASE
BLACK CHROME FINISH VERSION

A2020
C-STAND COLUMN 20
CHROME FINISH VERSION

95cm 3' 1"	206cm 6' 9"	2.8kg 6.2lb	16mm 5/8"	28mm 1 1/8"

3 sections (Ø: 35, 30, 25mm) chrome steel column.

A2020CB
C-STAND COLUMN 20
BLACK CHROME FINISH VERSION

A2020JCB
C-STAND COLUMN 20
BLACK CHROME FINISH JAPANESE VERSION*



A2009
C-STAND BASE
CHROME FINISH VERSION

27cm 11"	95cm 3' 1"	2.7kg 6.6lb	28mm 1 1/8"	

A2009CB
C-STAND BASE
BLACK CHROME FINISH VERSION

A2029
C-STAND COLUMN 29
CHROME FINISH VERSION

118cm 3' 10"	285cm 9' 4"	3.3kg 7.3lb	16mm 5/8"	28mm 1 1/8"

3 sections (Ø: 35, 30, 25mm) chrome steel column.

A2029CB
C-STAND COLUMN 29
BLACK CHROME FINISH VERSION

A2009CB

BASE

COLUMN



A2033FKIT
C-STAND KIT 33
CHROME FINISH VERSION

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

Includes:
A2033F C-STAND
D200 2" GRIP HEAD
D520 40" EXTENSION GRIP ARM

A2033FCBKIT
C-STAND KIT 33
BLACK CHROME FINISH VERSION

A2033LKIT
C-STAND KIT 33 SLIDING LEG
CHROME FINISH VERSION

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.

Includes:
A2033L C-STAND
D200 2" GRIP HEAD
D520 40" EXTENSION GRIP ARM

A2030DKIT
C-STAND KIT 30 DETACHABLE
CHROME FINISH VERSION

Chrome plated steel stand.
3 sections, 2 risers. Ø: 35, 30, 25mm. Leg Ø: 25mm.


Includes:
A2030D C-STAND
D200 2" GRIP HEAD
D520 40" EXTENSION GRIP ARM

A2030DCBKIT
C-STAND KIT 30 DETACHABLE
BLACK CHROME FINISH VERSION


KIT

CENTURY STANDS ACCESSORIES

Our Grip Heads have been specifically designed to hold scrims, flags, floppies & cutters mounted on Century Stands, or butterfly frames mounted on Overhead Stands during film, video or photo shoots. Extension offset arms, used in combination with Grip Heads, provide an extended grip point for scrims, flags and small lights, and are available in two lengths: 20" (51cm) and 40" (102cm). The Grip Head can be combined with other accessories to solve most light and light modification accessory positioning problems. Grip Heads are available in two specific diameters, the standard is 2 1/2" the Jumbo version is 4".



CENTURY STANDS ACCESSORIES



D200
2 1/2" GRIP HEAD

550g
1.2lb 16mm
5/8"

Avenger's most popular grip accessory. The D200 Grip Head has hundreds of functions. Unlike any other Grip Head, the D200 utilizes a series of washers for extra locking torque and the use of automotive-quality brake pad discs for secure, non-slip security. Connect with E600 snap-in pin or E600C snap-in pin to attach to the original Super Clamp.

D200B
2 1/2" GRIP HEAD
BLACK FINISH VERSION



D210J
SNAP-IN GRIP HEAD
JAPANESE VERSION

750g 17.5mm
1.7lb

Combining the multi-functional D200 Grip Head with a 17.5mm pin to interface with the Japanese attachment. The D210J allows you to hang flags and scrims in positions that light stands can't reach.

D210JB
SNAP-IN GRIP HEAD
BLACK JAPANESE VERSION



D230
SUPER CLAMP
GRIP HEAD

950g
2.1lb

This kit includes the D200B Grip Head and the Avenger C1575B Super Clamp.



D220
GRIP HELPER

1.1kg 16mm
2.4lb 5/8"

Just as the name suggests, the Grip Helper is like three Grip Heads in one. Two independent grip heads sandwich a third with a fixed 16mm pin. This system allows multiple light control accessories to mount in front of fixtures without the need for numerous light stands.



D500
20" EXTENSION
GRIP ARM

1.03kg
2.3lb

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags. Pipe length 51cm (20").

D500B
20" EXTENSION
GRIP ARM
BLACK FINISH VERSION



D520
40" EXTENSION
GRIP ARM

1.28kg
2.8lb

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags or small lights. Pipe length 102cm (40").

D520B
40" EXTENSION
GRIP ARM
BLACK FINISH VERSION



D530L
40" EXTENSION ARM
AND GRIP HEAD (D200)

2.15kg
4.7lb

Normally used in combination with a Grip Head (art. D200) it provides an extended grip point for scrims and flags or small lights. Pipe length 102cm (40"). It includes D200 Grip Head.

D530LB
40" EXTENSION ARM
AND GRIP HEAD
(D200B)
BLACK FINISH VERSION



D800KIT
GRIP KIT

Set of accessories that work on their own or in combination with stands to support scrims, flags and lighting fixtures to provide precision and secure control. Kit comprises of:

D200B Black Grip Head.
E600 Snap-in 16mm pin.
D520B Black 40" Extension Arm.
C1575B Black Super Clamp.
H4BAG Grip Kit Bag.



D250
GAG GOBO

460g 16mm
1lb 5/8"

This unique double Grip Head system provides the flexibility of a second grip head allowing hundreds of uses including doubling up scrims and flags.



D240
GRIP HEAD
WITH SWIVEL PIN

1.25kg 16mm 16mm 28mm
2.8lb 5/8" 5/8" 1 1/8"

Two famous accessories connected together to assure a wide range of fixing solutions. Attachments: 16mm male pin + 16mm female socket 28mm male pin.



D100
DOUBLE GRIP HEAD

870g
1.9lb

A combination of two sets of Grip Head discs mounted on a steel plate with a 10mm rod with a length of 13.5cm (5").




AVCSA1301B
TRIPLE C ROLLER
CASE FOR
DETACHABLE
C-STAND
& ACCESSORIES

7.8kg
17.2 lb

Internal Size
Height 19cm / 7" Width 35cm / 14" Length 120cm / 3' 11"

External Size
Height 28cm / 11" Width 40cm / 16" Length 128cm / 4' 2"



D420
JUMBO GAG GOBO

1.3kg
2.9lb

This double 10mm (4 1/2") Grip Head allows for multiple overheads to be used simultaneously.



D400
4 1/2" JUMBO GRIP
HEAD

2.35kg 28mm 28mm
5.2lb 1 1/8" 1 1/8"

Designed to convert a Junior Stand into an Overhead Stand, the D400 incorporates a 10mm (4 1/2") Grip Head with a Junior Stud and receiver.

D400B
4 1/2" JUMBO GRIP
HEAD
BLACK FINISH VERSION



E600
SNAP-IN PIN

16mm
5/8"

Specifically designed to connect Grip Head to Super Clamp. Aluminum.

E600C
SNAP-IN PIN
STEEL VERSION



D050
SET OF 6
BLUE T-TOPS

Rubber cover gives better grip for 80mm T-handles, even in cold weather.

BABY STANDS

A0010 BABY STAND 10

52cm 1' 8"	100cm 3' 3"	47cm 1' 7"	43cm 1' 5"
2.5kg 5.5lb	15kg 33.1lb	16mm 5/8"	

Steel legs and aluminum risers, silver only.
3 sections, 2 risers. Ø: 35, 30, 25 mm.
Leg: 20×20mm. 1 levelling leg.

A0010J BABY STAND 10 JAPANESE VERSION*

A0017 BABY STAND 17

82cm 2' 8"	175cm 5' 9"	73cm 2' 5"	75cm 2' 6"
3.4kg 7.7lb	4kg 8.8lb	16mm 5/8"	

Steel legs and aluminum risers, silver only.
3 sections, 2 risers. Ø: 35, 30, 25 mm.
Leg: 20×20mm. 1 levelling leg.

* Please note the Japanese version of these stands have a 17.5mm female top attachment.

17.5mm

STEEL BASE AND ALU COLUMN



A0010

A625B MINI KIT STAND BLACK ALU

73cm 2' 5"	236cm 7' 10"	69cm 2' 3"	94cm 3' 1"
1kg 2.2lb	4kg 8.8lb	16mm 5/8"	

A630B MIDI KIT STAND BLACK ALU

86cm 2' 10"	312cm 10' 3"	89cm 2' 11"	96cm 3' 2"
2.2kg 4.8lb	9kg 19.8lb	16mm 5/8"	

A635B MAXI KIT STAND BLACK ALU

103cm 3' 5"	379cm 12' 5"	107cm 3' 6"	109cm 3' 7"
2.5kg 5.5lb	9kg 19.8lb	16mm 5/8"	



A630B



A0025B

A0025B ALU BABY STAND 25

98cm 3' 3"	250cm 8' 2"	87cm 2' 10"	87cm 2' 10"
3kg 6.6lb	4kg 8.8lb	16mm 5/8"	

Black aluminum stand.
3 sections, 2 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.



A0040B

A0030B ALU BABY STAND 30

113cm 3' 8"	300cm 9' 10"	100cm 3' 3"	100cm 3' 3"
3.5kg 7.7lb	10kg 22lb	16mm 5/8"	

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.

A0035B ALU BABY STAND 35

126cm 4' 2"	350cm 11' 6"	112cm 3' 8"	100cm 3' 3"
3.5kg 7.7lb	9kg 19.8lb	16mm 5/8"	

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.

A0030CS STEEL BABY STAND 30

113cm 3' 8"	300cm 9' 10"	100cm 3' 3"	100cm 3' 3"
6kg 13.2lb	10kg 22lb	16mm 5/8"	

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.

A0035CS STEEL BABY STAND 35

126cm 4' 2"	350cm 11' 6"	112cm 3' 8"	100cm 3' 3"
7kg 15.4lb	9kg 19.8lb	16mm 5/8"	

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.



A0040CS

A0040B ALU BABY STAND 40

142cm 4' 8"	400cm 13' 1"	124cm 4' 1"	114cm 3' 9"
4kg 8.8lb	9kg 19.8lb	16mm 5/8"	

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.

A0045B ALU BABY STAND 45

154cm 5' 1"	450cm 14' 9"	136cm 4' 6"	114cm 3' 9"
4.1kg 9lb	10kg 22lb	16mm 5/8"	

Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.

A0040CS STEEL BABY STAND 40

142cm 4' 8"	400cm 13' 1"	124cm 4' 1"	114cm 3' 9"
7.8kg 17.2lb	9kg 19.8lb	16mm 5/8"	

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.

A0045CS STEEL BABY STAND 45

154cm 5' 1"	450cm 14' 9"	136cm 4' 6"	114cm 3' 9"
8.1kg 17.9lb	9kg 19.8lb	16mm 5/8"	

Chrome plated steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm. 1 levelling leg.

ALUMINUM

STEEL

COMBO STANDS

A1020B

ALU COMBO STAND 20

110cm 3' 7"	198cm 6' 6"	93cm 3' 1"	80cm 2' 7"	4.9kg 10.8lb

25kg 55.1lb	28mm 1 1/8"	16mm 5/8"	A9000NB	

Aluminum legs with aluminum risers.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25×25mm. 1 levelling leg.

A1035B

ALU COMBO STAND 35

168cm 5' 6"	350cm 11' 6"	142cm 4' 8"	134cm 4' 5"	7kg 15.4lb

30kg 66.1lb	28mm 1 1/8"	16mm 5/8"	A9000NB	

Aluminum stand.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25×25mm. 1 levelling leg.

A1045B

ALU COMBO STAND 45

179cm 5' 11"	450cm 14' 9"	155cm 5' 1"	134cm 4' 5"	7kg 15.4lb

30kg 66.1lb	28mm 1 1/8"	16mm 5/8"	A9000NB	

Aluminum stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm. 1 levelling leg.

A120J

STEEL LOW BOY COMBO STAND

101cm 3' 4"	198cm 6' 6"	93cm 3' 1"	80cm 2' 8"	7.8kg 17.2lb

35kg 77.1lb	25mm 1 1/8"	16mm 5/8"		

Chrome steel stand.
3 sections, 2 risers.

ALUMINUM

A1010CS

STEEL COMBO STAND 10

64cm 2' 1"	100cm 3' 3"	62cm 2'	57cm 22"	4.5kg 9.9lb

30kg 66.1lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand.
2 sections, 1 riser. Ø: 35, 30mm.
Leg: 20×20mm. 1 levelling leg.

A1020CS

STEEL COMBO STAND 20

110cm 5' 7"	198cm 6' 6"	93cm 3' 1"	80cm 2' 8"	7.2kg 15.9lb

35kg 77.2lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25×25mm. 1 levelling leg.

A1035CS

STEEL COMBO STAND 35

168cm 5' 6"	350cm 11' 6"	142cm 4' 8"	134cm 4' 5"	12kg 26.5lb

40kg 88.2lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25×25mm. 1 levelling leg.

A1045CS

STEEL COMBO STAND 45

179cm 5' 11"	450cm 14' 9"	155cm 5' 1"	134cm 4' 5"	13kg 28.7lb

40kg 88.2lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm. 1 levelling leg.

PRODUCTS BELOW ARE AVAILABLE
AS OPTIONAL ACCESSORIES



A9000NB

BRAKED WHEELS BLACK FINISH VERSION

3.3kg 7.3lb	90kg 198.4lb	

Ø: 100mm for 20×20 and 25×25mm.
Square legs. Set of three.



D400

4 1/2" JUMBO GRIPHEAD

2.35kg 5.2lb	28mm 1 1/8"	28mm 1 1/8"

Designed to convert a junior stand into
an overhead stand, the D400 incorporates
a 4 1/2" / 10mm grip head with a junior
stud and receiver.

A9000N

BRAKED WHEELS

D400B

4 1/2" JUMBO GRIP HEAD

BLACK FINISH VERSION



A1045B



A1045CS


ROLLER STANDS

FOLDING BASE WITH BABY PIN

A5017 ROLLER STAND 17 FOLDING BASE

108cm 3' 7"	170cm 5' 7"	98cm 3' 3"	75cm 2' 6"	5.5kg 12.1lb
12kg 26.5lb	16mm 5/8"			

Legs and column in steel, risers in aluminum, complete with wheels.
3 sections, 2 risers. Ø: 35, 30, 25mm.
Leg: 20×20mm.



A5017

A5033 ROLLER STAND 33 FOLDING BASE

115cm 3' 9"	330cm 10' 10"	105cm 3' 5"	75cm 2' 6"	6.3kg 13.9lb
12kg 26.5lb	16mm 5/8"			

Legs and column in steel, risers in aluminum, complete with wheels.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×40mm.



A5029

LOW BASE WITH BABY PIN

A5029 ROLLER STAND 29 LOW BASE

125cm 4' 1"	290cm 9' 6"	123cm 4'	100cm 3' 3"	5.7kg 12.6lb
12kg 26.5lb	16mm 5/8"			

Legs and column in steel, risers in aluminum, complete with wheels.
3 sections, 2 risers. Ø: 35, 30, 25mm.
Leg: 20×20mm.

A5043 ROLLER STAND 43 LOW BASE

146cm 4' 10"	430cm 14' 1"	135cm 5' 5"	106cm 3' 6"	6.3kg 13.9lb
12kg 26.5lb	16mm 5/8"			

Legs and column in steel, risers in aluminum, complete with wheels.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm.

FOLDING BASE WITH COMBO HEAD

A5012 ROLLER STAND 12 FOLDING BASE

78cm 2' 7"	120cm 3' 11"	68cm 2' 3"	75cm 2' 6"	8kg 17.6lb
25kg 55.1lb	28mm 1 1/8"	16mm 5/8"		

Legs and column in steel, risers in aluminum, complete with wheels.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 20×40mm.



A5012

A5034 ROLLER STAND 34 FOLDING BASE

142cm 4' 8"	340cm 11' 2"	132cm 4' 4"	75cm 2' 6"	10.7kg 23.6lb
20kg 44.1lb	28mm 1 1/8"	16mm 5/8"		

Legs and column in steel, risers in aluminum, complete with wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 20×40mm.



A5036CS

LOW BASE WITH COMBO HEAD

A5036CS ROLLER STAND 36 LOW BASE

156cm 5' 1"	309cm 10' 2"	130cm 4' 3"	140cm 4' 7"	13.6kg 30lb
28mm 1 1/8"	16mm 5/8"			

Chrome steel stand, complete with wheels.
3 sections, 2 risers. Ø: 45, 40, 35mm.
Leg: 25×25mm.

A5042CS ROLLER STAND 42 LOW BASE

166cm 5' 5"	420cm 13' 9"	142cm 4' 8"	150cm 4' 11"	15.4kg 34lb
40kg 88.2lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand, complete with wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm.

BOOM STANDS



A4039CS STEEL BOOM STAND 39

131cm 4' 4"	392cm 12' 10"	113cm 3' 9"	109cm 3' 7"	8.4kg 18.5lb
12kg 26.5lb	16mm 5/8"			

Chrome steel stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm.
1 levelling leg.

A4041B ALU BOOM STAND 41

139cm 4' 7"	413cm 13' 7"	124cm 4' 1"	129cm 4' 3"	4.6kg 10.1lb
10kg 22lb	16mm 5/8"			

Supplied with sandbag counterweight (empty)
for maximum stability and smoothness.
Black aluminum stand.
4 sections, 3 risers. Ø: 35, 30, 25, 20mm.
Leg: 20×20mm.
1 levelling leg.
Min extension boom 113cm (3' 8"). Max load 15kg (33.1lb).
Max extension boom 213cm (7'). Max load 5kg (11lb).



A4050CS STEEL BOOM STAND 50

188cm 6' 2"	500cm 16' 5"	165cm 5' 5"	135cm 4' 5"	15kg 33.1lb
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"	A9000N	

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm.
1 levelling leg.
Min extension boom 155cm (5' 1"). Max load 30kg (66.1lb).
Max extension boom 266cm (8' 9"). Max load 8kg (17.6lb).


PRODUCTS BELOW ARE AVAILABLE
AS OPTIONAL ACCESSORIES



E700 BABY DROP DOWN PIN

0.62kg 1.4lb	16mm 5/8"	16mm 5/8"

For a more accurate light positioning: it helps keeping
the light in horizontal position independently on the
angle of the boom. Specifically designed to be used
on boom arm with light attachment with 16mm pin.



E710 JUNIOR DROP DOWN PIN

1.32kg 2.9lb	28mm 1 1/8"	28mm 1 1/8"	16mm 5/8"

Same as E700, designed to be used
on boom arm with light attachment
with 28mm bushing.



A9000NB BRAKED WHEELS BLACK FINISH VERSION

3.3kg 7.3lb	90kg 198.4lb

Ø: 100mm for 20×20 and 25×25mm.
Square legs. Set of three.

A9000N BRAKED WHEELS

WIND UP STANDS



B6026CS
WIND UP STAND 26

153cm 5'	261cm 8' 7"	173cm 5' 8"	152cm 5'	19kg 41.9lb
45kg 99.2lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand.
2 sections, 1 riser. Ø: 55, 45mm.
Leg Ø: 30mm.
1 levelling leg.



B6030CS
LOW BASE
WIND UP STAND 30

153cm 5'	296cm 9' 9"	175cm 5' 9"	142cm 4' 8"	17.8kg 39.2lb
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand.
3 sections, 2 risers. Ø: 55, 45, 38mm.
Leg Ø: 30mm.
1 levelling leg.



B6039CS
WIND UP STAND 39

181cm 5' 11"	370cm 12' 2"	201cm 6' 7"	142cm 4' 8"	24kg 52.9lb
30kg 66.1lb	28mm 1 1/8"	16mm 5/8"		

Chrome steel stand.
3 sections, 2 risers. Ø: 55, 45, 38mm.
Leg Ø: 30mm.
1 levelling leg.

SUPER WIND UP STANDS

B6029X STAINLESS LOW BASE SUPER WIND UP 29 STAND

140cm 4' 7"	290cm 9' 6"	156cm 5' 1"	130cm 4' 3"	34kg 75lb
80kg 176.4lb	28mm 1 1/8"			

Stainless steel column and legs, chrome steel risers and geared column. 3 sections, 2 risers.
Ø: 70, 60, 50mm. Leg: Ø 35mm. 1 levelling leg.
Features braked wheels 474.



The codes B6029X, B6040X, B7018 are assembled using the foam fill wheels 474.

B6040X STAINLESS STEEL SUPER WIND UP 40 STAND

172cm 4' 8"	386cm 12' 8"	196cm 6' 5"	180cm 5' 11"	39kg 86lb
80kg 176.4lb	28mm 1 1/8"			

Heavy lift stand with strengthened stainless steel column and legs, chrome steel risers and geared column. 3 sections Ø: 70, 60, 50mm. 2 risers which extended simultaneously at 4.4cm (1 3/4") per handle turn. Safety cable ensures simultaneous retrieval of all sections. Rapid adjustment. Leg Ø 35mm. 1 levelling leg. Features braked wheels 474.



B6040X

B6040XK STAINLESS STEEL SUPER WIND UP 40 STAND

172cm 5' 8"	386cm 12' 8"	196cm 6' 5"	180cm 5' 11"	39kg 86lb
80kg 176.4lb	28mm 1 1/8"	474		

Heavy lift stand with strengthened stainless steel column and legs, chrome steel risers and geared column. 3 sections Ø: 70, 60, 50mm. 2 risers which extended simultaneously at 4.4cm (1 3/4") per handle turn. Safety cable ensures simultaneous retrieval of all sections. Rapid adjustment. Leg Ø 35mm. 1 levelling leg. Wheels not included.



B6040XK

STRATO SAFE STANDS



B7018

B7018 STRATO SAFE STAND 18 WITH RUBBER FILLED WHEELS

105cm 3' 5"	175cm 5' 9"	126cm 4' 2"	120cm 3' 11"	27kg 59.5lb
100kg 220.5lb	28mm 1 1/8"			

Aluminum legs with chrome steel column.
Features braked wheels.
2 sections, 1 riser. Ø: 70, 60mm.
Leg: 35×35mm.



B150-1

B150-1 STRATO SAFE CRANK-UP WITH HARD WHEELS

190cm 6' 3"	610cm 20'	225cm 7' 5"	213cm 7'	71kg 156.5lb
70kg 154.3lb	28mm 1 1/8"			


Aluminum legs with chrome steel column.
Features braked wheels.
5 sections, 4 riser. Ø: 90, 80, 70, 60, 50mm.
Leg: 35×35mm.



B150P-1 STRATO SAFE CRANK-UP WITH RUBBER FILLED WHEELS

201cm 6' 7"	621cm 20' 5"	236cm 7' 9"	213cm 7'	93.4kg 205.9lb
70kg 154.3lb	28mm 1 1/8"			

Aluminum legs with chrome steel column.
Features braked wheels.
5 sections, 4 riser. Ø: 90, 80, 70, 60, 50mm.
Leg: 35×35mm.



B7043CS-1

B7043CS-1 STRATO SAFE STAND 43

155cm 5' 1"	427cm 14'	185cm 6' 1"	182cm 6'
60kg 132.3lb	70kg 154.3lb	28mm 1 1/8"	

Chrome steel stand.
Features braked wheels
4 sections, 3 risers. Ø: 90, 80, 70, 60mm.
Leg: 35×35mm.



B7047CS-1 STRATO SAFE STAND 47

172cm 5' 8"	467cm 15' 4"	209cm 6' 10"	213cm 7'	62kg 136.7lb
70kg 154.3lb	28mm 1 1/8"			

Chrome steel stand complet. Features braked wheels.
3 sections, 2 risers. Ø: 90, 80, 70mm.
Leg: 35×35mm.
Included Wind Brace Kit B9000W.



B9000P RUBBER FILLED WHEEL SET FOR STRATO SAFE

Set of 3 rubber filled, braked wheels.

B9000 HARD WHEEL SET FOR STRATO SAFE

10kg 22lb	70kg 154.3lb

Set of 3 hard, braked wheels.

B70XXFFW FOAM FILLED WHEEL SET FOR STRATO SAFE

Set of 3 foam filled, braked wheels.



BUCCANEER



Low-loading height of only 94cm.





B7034FF-2
BANSHEE STAND

135cm 4' 5"	337cm 11' 1"	64cm 2' 1"	160cm 5' 3"	82kg 180.8lb
120kg 264.6lb	28mm 1 1/8"			

Heavy duty stand. 4 sections, 3 risers.
Low-loading height of 135cm / 4' 5"

LONG JOHN SILVER STANDS



B7057FF
LONG JOHN SILVER
STAND WITH FOAM
FILLED WHEELS

				
177cm 5' 10"	570cm 18' 8"	224cm 7' 4"	240cm 7' 11"	85kg 187.4lb
				
120kg 264.6lb	28mm 1 1/8"			

Heavy duty stand complete with foam fill
braked wheels. 5 sections, 4 risers.
Includes 'Wind Brace Kit'.



OVERHEAD STANDS

A3042CS OVERHEAD STAND 42

143cm 4' 8"	423cm 13' 11"	135cm 4' 5"	129cm 4' 3"	11.8kg 26.6lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"	A9000N	

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm.

STANDARD BASE

A3043CS OVERHEAD STAND 43 WITH BRAKED WHEELS

153cm 5'	432cm 14' 2"	150cm 4' 11"	154cm 5' 1"	16kg 35.3lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"		

Chrome steel stand complete with braked wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm.

ROLLER BASE

A3059CS OVERHEAD STAND 59

177cm 5' 10"	588cm 19' 4"	167cm 5' 6"	129cm 4' 3"	14kg 30.9lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"	A9000N	

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm.



A3059CS

A3058CS OVERHEAD STAND 58 WITH BRAKED WHEELS

186cm 6' 1"	579cm 19'	182cm 6'	154cm 5' 1"	18.3kg 40.3lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"		

Chrome steel stand complete with braked wheels.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm.



A3058CS

A3056CS WIDE BASE OVERHEAD STAND 56

199cm 6' 6"	557cm 18' 3"	195cm 6' 5"	196cm 6' 5"	16.8kg 37lb
40kg 88.2lb	28mm 1 1/8"	115mm 4 1/2"	A9000N	

Chrome steel stand.
4 sections, 3 risers. Ø: 45, 40, 35, 30mm.
Leg: 25×25mm.
1 levelling leg.

A3065CS WIDE BASE OVERHEAD STAND 65

189cm 6' 2"	638cm 20' 11"	197cm 6' 6"	204cm 6' 8"	21.4kg 47.2lb
30kg 66.1lb	28mm 1 1/8"	115mm 4 1/2"		

Chrome steel stand.
4 sections, 3 risers. Ø: 50, 45, 40, 35mm.
Leg: 30×30mm.
2 levelling legs.



A3065CS

ACCESSORIES

STANDS



C626
LONG STEEL STAND
EXTENSION

1.89kg 28mm 16mm 28mm
4.2lb 1 1/8" 5/8" 1 1/8"

Chrome length plated steel extension.
Length 52cm (21").



C624
MEDIUM STEEL STAND
EXTENSION

1.72kg 28mm 16mm 28mm
3.8lb 1 1/8" 5/8" 1 1/8"

Chrome length plated steel extension.
Length 39cm (15").



C622
SMALL STEEL STAND
EXTENSION

1.59kg 28mm 16mm 28mm
3.5lb 1 1/8" 5/8" 1 1/8"

Chrome length plated steel extension.
Length 28cm (11").



027
STAND HOLDER

2.8kg
7.5lb

Holder for 8 light stands. Width: 115cm (3' 9").
Distance between fixing holes: 64.4cm (2ft 1").
Depth: 19cm (8").



087WBK
WIND-BRACING KIT

3 rope wind-bracing kit.
Length: 1000cm (32' 10").



A9000NB
BRAKED WHEELS
BLACK FINISH VERSION

3.3kg 90kg
7.3lb 198.4lb

Ø: 100mm for 20×20 and 25×25mm.
Square legs. Set of three.

A9000N
BRAKED WHEELS



C590
CONKA BONKA

28mm 28mm
1 1/8" 1 1/8"

Set of 3 Cine extensions.

Long version:
Extension 68cm (2' 3")
Total length 79cm (2' 7")
Weight 1.75kg (3.86lb)

Medium version:
Extension 27cm (11")
Total length 39cm (1' 3")
Weight 1.25kg (2.76lb).

Short version:
Extension 15cm (6")
Total length 27cm (11")
Weight 1.09kg (2.40lb).



G100-2
SMALL SAND BAG

6kg
13.3lb

G200-1
LARGE SAND BAG

10kg
22lb



G300
EXTRA LARGE SAND BAG

35kg
77.2lb

Please note sand bags are sold empty.

LIGHT CONTROL



LIGHT CONTROL

FABRIC SPECIFICATION


FABRIC	LIGHT LOSS	RIM COLOUR
Black Commando (Solid)	100%	Black
Black Double Scrims	1.5 Stops	Red
Black Triple Scrims	2.9 Stops	Black

HIGH QUALITY
Every item is made with care for all details from cutting to sewing of the material to the frame. A special design of the frame allows perfect 90° corners without losing elasticity of the frame. All our scrims are made using high temperature resistance webbing. We used a colour code system to easily identify the different kind of textile.

SPARE PARTS
The unique design of our scrims and flags allows them to be repaired easily. A velcro locking system fixes the cover to the frame while a built in pin maintains the perfect tension in the steel wire. To order spare part covers for scrims and flags add the letter "R" in front of the order code. I.e. RI600B is the spare part cover for the item I600B Solid Black Flag.

LABELLING
A label sewn close the handle will tell you the dimension of the frame in inches and centimetres.

LIGHT LOSS
The chart shows the light loss of an incandescent light source. The main light reading is 32 9/10 F Stop. The light loss has been calculated positioning the luxmeter at 2m (6' 7") from the light source and the textile halfway between them.



SCRIMS

Made of steel spring tube combined with unique fabrics our Scrims are light, strong and cut light with great effect. To achieve the ideal positioning Avenger provides a complete grip head system. All textiles are also sold separately as spares in case your originals become damaged.

Fabric	Size	18×24" 45×60cm	24×36" 60×90cm
Black Double Scrim	I650D	I750D	
Black Triple Scrim	-	I750T	



I650D
BLACK DOUBLE SCRIM
18×24" / 45×60cm
850g
1.9lb



I750D
BLACK DOUBLE SCRIM
24×36" / 60×90cm
800g
1.8lb



I750T
BLACK TRIPLE SCRIM
24×36" / 60×90cm
800g
1.8lb

SOLID BLACK FLAGS

Made of steel spring tube combined with unique fabrics our Solid Black Flags are light, strong and cut light with great effect. To achieve the ideal positioning, Avenger provides a complete grip head system. All textiles are also sold separately as spares in case your originals become damaged.

Fabric	Size	12×18" 30×45cm	18×24" 45×60cm	24×30" 60×75cm	24×36" 60×90cm	48×48" 120×120cm
Solid Black Flag	I600B	I650B	I700B	I750B	I1024	



I600B
SOLID BLACK FLAG
12×18" / 30×45cm
600g
1.3lb



I650B
SOLID BLACK FLAG
18×24" / 45×60cm
850g
1.9lb



I700B
SOLID BLACK FLAG
24×30" / 60×75cm
1.2kg
2.2lb



I750B
SOLID BLACK FLAG
24×36" / 60×90cm
1.1kg
2.5lb




I1024
SOLID BLACK FLAG
48×48" / 120×120cm
3kg
6.6lb

LIGHT CONTROL

FLOPPIES AND CUTTERS

Fabric	Code	Size
Meat Axe Flag	I1010	30×36" / 90×75cm
Cutter	I1021	18×48" / 46×120cm
Cutter	I1023	40×40" / 102×102cm
Floppy Cutter	I1031	48×48" / 120×120cm

To order spare part covers for floppies and cutters add the letter "R" in front of the order code. I.e. RI1021, is the spare part cover for the item I1021 CUTTER 18×48".



All our flags, floppies and cutters are made using a strong webbing all around the frame, to protect the edges from wear.



I1010
MEAT AXE FLAG
30×36" / 90×75cm

800g
1.8lb



I1021
CUTTER
18×48" / 46×120cm

Made of Black Commando fabrics, Cutters and Floppies stop light completely and are used to control or cut illumination sources, whether natural or artificial. They can also be used to protect camera lenses from flare.



I1023
CUTTER
40×40" / 102×102cm

800g
1.8lb



I1031
FLOPPY CUTTER
48×48" / 120×120cm

800g
1.8lb



Floppies Cutters are made with an additional piece of fabric, which is fixed with velcro and can be unfolded, becoming twice its original size.

LIGHT CONTROL



F1501
30MM / 1.2" POLYHOLDER

800g
1.8lb

16mm
5/8"

A foamcore support clamp to enable precise positioning. Mounts via a 16mm / 5/8" socket.



F1504
FOAMCORE FORK 16MM PIN

250g
0.6lb

16mm
5/8"

Similar to the F1501, but includes four pointed pins to mount thicker foam core or gator-board. Mounts via a 16mm / 5/8" pin.



I8030CB
MOUNTING STIRRUP
FOR 40" REFLECTOR BOARD

2.5kg
5.5lb

16mm
5/8"

Will fit reflector board from 5mm / 1/4" to 25mm / 1" thickness. Board not supplied.




F1521
50MM / 2" POLYHOLDER
WITH 16MM SPIGOT

2kg
4.4lb

16mm
5/8"

The polyholder has a 16mm / 5/8" spigot. The "board" clamp has two sides, one white for the reflective side of the polystyrene; one black for the black lightstopping side. It doesn't damage the poly. Plate dimensions: 15×22cm / 6×9".



143F
FORK

140g
0.3lb

Fork attachment for styrene gobos: supplied with 1/4" and 3/8" female attachment. Size 12.5×20cm / 5×8".



D705B
LONG COLLAPSIBLE
REFLECTOR HOLDER

800g
1.8lb

16mm
5/8"

Long Extension Arm. Max Length: 185cm / 6' - Min Length: 66cm / 2' 2".



D750
40MM / 1.6" TELESCOPIC
POLYHOLDER

2.5kg
5.5lb

15kg
33.1lb

16mm
5/8"

Max size holding: 156cm / 5' 1".
Folded length: 91cm / 3'.
Polystyrene is one of the most popular light bouncers, but it's not the easiest material to handle. Our Polyholder gives you total control. It grips any thickness and is telescopic to hold most full sheet sizes; then just fixes into the lighting Grip Head D200 mounted on a stand or clamp.



D340
CAMERA
FLEXTENTION KIT

600g
1.3lb

Flexextension Arm, with 2 Mini Clamps, 3/8" Adapter, 10mm Socket Adapter, Black Plastic Flag.



D700B
COLLAPSIBLE REFLECTOR
HOLDER

700g
1.5lb

16mm
5/8"

Extension Arm. Max length: 122cm / 4' - Min length: 47cm / 1' 7".

FOLD AWAY FRAME

Code	Frame Size	Tube Thickness	Frame Support	Transport Dimension	Weight
H2006	183×183cm / 6×6'	2mm	Ear Type 2	192×15×3cm	6.6kg / 14.6lbs
H2008	244×244cm / 8×8'	2mm	Ear Type 2	253×15×3cm	11.3kg / 24.9lbs
H2010	366×244cm / 12×8'	2mm	Ear Type 2	374×15×3cm	14.4kg / 31.7lbs
H2012	366×366cm / 12×12'	2mm	Ear Type 2	374×15×3cm	17.6kg / 38.8lbs




FOLD-OUT AND SET UP
Just fix the frame holder and it is ready to mount!
To order Ear support alone use code RH02015.

FOLD-DOWN
AND BRING UP
Need to move the frame quickly from set to set? No problem, just remove the frame holder, fold down the frame and carry the frame with the textile still fitted!



FOLD AWAY FRAME COMPACT

Code	Frame Size	Tube Thickness	Frame Support	Transport Dimension	Weight
H2508	244X244cm / 8×8'	2mm	Ear Type 2	130×17×9cm	13kg / 28.7lbs
H2512	366×366cm / 12×12'	2mm	Ear Type 2	191×17×9cm	16kg / 35.3lbs



FOLD-DOWN
AND BRING UP
Fold Away Compact is the evolution of the standard version. A locking mechanism allows the frame to be folded even smaller for even easier transportation.



Fabric and stands are not included



LIGHT CONTROL

LIGHTWEIGHT FRAME

The Avenger Fast-Loc Frame kit is lightweight and quick to set up. The square section aluminum tubes slide and lock together to provide a strong frame which supports lighting control textiles of (6'x6' in size).

Code	Frame Size	N. of tubes per side	Tube Length x Thickness	Tube Connection	Frame Support	Weight	Optional Frame Bag
H660	183×183cm / 6×6'	1	1205×1.4mm	Insert	Stud Type x2	6.9kg / 15.2lbs	H6BAG




Stud Type (code RH01051).



The Manfrotto Butterfly Frames uses two methods of support. Ear and Stud as illustrated.



Ear Type (code RH01016).



Insert tube connection.

MODULAR FRAMES

Heavy Duty 3mm square section tubes-slot and pin-lock together, rapidly providing a stable frame for lighting control textiles. By reducing or adding tubes you can create any frame size.

Code	Frame Size	N. of tubes per side	Tube Length x Thickness	Tube Connection	Frame Support	Weight	Optional Frame Bag
H600M	183×183cm / 6×6'	1	1205×3mm	Pin	Ear Type x2	11.4kg / 25.1lbs	H6BAG
H800M	244×244cm / 8×8'	2	1205×3mm	Pin	Ear Type x2	13.6kg / 30lbs	H6BAG
H1200M	366×366cm / 12×12'	3	1205×3mm	Pin	Ear Type x2	19kg / 41.9lbs	H6BAG
H2000M	610×610cm / 20×20'	5	1205×3mm	Pin	Ear Type x2	32.6kg / 71.9lbs	H6BAG



D.I.Y. BUTTERFLY PIPE CORNER KIT

Pipe specifications for use with the D.I.Y Butterfly Pipe Corner Kit.

Code	Nominal Bore	Outer Diameter
H9000	38mm / 1 1/2"	48.3mm / 1 29/32"

This kit gives you the possibility of making frames of any dimension, using standard aluminum pipes.



Pipe connection.



SYSTEMS



SYSTEM
PROPERTIES



Gravity Casting

All the strategic aluminum components which have to guarantee safety of the product are made using the Gravity Casting technology. This process excludes any possibility of having air bubbles getting into the casting.



Quick Action Device

This mechanical concept allows an incredible speed in locking and unlocking the clamp's jaws. The Quick Action line of clamps consists of four models that in dimension, load capacity (up to 100kg / 220.5lbs) and coupling range (up to 50mm / 2").



Multifix

The Multifix feature of the "System" product family offers an incredible range of different attachments. Thanks to the Multifix system the user can hang the product in a various ways. The clamps are manufactured with multi attachment points or a single attachment point. Available with a variety of different fixing accessories.

Max Load

Spigot / Socket Type

12.5mm* or 14mm** hole

Female 16mm - 5/8"

Female 28mm - 1" 1/8"

M12

Male 16mm - 5/8"

Male 28mm - 1 1/8"

Pulley



Eyebolt

C1575B

SUPER CLAMP

			
450g	15kg	16mm	1/4"
1lb	33.1lb	5/8"	

Ideal clamp for cine, broadcast or lighting and entertainment applications. Clamping system achieved via a metal knob ensuring extra solidity. Works on diameters from 13mm to 55mm.



C1575

SUPER CLAMP



CHROME FINISH VERSION

C1550

HEAVY DUTY
SUPER CLAMP

				
450g	15kg	16mm	1/4"	GC
1lb	33.1lb	5/8"		

Extra tough version of the Super Clamp made using our gravity cast process that performs under the heaviest use in extreme environments. Works on diameters from 13mm to 55mm.





C1525

SKY HOOK

		
800g	16mm	16mm
18lb	5/8"	5/8"

Gaffer grip with adjustable jaws. Grips on diameters from 25mm to 65mm.




C500

PELICAN
GAFFER GRIP

					
1.4kg	10kg	16mm	16mm	16mm	GC
3.1lb	22lb	5/8"	5/8"	5/8"	

Grips on diameters from 15mm to 80mm.



C155

SAFETY CABLE

Diameter 4mm. Length 100cm / 3' 3".

C155-01


SAFETY CABLE

Diameter 3.5mm. Length 70cm / 2' 4".

C155-02

SAFETY CABLE

Diameter 5mm. Length 70cm / 2' 4".




CLAMP SYSTEM

C100 JUNIOR PIPE CLAMP WITH 28MM SOCKET

			
210g 0.5lb	250kg 551.2lb	28mm 1 1/8"	


Works on diameters from 20mm to 55mm.



C210 BABY PIPE CLAMP WITH 16MM STUD

			
620g 1.4lb	100kg 220lb	16mm 5/8"	


Works on diameters from 10mm to 55mm.



C150 SWIVELLING "C" CLAMP

				
1.6kg 3.5lb	10/75kg* 22lb/ 165.3lb	28mm 1" 1/8"	16mm 5/8"	

Works on diameters from 28mm to 78mm.
* 10kg / 22lb on 16mm / 5/8" attachment,
75kg / 165.3lb on 28mm / 1 1/8" attachment.




CLAMP SYSTEM

C337 28MM BUSHING QUICK ACTION JUNIOR CLAMP

		
1.43kg 3.2lb	100kg 220.5lb	28mm 1 1/8"


Made in gravity cast aluminum, this clamp is ideal to hang all types of luminaires in TV studios and theaters. Its incredible "coupling range" sets almost no limitations to its capability to clamp to almost all the industry standard pipe diameters. To meet all safety requirements, we have designed a dedicated slot for flexible steel safety cables. Supplied with T-top padded handle to improve grip. Pipe size 40-70mm.



C338 16MM PIN QUICK ACTION BABY CLAMP

		
900g 2lb	50kg 110.2lb	16mm 5/8"

Very slim and lightweight, this version has been designed for small luminaires, virtually unlimited in application. To meet all safety requirements, we have designed a dedicated slot for flexible steel safety cables. Pipe size 20-52mm.



C345-1 BARREL CLAMP


				
900g 2lb	40/300kg* 88.2lb 661.4lb	28mm 1 1/8"	16mm 5/8"	16mm 5/8"

1/4"

GC

Works on diameters from 42mm to 52mm.

* 40kg / 88.2lb on 16mm / 5/8" attachment,
300kg / 661.4lb on 28mm / 1 1/8" attachment.



C345K-1 BARREL CLAMP AND KNOB

				
950g 2.1lb	40/300kg* 88.2lb 661.4lb	28mm 1 1/8"	16mm 5/8"	16mm 5/8"

1/4"


GC

Works on diameters from 42mm to 52mm.


* 40kg / 88.2lb on 16mm / 5/8" attachment,
300kg / 661.4lb on 28mm / 1 1/8" attachment.



C345BK-1 BARREL CLAMP AND KNOB BLACK FINISH VERSION



CLAMP SYSTEM



Clamp Range: 40mm to 65mm Clamp Range: 36mm to 47mm Clamp Range: IPE 80 to IPE 160
HEB 80 to HEB 160

The Grab Clamp is flexible and fast to use thanks to its pincer jaw design and rapid locking and release mechanism. It can be fixed to a wider range of supports than traditional clamps and is suitable for use in TV, video and photographic studios, theatres and rigging structures.

The Grab Clamp will hold all kinds of lights, scenery, monitors and much more besides.

The Grab Clamp has been designed to be mounted on a wide range of beams, pipes and bars, whether round, square or rectangular in section. It needs no adapter - just open and clamp it.

C339 GRAB CLAMP

1.2kg 150kg 12.5mm
2.6lb 330.7lb hole

Supplied without attachment, but with a 12.5mm hole for custom fixings.



C339BB GRAB CLAMP WITH 16MM BUSHING

1.35kg 50kg 28mm
3lb 110.2lb 1 1/8"

Comes with 16mm bushing complete with push button for extra-safe attachment.



C339UH DOUBLE GRIP HEAD

1.95kg 75kg 28mm 16mm
4.3lb 165.3lb 1 1/8" 5/8"

Provided with a universal fixed (non-rotating) head.




C339SP GRAB CLAMP WITH SPINNING PULLEY

1.65kg 150kg Pulley
3.6lb 330.7lb


Fitted with a 100mm diameter pulley to offer a quick and robust hanging point ideal for TV and theatre.



LP EYE COUPLER SYSTEM




LP (Low Profile) Eye Couplers are safe, easy to use and lightweight with the reliability and high performance that you expect from Avenger. The new high-performance Eye Coupler range has been developed with professional users needs in mind. Improved safety, full TUV certification, optimised ergonomic and unique design are the key features of new Eye Couplers developed for professionals in entertainment and film industries.



C460-1
LP EYE COUPLER

- 360g
0.8lb
- 220kg
485lb
- 13mm
hole


The base model of LP EYE COUPLER for any customised application.



C461-1
LP EYE COUPLER
WITH 28MM TV SPIGOT

- 570g
1.3lb
- 220kg
485lb
- 28mm
1 1/8"

Supplied with 28mm spigot for TV / broadcast luminaires.



C464-1
LP EYE COUPLER
WITH M12 BOLT PLUS NUT

- 400g
0.9lb
- 300kg
661.4lb
- M12x27


Supplied with M12 bolt and nut for custom solutions.



C465-1
LP EYE COUPLER
WITH 28MM BUSHING

- 840g
1.3lb
- 220kg
485lb
- 28mm
1 1/8"


Designed with 28mm bushing suitable for 2K+stirrup luminaires.



C462-1
LP EYE COUPLER
WITH 16MM SPIGOT

- 410g
0.9lb
- 220kg
485lb
- 16mm
5/8"


Designed with 16mm spigot suitable for lightweight luminaires.



C463-1
LP EYE COUPLER
WITH LIFTING RING

- 550g
1.2lb
- 220kg
485lb
- Eyebolt


Provided with lifting ring for multipurpose use with chains, wires and ropes.



C481-1
90° FIXED LP EYE COUPLER

- 760g
1.7lb
- 300kg
661.4lb

Twin couplers fixed at 90° for firm, quick and easy interconnection for truss, bars or pipes.




C482-1
SWIVEL LP EYE COUPLER


- 760g
1.7lb
- 300kg
661.4lb

Twin couplers free to rotate 360° for firm, quick and easy interconnection for truss, bars or pipes.

MP EYE COUPLER SYSTEM




MP (Multi Purpose) Eye Couplers: wider clamp range from 42 to 52mm and special flattened shape of lower jaw.



C4460-1 MP EYE COUPLER

390g 0.9lb	300kg 661.4lb	12.5mm hole


The base model of MP Eye Coupler for any customised application.



C4463-1 MP EYE COUPLER WITH LIFTING RING

580g 1.3lb	300kg 661.4lb	Eyebolt


Provided with lifting ring for multipurpose use with chains, wires and ropes.



C4461-1 MP EYE COUPLER WITH 28MM TV SPIGOT

600g 1.3lb	300kg 661.4lb	28mm 1 1/8"


Supplied with 28mm spigot for TV / broadcast luminaires.



C4464-1 MP EYE COUPLER WITH M12 BOLT PLUS NUT

430g 0.9lb	300kg 661.4lb	M12x27

Twin couplers fixed parallel for firm, quick and easy interconnection for truss, bars or pipes.



C4462-1 MP EYE COUPLER WITH 16MM SPIGOT

440g 1lb	300kg 661.4lb	16mm 5/8"


Designed with 16mm spigot suitable for lightweight luminaires.



C4465-1 MP EYE COUPLER WITH 28MM BUSHING

870g 1.9lb	250kg 485lb	28mm 1 1/8"


Designed with 28mm bushing suitable for 2K+ stirrup luminaires.



C4469 MP EYE COUPLER WITH 16MM BUSHING

520g 1.1lb	500kg 1102.3lb	16mm 5/8"


Supplied with 16mm spigot for light fixing accessories.



C4482 SWIVEL MP EYE COUPLER

810g 1.8lb

Twin couplers free to rotate 360° for firm, quick and easy coupling of trusses, bars or pipes.



C4485 MP EYE COUPLER SWIVEL AND TILT TRUSS SUPPORT 150-250

2,78kg 6.1lb	28mm 1 1/8"


Truss Support Coupler with a tilt/swivel connection to the stand pin. It avoids torsion and mounting problems when lifting a truss using two stands simultaneously. Min. Length 15cm / 6". Max. Length 25cm / 10".

C4486 MP EYE COUPLER SWIVEL AND TILT TRUSS SUPPORT 200-400



2.85kg 6.3lb	28mm 1 1/8"

Min. Length 200mm / 7.9". Max. Length 400mm / 15.7".

MP EYE COUPLER SYSTEM



MP (Multi Purpose) Slim Eye Couplers: same features as MP coupler but narrower in profile and lighter in weight.



C4560-1 SLIM MP EYE COUPLER

- 260g
0.6lb
- 180kg
396.8lb
- 12.5mm
hole

The base model of MP. Slim, light version Eye Coupler.



C4564-1 SLIM MP EYE COUPLER 12MM BOLT + NUT

- 300g
0.6lb
- 300kg
661.4lb
- M12×27mm

Supplied with M12 bolt and nut for custom solutions.



TELESCOPIC HANGER SYSTEM

C825
TELESCOPIC HANGER
WITH UNIVERSAL HEAD

121cm 3' 12"	201cm 6' 7"	5.1kg 11.2lb	10/40kg 22/ 88.2lb	28mm 1 1/8"	16mm 5/8"

Max load with 16mm / 5/8" spigot, 10kg / 22lb.
Max load with 28mm / 1 1/8" socket, 40kg / 88.2lb.

C827
LONG TELESCOPIC HANGER
WITH UNIVERSAL HEAD

212cm 6' 11"	381cm 12' 6"	6.8kg 15lb	10/40kg 22/ 88.2lb	28mm 1 1/8"	16mm 5/8"

Max load with 16mm / 5/8" spigot, 10kg / 22lb.
Max load with 28mm / 1 1/8" socket, 40kg / 88.2lb.



C820
TELESCOPIC HANGER
WITH STIRRUP

117cm 3' 10"	197cm 6' 6"	5.4kg 11.9lb	40kg 88.2lb

Luminaire attachment - Stirrup Ø 40mm.

C822
LONG TELESCOPIC HANGER
WITH STIRRUP

210cm 6' 11"	379cm 12' 5"	6.8kg 15lb	40kg 88.2lb

Luminaire attachment - Stirrup Ø 40mm.



C888UH
TELESCOPIC HANGER
WITH UNIVERSAL HEAD

76cm 2' 6"	161cm 5' 3"	5.6kg 12.3lb	10/40kg 22/ 88.2lb	28mm 1 1/8"	16mm 5/8"

Max load with 16mm / 5/8" spigot, 10kg / 22lb.
Max load with 28mm / 1 1/8" socket, 40kg / 88.2lb.



LIGHTING BOOMS SYSTEM



D570
EXTENSION ARM
WITH SWIVEL PIN

1.1kg 16mm
2.4lb 5/8"
Arm length: 91cm / 2' 12".
16mm / 5/8" female stand attachment.



D600
MINI BOOM

3.6kg 16mm
7.9lb 5/8"
Min extension 117cm / 3' 10".
Max load 30kg / 66.1lb.
Max extension 212cm / 6' 11".
Max load 7kg / 15.4lb.
16mm / 5/8" female stand attachment.



D650
JUNIOR BOOM ARM

14.8kg 28mm 16mm
32.6lb 1 1/8" 5/8"
Min extension 163cm / 5' 4".
Max load 40kg / 88.2lb.
Max extension 300cm / 9' 10".
Max load 10kg / 22lb.
28mm / 1 1/8" male stand attachment.

PRODUCTS BELOW ARE AVAILABLE AS OPTIONAL



172
MINI
COUNTERWEIGHT

1.3kg
2.9lb



023
L-PESO

4.3kg
9.5lb

022
G-PESO


6.7kg
14.8lb

AUTOPOLE SYSTEM

AUTOPOLE


Unique cantilever single action locking system exerts pressure to securely wedge the rubber suction cup ends in place. Cantilever system incorporates safety lock. Floor to ceiling, or wall to wall fixing for strong vertical or horizontal support of lighting.

LOADING LIMITS
The following figures are valid for use with rigid floors and ceilings, and with the protection-cups mounted on the suction-cups.



F0: maximum axial load
F1: maximum load with 0.5m (19.5") arm
F2: maximum load with 1m (39") arm

Models	Load		
	FO	F1	F2
032	30kg / 66lb	30kg / 66lb	15kg / 33lb
076	30kg / 66lb	30kg / 66lb	15kg / 33lb
077	30kg / 66lb	30kg / 66lb	15kg / 33lb
432-2.7	24kg / 52lb	24kg / 52lb	12kg / 26lb
432-3.7	24kg / 52lb	24kg / 52lb	12kg / 26lb



Models	Load
	F
032	20kg / 44lb
076	20kg / 44lb
077	20kg / 44lb
432-2.7	20kg / 44lb
432-3.7	20kg / 44lb

077 AUTOPOLE

1.5kg
3.3lb
Extends from 100cm / 3' 3" to 170cm / 5' 7".
Pole Ø: 45mm and 40mm.

077B AUTOPOLE BLACK FINISH VERSION

076 AUTOPOLE

1.83kg
4lb
Extends from 150cm / 4' 11" to 270cm / 8' 10".
Pole Ø: 45mm and 40mm.

076B AUTOPOLE BLACK FINISH VERSION

032 AUTOPOLE

2.2kg
4.9lb
Extends from 210cm / 6' 11" to 370cm / 12' 2".
Pole Ø: 45mm and 40mm.

032B AUTOPOLE BLACK FINISH VERSION



077

076

032

432-2.7 AUTOPOLE 2

2.23kg
4.9lb
Two position variable thrust.
Extends from 150cm / 4' 11" to 270cm / 8' 10".
Pole Ø: 45mm and 40mm.

432-2.7B AUTOPOLE 2 BLACK FINISH VERSION

432-3.7 AUTOPOLE 2

2.6kg
5.7lb
Two position variable thrust. Extends
from 210cm / 6' 11" to 370cm / 12' 2".
Pole Ø: 45mm and 40mm.

432-3.7B AUTOPOLE 2 BLACK FINISH VERSION

332-3.7B MINI AUTOPOLE BLACK FINISH VERSION



432-2.7

432-3.7

332-3.7B

AUTOPOLE SYSTEM

AUTOPOLE ACCESSORIES



032BASE
AUTOPOLE BASE

1.2kg 86cm 126cm
2.6lb 2' 10" 4' 2"
For tubes: Ø 45mm.
Legs Ø: 22mm.

032BASEB
AUTOPOLE BASE
BLACK FINISH VERSION

032SPL
AUTOPOLE SPIRIT LEVEL

Spirit level for use on Autopole®, or on tubes of 25mm to 60mm diameter.



032PC
AUTOPOLE PROTECTION
CAPS

Set of four protection caps for rubber feet with inner hole.
Ø: 16.5mm.
Suitable for use with all Autopoles except Midi Autopole®
332 and Mini Pole 170.



034
EXTENSION TUBE

530g 1.2lb
Autopole® Extension tube. Ø: 40mm.
Length: 150cm / 4' 11".
Suitable for Autopole2® and Autopole®.

034B
EXTENSION TUBE
BLACK FINISH VERSION

033
EXTENSION TUBE


690g 1.5lb
Autopole® Extension tube. Ø: 40mm.
Length: 200cm / 6' 7".
Suitable for Autopole2® and Autopole®.

033B
EXTENSION TUBE
BLACK FINISH VERSION

170
MINI POLE


870g 1.9lb
Spring loaded mini pole.
Extends from 175cm / 5' 9" to 330cm / 10' 10".
Post Ø: 25mm and 28mm.

170B
MINI POLE
BLACK FINISH VERSION



034 033 170

ARMS SYSTEM




F900
BABY TRIPLE HEADER
5X16MM PIN / 16MM SOCKET

 1.3kg
2.9lb
Length: 65cm / 2' 2".



F1200
COLUMN ARM

 3.1kg
6.8lb  10kg
22lb  16mm
5/8"  28mm
1 1/8"
Length: 51cm / 1' 8".



F600
BABY OFFSET ARM / TWIN
16MM PIN / 16MM SOCKET

 700g
1.5lb  16mm
5/8"  16mm
5/8"
Length: 38cm / 1' 3".



F100
JUNIOR OFFSET ARM
28MM PIN / 28MM SOCKET

 1.5kg
3.3lb  28mm
1 1/8"  28mm
1 1/8"
Length: 50cm / 1' 8".



D244N
VARIABLE FRICTION ARM

 1.06kg
2.3lb  3kg
6.6lb  16mm
5/8"  16mm
5/8"  3/8" thread
1/4" thread
Articulated arm with large locking knob
to lock all 3 movements.

WALL PLATES SYSTEM




F301
BABY WALL PLATE

400g
0.9lb

16mm
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used.



F300
JUNIOR WALL PLATE

680g
1.5lb

28mm
1 1/8"

A wall plate with a junior receiver to mount larger fixtures.




F809
BABY PLATE WITH 90° PIN

650g
1.4lb

16mm
5/8"

When a light stand or a clamp cannot be used to support fixtures, this baby plate with a right angle can be mounted on the wall.




F810
BABY PLATE WITH 16MM SWIVEL SPIGOT

800g
1.8lb

16mm
5/8"

Unique to the Avenger line, this baby plate allows fixtures to be fine-tuned with the built in swiveling baby pin.

PUMP CUP SYSTEM




F800
3" BABY WALL PLATE

400g
0.9lb

16mm
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Pin length 3".




F805
6" BABY WALL PLATE

720g
1.6lb

16mm
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Pin length 6".




F808
9" BABY WALL PLATE

850g
1.9lb

16mm
5/8"

Baby plates allow for the quick mounting of fixtures in places where light stands and clamps cannot be used. Pin length 9".



F1000
PUMP CUP WITH 16MM BABY SWIVEL SPIGOT

1.1kg
2.4lb

2kg
4.4lb

16mm
5/8"

Ideal for mounting small lights and camera systems onto flat, non-porous surfaces such as glass. A perfect tool for rigging car shoots.



F1100
PUMP CUP WITH 16MM BABY FIXED SPIGOT

700g
1.5lb

2kg
4.4lb

16mm
5/8"

Like the F1000, but with a fixed baby pin for added stability.

ACCESSORIES



ACCESSORIES

027
STAND HOLDER

2.8kg
5.7lb

Holder for 8 light stands.
Width: 115cm / 3' 9".
Distance between fixing holes: 64.4cm / 2' 1".
Depth: 19cm / 7 1/2".



A9000NB
BRAKED WHEELS
BLACK FINISH VERSION

3.3kg 90kg
7.3lb 198.4lb

Ø: 100mm for 25×25mm
square legs. Set of three.



A9000N
BRAKED WHEELS

C155
SAFETY CABLE


Diameter 4mm. Length 100cm / 3' 3".

C155-01
SAFETY CABLE

Diameter 3.5mm. Length 70cm / 2' 8".

C155-02
SAFETY CABLE

Diameter 5mm. Length 70cm / 2' 8".















16mm / 5/8" FEMALE ADAPTERS

All measurements shown are metric unless otherwise stated.


5/8" Indicates an external thread or stud diameter

5/8" Indicates an internal thread or socket diameter


W Whitworth thread




16mm / 5/8" MALE ADAPTERS



28mm / 1 1/8" MALE ADAPTERS




SPECIAL ADAPTERS




JAPANESE FIT ADAPTERS



SUPER CLAMP ADAPTERS



SWIVELLING ADAPTERS



NOTES

INDEX

art	description	page
013	16MM MALE ADAPTER	88
014-14	16MM FEMALE ADAPTER	87
014-38	16MM FEMALE ADAPTER	87
014BIM	16MM FEMALE ADAPTER	87
014MS	16MM FEMALE ADAPTER	87
015	SPECIAL ADAPTER	90
016	16MM FEMALE ADAPTER	87
019	SPECIAL ADAPTER	90
022	G-PESO	75
023	L-PESO	75
026	SWIVELLING ADAPTER	92
027	STAND HOLDER	43, 86
032	AUTOPOLE	76
032B	AUTOPOLE BLACK FINISH	76
032BASE	AUTOPOLE BASE	78
032BASEB	AUTOPOLE BASE BLACK FINISH	78
032PC	AUTOPOLE PROTECTION CAPS	78
032SPL	AUTOPOLE SPIRIT LEVEL	78
033	EXTENSION TUBE	79
033B	EXTENSION TUBE BLACK FINISH	79
034	EXTENSION TUBE	79
034B	EXTENSION TUBE BLACK FINISH	79
036-14	SUPER CLAMP ADAPTER	91
036-38	SUPER CLAMP ADAPTER	91
036MR	SUPER CLAMP ADAPTER	91
037	SUPER CLAMP ADAPTER	91
061	SUPER CLAMP ADAPTER	91
061RA	SUPER CLAMP ADAPTER	91
066	SUPER CLAMP ADAPTER	91
066BT	SUPER CLAMP ADAPTER	91
076	AUTOPOLE	76
076B	AUTOPOLE BLACK FINISH	76
077	AUTOPOLE	76
077B	AUTOPOLE BLACK FINISH	76
087WBK	WIND-BRACING KIT	43
088	SPECIAL ADAPTER	90
088LBP	SPECIAL ADAPTER	90
118	16MM MALE ADAPTER	88, 91
119	16MM MALE ADAPTER	88, 91
143F	FORK	50
148KN	SPECIAL ADAPTER	90
149	SPECIAL ADAPTER	90
151	16MM MALE ADAPTER	88
152	16MM FEMALE ADAPTER	87
153	16MM FEMALE ADAPTER	87
155	SWIVELLING ADAPTER	92
155BKL	SWIVELLING ADAPTER	92
158	16MM FEMALE ADAPTER	87
159	16MM FEMALE ADAPTER	87
163-10	28MM MALE ADAPTER	89
163-12	28MM MALE ADAPTER	89
163-38	28MM MALE ADAPTER	89
170	MINI POLE	79
170B	MINI POLE BLACK FINISH	79
172	MINI COUNTERWEIGHT	75
174	SUPER CLAMP ADAPTER	91
179	16MM FEMALE ADAPTER	87
182	16MM MALE ADAPTER	88
184	16MM MALE ADAPTER	88
185	16MM MALE ADAPTER	88
186	16MM MALE ADAPTER	88

art	description	page
187	16MM MALE ADAPTER	88
188	16MM MALE ADAPTER	88
189	16MM FEMALE ADAPTER	87
191	16MM MALE ADAPTER	88
192	SPECIAL ADAPTER	90
194	16MM FEMALE ADAPTER	87
195	16MM MALE ADAPTER	88
264	SUPER CLAMP ADAPTER	91
332-3.7B	MINI AUTOPOLE	77
432-2.7	AUTOPOLE 2	77
432-2.7B	AUTOPOLE 2 BLACK FINISH	77
432-3.7	AUTOPOLE 2	77
432-3.7B	AUTOPOLE 2 BLACK FINISH	77
620-10	28MM MALE ADAPTER	89
620-12	28MM MALE ADAPTER	89
A0010	BABY STAND 10	20
A0010J	BABY STAND 10 JAPANESE	20
A0017	BABY STAND 17	20
A0025B	ALU BABY STAND 25	21
A0030B	ALU BABY STAND 30	21
A0030CS	STEEL BABY STAND 30	21
A0035B	ALU BABY STAND 35	21
A0035CS	STEEL BABY STAND 35	21
A0040B	ALU BABY STAND 40	21
A0040CS	STEEL BABY STAND 40	21
A0045B	ALU BABY STAND 45	21
A0045CS	STEEL BABY STAND 45	21
A1010CS	STEEL COMBO STAND 10	22
A1020B	ALU COMBO STAND 20	22
A1020CS	STEEL COMBO STAND 20	22
A1035B	ALU COMBO STAND 35	22
A1035CS	STEEL COMBO STAND 35	22
A1045B	ALU COMBO STAND 45	22
A1045CS	STEEL COMBO STAND 45	22
A120J	STEEL LOW BOY COMBO STAND	22
A2007	C-STAND MINI BASE CHROME FINISH	14
A2007CB	C-STAND MINI BASE BLACK CHROME FINISH	14
A2009	C-STAND BASE CHROME FINISH	14
A2009CB	C-STAND BASE BLACK CHROME FINISH	14
A2014	C-STAND COLUMN 14 CHROME FINISH	14
A2014CB	C-STAND COLUMN 14 BLACK CHROME FINISH	14
A2016D	C-STAND 16 DETACHABLE CHROME FINISH	12
A2016DCB	C-STAND 16 DETACHABLE BLACK CHROME FINISH	12
A2018F	C-STAND 18 CHROME FINISH	13
A2018FCB	C-STAND 20 BLACK CHROME FINISH	13
A2018FJCB	C-STAND 20 BLACK CHROME FINISH JAPANESE	13
A2018L	C-STAND 18 SLIDING LEG CHROME FINISH	13
A2018LCB	C-STAND 18 SLIDING LEG BLACK CHROME FINISH	13
A2018LJ	C-STAND 18 SLIDING LEG CHROME FINISH JAPANESE	13
A2018LJCB	C-STAND 18 SLIDING LEG BLACK CHROME FINISH JAPANESE	13
A2020	C-STAND COLUMN 20 CHROME FINISH	14
A2020CB	C-STAND COLUMN 20 BLACK CHROME FINISH	14
A2020JCB	C-STAND COLUMN 20 BLACK CHROME FINISH JAPANESE	14
A2022D	C-STAND 22 DETACHABLE CHROME FINISH	12
A2022DCB	C-STAND 22 DETACHABLE BLACK CHROME FINISH	12
A2025F	C-STAND 25 CHROME FINISH	13
A2025FCB	C-STAND 25 BLACK CHROME FINISH	13
A2025L	C-STAND 25 SLIDING LEG CHROME FINISH	13

art	description	page
A2025LCB	C-STAND 25 SLIDING LEG BLACK CHROME FINISH	13
A2025LJ	C-STAND 25 SLIDING LEG CHROME FINISH JAPANESE	13
A2025LJCB	C-STAND 25 SLIDING LEG BLACK CHROME FINISH JAPANESE	13
A2029	C-STAND COLUMN 29 CHROME FINISH	14
A2029CB	C-STAND COLUMN 29 BLACK CHROME FINISH	14
A2030D	C-STAND 30 DETACHABLE CHROME FINISH	12
A2030DCB	C-STAND 30 DETACHABLE BLACK CHROME FINISH	12
A2030DCBKIT	C-STAND KIT 30 DETACHABLE BLACK CHROME FINISH	15
A2030DKIT	C-STAND KIT 30 DETACHABLE CHROME FINISH	15
A2033F	C-STAND 33 CHROME FINISH	13
A2033FCB	C-STAND 33 BLACK CHROME FINISH	13
A2033FCBKIT	C-STAND KIT 33 BLACK CHROME FINISH	15
A2033FKIT	C-STAND KIT 33 CHROME FINISH	15
A2033L	C-STAND 33 SLIDING LEG CHROME FINISH	13
A2033LCB	C-STAND 33 SLIDING LEG BLACK CHROME FINISH	13
A2033LJ	C-STAND 33 SLIDING LEG CHROME FINISH JAPANESE	13
A2033LKIT	C-STAND KIT 33 SLIDING LEG CHROME FINISH	15
A2033LJCB	C-STAND 33 SLIDING LEG BLACK CHROME FINISH JAPANESE	13
A3042CS	OVERHEAD STAND 42	40
A3043CS	OVERHEAD STAND 43 WITH BRAKED WHEELS	40
A3056CS	WIDE BASE OVERHEAD STAND 56	41
A3058CS	OVERHEAD STAND 58 WITH BRAKED WHEELS	40
A3059CS	OVERHEAD STAND 59	40
A3065CS	WIDE BASE OVERHEAD STAND 65	41
A4039CS	STEEL BOOM STAND 39	26
A4041B	ALU BOOM STAND 41	26
A4050CS	STEEL BOOM STAND 50	27
A5012	ROLLER STAND 12 FOLDING BASE	25
A5017	ROLLER STAND 17 FOLDING BASE	24
A5029	ROLLER STAND 29 LOW BASE	24
A5033	ROLLER STAND 33 FOLDING BASE	24
A5034	ROLLER STAND 34 FOLDING BASE	25
A5036CS	ROLLER STAND 36 LOW BASE	25
A5042CS	ROLLER STAND 42 LOW BASE	25
A5043	ROLLER STAND 43 LOW BASE	24
A625B	MINI KIT STAND BLACK ALU	20
A630B	MIDI KIT STAND BLACK ALU	20
A635B	MIXI KIT STAND BLACK ALU	20
A9000N	BRAKED WHEELS BLACK FINISH	22, 27, 43, 86
A9000NB	BRAKED WHEELS BLACK FINISH	22, 27, 43, 86
AVCSA1301B	TRIPLE C ROLLER CASE FOR DETACHABLE C STAND AND ACCESSORIES	18
B150-1	STRATO SAFE CRANK-UP	32
B150P-1	STRATO SAFE CRANK-UP WITH FILLED WHEELS	32
B6026CS	WIND UP STAND 26	28
B6029X	STAINLESS LOW BASE SUPER WIND UP 29 STAND	30
B6030CS	LOW BASE WIND UP STAND 30	29
B6039CS	WIND UP STAND 39	29
B6040X	STAINLESS STEEL SUPER WIND UP 40 STAND	31
B6040XK	STAINLESS STEEL SUPER WIND UP 40 STAND	31
B70XXFFW	FOAM FILL WHEEL SET FOR STRATO SAFE	33
B7018	STRATO SAFE STAND 18	32
B7030FF	BUCCANEER STAND	34, 35
B7034FF-2	BANSHEE STAND	36, 37
B7043CS-1	STRATO SAFE STAND 43	33
B7047CS-1	STRATO SAFE STAND 47	33
B7057FF	LONG JOHN SILVER STAND WITH FOAM FILL WHEELS	38
B9000	HARD WHEEL SET FOR STRATO SAFE	33
B9000P	RUBBER FILLED WHEEL SET FOR STRATO SAFE	33

art	description	page
C100	JUNIOR PIPE CLAMP WITH 28MM SOCKET	60
C150	SWIVELLING "C" CLAMP	61
C155	SAFETY CABLE	59, 86
C155-01	SAFETY CABLE	59, 86
C155-02	SAFETY CABLE	59, 86
C210	BABY PIPE CLAMP WITH 16MM STUD	60
C337	28MM BUSHING QUICK ACTION JUNIOR CLAMP	62
C338	16MM PIN QUICK ACTION BABY CLAMP	62
C339	GRAB CLAMP	64
C339BB	GRAB CLAMP WITH 16MM BUSHING	64
C339SP	GRAB CLAMP WITH SPINNING PULLEY	65
C339UH	DOUBLE GRIP HEAD	65
C345-1	BARREL CLAMP	63
C345BK-1	BARREL CLAMP AND KNOB BLACK FINISH	63
C345K-1	BARREL CLAMP AND KNOB	63
C460-1	LP EYE COUPLER	66
C461-1	LP EYE COUPLER WITH 28MM TV SPIGOT	66
C462-1	LP EYE COUPLER WITH 16MM SPIGOT	66
C463-1	LP EYE COUPLER WITH LIFTING RING	66
C464-1	LP EYE COUPLER WITH M12 BOLT PLUS NUT	67
C465-1	LP EYE COUPLER WITH 28MM BUSHING	67
C481-1	90° FIXED LP EYE COUPLER	67
C482-1	SWIVEL LP EYE COUPLER	67
C500	PELICAN GAFFER GRIP	59
C590	CONKA BONKA	42
C622	SMALL STEEL STAND EXTENSION	42
C624	MEDIUM STEEL STAND EXTENSION	42
C626	LONG STEEL STAND EXTENSION	42
C820	TELESCOPIC HANGER WITH STIRRUP	72
C822	LONG TELESCOPIC HANGER WITH STIRRUP	72
C825	TELESCOPIC HANGER WITH UNIVERSAL HEAD	72
C827	LONG TELESCOPIC HANGER WITH UNIVERSAL HEAD	72
C888UH	TELESCOPIC HANGER WITH UNIVERSAL HEAD	73
C1000	SPECIAL ADAPTER	90
C1005	SPECIAL ADAPTER	90
C1100	SPECIAL ADAPTER	90
C1525	SKY HOOK	59
C1550	HEAVY DUTY SUPER CLAMP	58
C1575	SUPER CLAMP	58
C1575B	SUPER CLAMP	58
C4460-1	MP EYE COUPLER	68
C4461-1	MP EYE COUPLER WITH 28MM TV SPIGOT	68
C4462-1	MP EYE COUPLER WITH 16MM SPIGOT	68
C4463-1	MP EYE COUPLER WITH LIFTING RING	68
C4464-1	MP EYE COUPLER WITH M12 BOLT PLUS NUT	68
C4465-1	MP EYE COUPLER WITH 28MM BUSHING	68
C4469	MP EYE COUPLER WITH 16MM BUSHING	69
C4482	SWIVEL MP EYE COUPLER	69
C4485	MP EYE COUPLER SWIVEL AND TILT TRUSS SUPPORT 150-250	69
C4486	MP EYE COUPLER SWIVEL AND TILT TRUSS SUPPORT 200-400	69
C4560-1	SLIM MP EYE COUPLER	70
C4564-1	MP EYE COUPLER 12MM BOLT + NUT	70
D050	SET OF 6 BLUE T-TOPS	19
D100	DOUBLE GRIP HEAD	18
D200	2"½ GRIP HEAD	18
D200B	2"½ GRIP HEAD BLACK FINISH	18
D210J	2"½ GRIP HEAD JAPANESE	18
D210JB	2"½ GRIP HEAD BLACK JAPANESE	18
D220	GRIP HELPER	18

art	description	page
D230	SUPER CLAMP GRIP HEAD	18
D240	GRIP HEAD WITH SWIVEL PIN	18
D244N	VARIABLE FRICTION ARM	81
D250	GAG GOBO	18
D340	CAMERA FLEXTENTION KIT	50
D400	4"½ JUMBO GRIP HEAD	19, 22
D400B	4"½ JUMBO GRIP HEAD BLACK FINISH	19, 22
D420	JUMBO GAG GOBO	19
D500	20" EXTENSION GRIP ARM	19
D500B	20" EXTENSION GRIP ARM BLACK FINISH	19
D520	40" EXTENSION GRIP ARM	19
D520B	40" EXTENSION GRIP ARM BLACK FINISH	19
D530L	40" EXTENSION ARM AND GRIP HEAD (D200)	19
D530LB	40" EXTENSION ARM AND GRIP HEAD (D200B) BLACK FINISH	19
D570	EXTENSION ARM WITH SWIVEL PIN	74
D600	MINI BOOM	74
D600CB	MINI BOOM BLACK CHROME FINISH	74
D650	JUNIOR BOOM ARM	74
D700B	COLLAPSIBLE REFLECTOR HOLDER	50
D705B	LONG COLLAPSIBLE REFLECTOR HOLDER	50
D750	40MM (1.6") TELESCOPIC POLYHOLDER	50
D800KIT	GRIP KIT	19
E200	28MM MALE ADAPTER	89
E250	16MM MALE ADAPTER	88
E255	DOUBLE SOCKET 16MM TO 17MM ADAPTOR	90
E260	28MM MALE TO 25MM FEMALE ADAPTOR	90
E265	28MM MALE TO 17MM FEMALE ADAPTOR	90
E270	25MM MALE TO 17MM FEMALE ADAPTOR	90
E300	16MM MALE ADAPTER	88
E390	16MM FEMALE ADAPTER	87
E600	SNAP-IN PIN	19, 91
E600C	SNAP-IN PIN STEEL	19, 91
E610	SPECIAL ADAPTER	90
E650	16MM MALE ADAPTER	88
E700	BABY DROP DOWN PIN	27
E710	JUNIOR DROP DOWN PIN	27
F100	JUNIOR OFFSET ARM 28MM PIN / 28MM SOCKET	81
F300	JUNIOR WALL PLATE	82
F301	BABY WALL PLATE	82
F600	BABY OFFSET ARM/TWIN 16MM PIN / 16MM SOCKET	81
F800	3" BABY WALL PLATE	82
F805	6" BABY WALL PLATE	82
F808	9" BABY WALL PLATE	82
F809	BABY PLATE WITH 90° PIN	83
F810	BABY PLATE WITH 16MM SWIVEL SPIGOT	83
F820TH	SWIVELLING ADAPTER	92
F825	SWIVELLING ADAPTER	92
F830	SWIVELLING ADAPTER	92
F830RH	SWIVELLING ADAPTER	92
F830TH	SWIVELLING ADAPTER	92
F831TH	SWIVELLING ADAPTER	92
F1000	PUMP CUP WITH 16MM BABY SWIVEL SPIGOT	83
F1100	PUMP CUP WITH 16MM BABY FIXED SPIGOT	83
F1200	COLUMN ARM	80
F1501	30MM (1.2") POLYHOLDER	50
F1504	FOAMCORE FORK 16MM PIN	50
F1521	50MM (2") POLYHOLDER WITH 16MM SPIGOT	50
F900	BABY TRIPLE HEADER 5X16MM PIN/16MM SOCKET	80
G100-2	SMALL SAND BAG	43
G200-1	LARGE SAND BAG	43

part	description	page
G300	EXTRA LARGE SAND BAG	43
H600M	MODULAR FRAME 6X6'	52
H660	LIGHTWEIGHT FRAME 6X6'	52
H800M	MODULAR FRAME 8X8'	52
H1200M	MODULAR FRAME 12X12'	52
H2000M	MODULAR FRAME 20X20'	52
H2006	FOLD AWAY FRAME 6X6'	51
H2008	FOLD AWAY FRAME 8X8'	51
H2010	FOLD AWAY FRAME 12X8'	51
H2012	FOLD AWAY FRAME 12X12'	51
H2508	FOLD AWAY FRAME COMPACT 8X8'	51
H2512	FOLD AWAY FRAME COMPACT 12X12'	51
H9000	D.I.Y. BUTTERFLY PIPE CORNER KIT	53
I 600B	SOLID BLACK FLAG 12X18"	47
I 650B	SOLID BLACK FLAG 18X24"	47
I 650D	BLACK DOUBLE SCRIM 18X24"	46
I 700B	SOLID BLACK FLAG 24X30"	47
I 750B	SOLID BLACK FLAG 24X36"	47
I 750D	BLACK DOUBLE SCRIM 24X36"	46
I 750T	BLACK TRIPLE SCRIM 24X36"	46
I 8030CB	MOUNTING STIRRUP FOR 40" REFLECTOR BOARD	50
I 1010	MEAT AXE FLAG 30X36"	48
I 1021	CUTTER 18X18"	48
I 1023	CUTTER 40X40"	49
I 1024	SOLID BLACK FLAG 48X48"	47
I 1031	FLOPPY CUTTER 48X48"	49

KEY TO SYMBOLS

	Minimum height
	Maximum height
	Closed length
	Footprint diameter
	Weight
	Spigot size
	Socket size
	Grip head size
	Suggested wheels
	Maximum payload*
	Gravity cast
	TÜV SUD Certification
	TÜV Rheinland + GS Mark Certification

Avenger products are warranted to be fit for the purpose for which they have been designed, and to be free from defects in materials and workmanship.

AVENGER “STANDARD LIMITED WARRANTY”.
The validity period of the Standard Limited Warranty is defined by applicable law in the country, state or region where the product is sold.
The instruction manual accompanying the product should be read carefully and the safety instructions followed to avoid accident or damage to the product or its user.
This warranty does not cover any defects or costs caused by misuse and subsequent damage. Misuse is defined by, but not limited to, the cases described here below:

Modification, alteration, repair or service of this product by anyone other than an Avenger authorized agent.

Physical abuse to, overloading of, or misuse of, the product or operation thereof in a manner contrary to the instructions accompanying the product.

Failure to comply with care and maintenance instructions accompanying the product.

Any use of the product other than that for which it was designed.

Shipment of the product to the Avenger service department.

For more information on the warranty term in your country access to spare parts and other services please contact your local Country Distributor.
For any information please visit www.avengergrip.com

WARRANTY EXTENSION
Selected Avenger Products are eligible for a free Limited Conventional Warranty Extension from the date of purchase upon Online Product Registration. By simply registering your purchase with us, your product will receive the warranty extension, if applicable.

Please go to www.manfrotto.com into the warranty area of the website and register your product.

Whilst every effort has been made to ensure that the information contained within this catalogue is correct, Manfrotto accepts no liability for errors or omissions. Technical specifications and data are provided for guidance only. All rights are strictly reserved. Products shown in this catalogue are protected by international patents, while this publication (in whole or in part) without written consent from Avenger is strictly forbidden and punishable by law. Because we constantly aim to improve our products, we reserve the right to amend or alter at any time and without prior notice the specifications of any item detailed in this publication.

* Where relevant, maximum evenly distributed load on level ground.

