32"(31.5" viewable) WQHD Monitor featuring a Wide Colour Gamut

ViewSonic®
See the difference™

VX3211-2K-mhd

Whether for office use or home entertainment, the ViewSonic® VX3211-2K-mhd monitor is designed to take your viewing experience to a higher level. The VX3211-2K-mhd is a 32"" WQHD monitor loaded with solid multimedia features, flexible connectivity options, wide-angle viewing, and amazing screen performance with 99% sRGB colour coverage. Featuring stunning 2560 x 1440 resolution and a slim bezel design, this monitor provides 70% more on-screen content than Full HD monitors, making project management and multitasking easier. Versatile HDMI, DisplayPort, and VGA* inputs keep you connected to your favorite devices.

*VGA supports up to 1080p resolution only

- WQHD 2560 x 1440 Resolution
- 99% sRGB colour coverage and 87% AdobeRGB colour coverage provide richer and more precise colour
- SuperClear® technology for vivid picture quality and wider viewing angles
- Versatile connectivity with DisplayPort, HDMI, and VGA
- Dual integrated speakers
- Enhanced viewing comfort
- Lower energy consumption
- Slim fishtail shaped stand with smooth matte finish
- VESA-Compatible Mount Design

Power in numbers with WQHD resolution

VX3211-2K-mhd's upgraded 32" WQHD 2560 x 1440 resolution, users will enjoy the benefits of a higher PPI pixel density, which delivers greater image detail, more displayable on-screen content, faster scrolling, and up to 70% more usable desktop space than Full HD, making project management and multitasking easier than ever before.


More viewable colour

With 99% sRGB and 87% AdobeRGB colour coverage, VX3211-2K-mhd covers a larger portion of the colour gamut to deliver more shades of viewable colour, ensuring that the monitor is able to meet and exceed industry colour standard and produce colour accurately.

Normal | Wide Color Gamut

SuperClear® IPS Panel Technology

Enjoy rich, vivid colour with consistent levels of brightness, no matter the vantage point. With SuperClear® IPS-type panel technology, the VX3211-2K-mhd monitor delivers the same image quality whether you are looking at the screen from above, below, the front, or the side.

178° Viewing Angle

IPS
SuperCLEAR

Flexible connectivity

DisplayPort, HDMI, and VGA, inputs offer a wide range of compatibility, giving you the ultimate flexibility when connecting your devices.

Dual intergrated speakers

Designed with dual integrated speakers, this monitor combines incredible screen performance with stereo sound for an immersive multimedia experience.

Eye care technology

Flicker-Free technology and a Blue Light Filter minimize eye strain over extended viewing periods.


Blue light filter & Flicker Free

Lower energy consumption

An energy-saving ECO-mode feature along with Energy Star 7.0 and EPEAT Silver compliance incorporates energy efficiency and power savings into its stunning screen performance.

VESA compatibility

Conveniently mount the monitor exactly to your liking by utilizing the 100 x 100mm VESA compatible mount design.

729.7mm

495.5mm

32.0"

230.02mm

ViewSonic

VESA
100mmX100mm

01   02 03 04 05 06

1. Power
2. HDMI
3. DisplayPort
4. VGA
5. Audio In
6. Audio Out

Caractéristiques Techniques

LCD PANEL	Monitor Size	32"W (31.5" Viewable) LCD monitor
	Panel Technology	IPS type TFT LCD
	Resolution	WQHD 2560 x 1440
	Display Area	698.112mm (H) x 392.688mm (V)
	Aspect Ratio	16:9
	Brightness	250 cd/m2 (Typ),
	Contrast Ratio	1200:1 (Typ),
	Dynamic Contrast Ratio	80,000,000:1
	Viewing Angle	178 degrees / 178 degrees (Typ)
	Response Time	GTG: 3ms
	Colours	1.07B colours (8 bit+FRC)
	Colour Gamut	sRGB: 127.72% size / 99% coverage NTSC:90.46% size / 82.55% coverage Adobe RGB:94.66% size / 87.66% coverage
	Pixel Pitch	0.2727mm (H) x 0.2727mm (V)
INPUT SIGNAL	Frequency	Fh = 24 ~ 83KHz ; Fv = 50 ~ 75Hz
	Sync	Separate Sync / Composite Sync / Sync on Green
COMPATIBILITY	PC	Windows 10 certified
	Mac®	Power Mac tested
CONNECTOR	Digital	HDMI x 1 DisplayPort x 1
	Analog	VGA x 1
	Audio Out	Earphone out x 1
	Audio In	Audio in x 1
SPEAKERS		2.5W x 2
POWER	Power	3-pin plug (CEE22) x 1
	Voltage	AC 100-240V (Universal); 50/60Hz
	Consumption	50W
	Optimize	42W
	Conserve	35W
ERGONOMICS	Tilt	13 ~ -5 degrees
	Swivel	N/A
	Rotation	N/A
	Height Adjustment	N/A
WALL MOUNT	VESA®	100mm x 100mm
OPERATING CONDITIONS		

	Temperature (º F / º C)	32°F to 104°F (0°C to 40°C)
	Humidity	20% to 90% (no condensation)

DIMENSIONS (W x H x D) (mm)		
	Physical with stand (mm)	729.7mm (W) x 495.5mm (H) x 230.02mm (D)
	Physical without stand (mm)	729.7mm (W) x 432.8mm (H) x 58.33mm (D)
	Packaging (mm)	838mm (W) x 615mm (H) x 282mm (D)

WEIGHT		
	Net with stand (kg)	7.03kg (15.5lbs)
	Net without stand (kg)	6.18kg (13.62lbs)
	Gross (kg)	10.24kg (22.58lbs)

REGULATIONS	FCC-B, Energy Star, EPEAT Silver, CE, REACH, EEL, WEEE, EAC, UkrSEPRO

WARRANTY	*Warranty offered may differ from market to market

PACKAGE CONTENTS	LCD Display
	Power Cable (1.5m)
	HDMI Cable (1.5m)
	Audio Cable (1.5m)
	Quick Start Guide
	*Actual content may differ from market to market

Pour en savoir plus, rendez-vous sur : **www.viewsoniceurope.com**