

AXOR ShowerSolutions
Overhead shower 250 2jet ceiling
 Surfaces: **chrome** Art. no. : **35298000**



Description

product features

- Shower head size: 250 mm
- Spray pattern: PowderRain, Intense PowderRain
- Select button on thermostat
- dynamic spray nozzles move out while using
- Spray face: metal
- maximum flow rate 21 l/min at 3 bar
- Flow rate PowderRain (at 3 bar): 21 l/min at 3 bar
- flow rate Rain 15 l/min at 3 bar
- Operating pressure: min. 1.5 bar/max. 6 bar
- overhead shower removable for cleaning
- ServiceCard with sieve can be removed without tools for cleaning purpose
- Installation: ceiling mounted

Article Details

Price excl. VAT

£ 1,186.88

Technology



Design awards




red dot winner 2020




red dot winner 2021

Product image




Scale drawing



AXOR ShowerSolutions
Overhead shower 250 2jet ceiling
 Surfaces: **chrome** Art. no. : **35298000**



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.


AXOR ShowerSolutions
Overhead shower 250 2jet ceiling
 Surfaces: **chrome** Art. no. : **35298000**





Installation examples



AXOR 250 2jet
 35298000
 AXOR 300 2jet
 35305000



AXOR 250/250 2jet
 35313000
 AXOR 300/300 2jet
 35321000




AXOR ShowerSolutions
Overhead shower 250 2jet ceiling
 Surfaces: **chrome** Art. no. : **35298000**



Exploded Drawing

Year of production: >02/19



AXOR ShowerSolutions
Overhead shower 250 2jet ceiling
Surfaces: **chrome** Art. no. : **35298000**



Spare part list

Year of production: >02/19

Pos.	Description	Art. no.	Price	PU
1	service unit	93423000	-	1
2	filter	93402000	-	1
3	O-ring 11x2	98127000	-	1
4	O-Ring 28x2	98194000	-	1
5	head shower	93458000	-	1