

ThinkCentre M75s SFF 11A9000CGE

Product

ThinkCentre M75s SFF

Region

WE

Country/Region

Germany

Machine Type

11A9

TopSeller

TopSeller

Processor

AMD Ryzen 3 PRO 3200G (4C / 4T, 3.6 / 4.0GHz, 2MB L2 / 4MB L3)

Graphics

Integrated AMD Radeon Vega 8 Graphics

Chipset

AMD PRO 560 FCH

Memory

1x 8GB DDR4-2666

Storage

1x 256GB SSD M.2 2280 PCIe x4 NVMe Opal

Optane Memory

None

Optional Bay

None

Front Access HDD

None

Optical

DVD±RW

Media Reader

7-in-1 Card Reader

Speaker

1Wx1

Ethernet

Integrated 100/1000M

WLAN + Bluetooth

None

Optional Rear Ports

None

Chassis Intrusion Switch

Chassis Intrusion Switch

Chassis E-Lock

None

Kensington Cable Lock

None

Smart Cable Clip

None

Dust Filter

None

Carry Handle

None

Color

Black

Stand

None

Keyboard

USB Traditional Keyboard, Black, German

Mouse

USB Calliope Mouse

Power Supply

180W 85%

TUV Low Noise

None

Monitor Cable

None

System Management

DASH

Operating System

Windows 10 Pro 64, German

Bundled Software

None

Base Warranty

3-year, Onsite

Bundled Service

None

EAN / UPC / JAN

0194552115715

End of Support

2025-10-30

Announce Date

2019-09-30

Recommended Services**Better**

4Y Premier Support Upgrade from 3Y Onsite (5WS0T36207)

Good

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26647)



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.



Lenovo™

ThinkCentre M75s-1 SFF Platform Specifications

Product Specifications Reference (PSREF)

Processor	AMD Athlon PRO and Ryzen 3 / 5 / 7 PRO series processor						Ethernet	Gigabit ethernet, Realtek RTL8111EPV, Wake on LAN®	
	Processor	Cores / Threads	Frequency (Base/Max)	L2 / L3 Cache	Memory Support (Up to)	Integrated Graphics	Ethernet (Opt.)	None	
	Athlon PRO 300GE	2 / 4	3.4 / 3.4	1MB / 4MB	DDR4-2666	Radeon Vega 3	Manageability	DASH 10/1.1	
	Ryzen 3 PRO 3200G	4 / 4	3.6 / 4.0	2MB / 4MB	DDR4-2933	Radeon Vega 8	Security chip	Discrete TPM 2.0, TCG Certified	
	Ryzen 5 PRO 3400G	4 / 8	3.7 / 4.2	2MB / 4MB	DDR4-2933	Radeon Vega 11	Security features	- Security slot (in rear for optional Kensington® MicroSaver® cable) - Power-on password - Administrator password - Hard disk password - Boot sequence control - Boot without keyboard and mouse - Individual USB port disablement - Optional chassis intrusion switch	
	Ryzen 5 PRO 3600	6 / 12	3.6 / 4.2	3MB / 32MB	DDR4-3200	None		Smart USB protection, allows keyboard/ mouse only, blocks all storage devices	
	Ryzen 7 PRO 3700	8 / 16	3.6 / 4.4	4MB / 32MB	DDR4-3200	None		Optional smart cable clip to physically lock both keyboard and mouse	
	Ryzen 9 PRO 3900	12 / 24	3.1 / 4.3	6MB / 64MB	DDR4-3200	None			
Memory	64GB max, UDIMM, DDR4-2666*, four 288-pin DIMM sockets, non-ECC, dual-channel capable * System board supports up to DDR4-2666 memory, and memory may clocks down to DDR4-1866, DDR4-2133 or DDR-2400 for lower capacity of memory controller in processor						Keyboard	<i>Some:</i> Lenovo Traditional Keyboard (USB connector), black <i>Some:</i> Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black <i>Some:</i> Lenovo Keyboard (PS/2 connector), black (only available via special bid)	
Storage	<i>Some:</i> Hard Drive / SATA 6.0Gb/s, 2.5" or 3.5", 5400 rpm or 7200 rpm <i>Some:</i> M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4						Mouse	<i>Some:</i> Lenovo Calliope Mouse (USB connector), black <i>Some:</i> Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black <i>Some:</i> Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black <i>Some:</i> Lenovo Mouse (PS/2 connector), black (only available via special bid)	
Optical	<i>Some:</i> DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm) <i>Some:</i> DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)						Mechanical	- SFF (8.4L), black color; metal case (WxDxH) 3.6" X 11.4" X 13.5"; 92.5mm X 290.5mm X 343.5mm - Approx. 13.2 lb (6.0 kg), weight may vary by configuration - Toolless cover, disk, optical, and extension card removal - Optional dust filter - Bay 1: Slim external ODD bay - Bay 2: 3.5", internal, HDD/SSD - Bay 3: 2.5", internal, HDD/SSD (bay only comes with 2.5" 2nd disk) - Slot 1: low-profile (length < 150mm, height < 68mm), PCIe 3.0 x16 - Slot 2: low-profile (length < 150mm, height < 68mm), PCIe 2.0 x1 - Slot 3: low-profile (length < 150mm, height < 68mm), PCIe 2.0 x1 - Slot 4: low-profile (length < 150mm, height < 68mm), PCI 3.0 - M.2 card slots: two (one for WLAN, one for SSD)	
Onboard SATA	Three onboard SATA 6.0Gb/s connectors, RAID 0/1 support (RAID preset only available via special bid model)						Floor Stand	Optional system floor stand for vertical orientation	
Media reader	Optional 7-in-1 media reader						Power supply	<i>Some:</i> 180 watts, autosensing, 85% PSU <i>Some:</i> 210 watts, autosensing, 85% PSU <i>Some:</i> 260 watts, autosensing, 92% PSU (only available via special bid)	
Graphics	AMD Radeon™ Graphics in processor (only for some processors), uses main memory, DirectX® 12, one VGA, two DisplayPort™ (Onboard VGA and DP ports are only available on the models with integrated graphics), supports 3 independent displays, works along with AMD discrete graphics to support more displays; <i>Max resolution:</i> 4096x2160 (DP) @60Hz; <i>Some:</i> AMD Radeon™ 520 , DirectX 12, 2GB GDDR5, PCIe 3.0 x8 adapter, two DisplayPort, 30 watts (Max); <i>Max resolution:</i> 4096x2160 (DP) @60Hz						Limited warranty	1-year or 3-year, limited onsite service / service upgrades available	
Monitor cable	Optional DP to VGA, DP to DVI-D (single link), DP to dual DP, or DP to HDMI 1.4						Preload	Preloaded operating system <i>Some:</i> Windows 10 Pro 64-bit <i>Some:</i> Windows 10 Home 64-bit <i>Some:</i> Windows 10 IoT Enterprise <i>Some:</i> Linux Ubuntu	
Chipset	AMD PRO 560 FCH						Environment	ENERGY STAR® 7.0*, EPEAT™ Silver rating* (*not for non-OS models); ErP Lot 3; RoHS-compliant, WEEE	
Front ports* (Std.)	2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x microphone (3.5mm), 1x headphone (3.5mm)						Accessories	For compatible accessories, please go to http://smartfind.lenovo.com	
Front ports* (Opt.)	<i>Optional:</i> 1x media reader								
Rear ports* (Std.)	2x USB 3.1 Gen1 (one support Smart Power-On), 2x USB 2.0, 1x serial (9-pin), 1x ethernet (RJ-45), 1x VGA**, 2x DisplayPort**, 2x PS/2 ports (keyboard / mouse); 1x line-in (3.5mm), 1x line-out (3.5mm), 1x microphone (3.5mm)								
Rear ports* (Opt.)	<i>Optional:</i> 2x USB 2.0, 1x parallel (25-pin), additional video ports available on optional graphics card * Depending on many factors, actual data transfer speed may be lower than theoretical speed ** only available on the models with integrated graphics								
Audio support	High Definition (HD) Audio, Realtek ALC662 / optional internal speaker (1 watt)								
WLAN	<i>Some:</i> 11ac wireless, M.2 Card, Realtek RTL8822CE (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Qualcomm Atheros QCA6174A (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Intel Wireless-AC 9260 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2								
Bluetooth™	<i>Some:</i> Bluetooth 4.2 / 5.0 wireless, integrated in Wi-Fi + BT combo adapter								

Note: The specifications above may not be available in all regions.

Lenovo, March 2020

Lenovo

ThinkCentre M75s SFF

