HDE01G

M.2 SATA SSD Enclosure USB-C 3.1 Gen 2

This M.2 SSD enclosure offers you steady and efficient data transmission, with transfer speeds of up to 10Gbps. The USB 3.1 Gen 2 super speed connection is also compatible with USB 3.0/USB 2.0. USB Type-C interface enhances ease of use for connecting USB devices. An ultra-slim aluminum casing ensures efficient heat dissipation. Perfect for transferring large video files and making backups.

*Does not support M.2 NVMe PCIe SSD

Highlights

> Supports M.2 NGFF SATA I/II/III SSD
> USB 3.1 Gen 2 super speed (10Gbps)
> Supports UASP
> Simple Plug and Play installation
> Aluminum casing for heat dissipation
> Compact and mobile

Specifications

System Specifications

Compatible SATA version

1.0
2.0
3.0

Power Input

DC 5V

Max. capacity of supported HDD

up to 1TB or more

USB version

3.1 Gen 2

Type of supported HDD

M.2 SATA

HDE01G

Features

USB powered

Yes

Led indicator

Yes

Performance

Supported max speed

10Gbps

Physical Specifications

Product depth (mm)

106

Product breadth (mm)

40

Product height (mm)

10.5

Product weight (kg)

0.085

Shell Material

Aluminum

Others

Compatible operating systems

Windows XP
Windows Vista
Windows 7
Windows 8
Windows 10
Mac OS X 10.6 and higher

Incompatibility

Does not support M.2 NGFF PCIe (NVMe/AHCI) SSD

Compatibility

HDE01G

M.2 SATA SSD (B and B+M key)
Fits sizes of M.2 SSD: 2230/2242/2260/2280

Order Information

Order Code:	HDE01G
P/N code:	130012107
EAN Code:	4015867207895
In a Box:	40



Package content

> HDE01G
> Multilingual quick installation guide
> USB-C to USB-A cable
> Screws and screwdriver

HDE01G




CONCEPTRONIC
M.2 SSD Enclosure


CONCEPTRONIC
M.2 SSD Enclosure

