


marshalling box safety class 1, IP55 h=650, w=1050, d=400 screwed front plate without stays



Model				
product brand name		ALPHA 1250		
product designation		Marshalling box		
design of the product		Surface mounting		
design of the cap/top cover		closed		
surface processing		powder-coated		
Protection class				
protection class IP		IP55		
operating resource protection class		Safety class 1		
suitability for use / for outside use		No		
Appearance				
RAL color number		7035		
product component				
• cable entry		No		
• mounting plate		No		
product extension / optional / side-by-side mounting		No		
Mechanical Design				
height		650 mm		
width		1 050 mm		
depth		400 mm		
installation depth		400 mm		
material / of the enclosure		Steel		
General Product Approval		Declaration of Conformity	Test Certificates	other



[Special Test Certificate](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1383-2KK45>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1383-2KK45>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1383-2KK45

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



