



ALPHA 630, Floor-mounted cabinet, IP44, Protection class 1, H: 1950 mm, W: 1050 mm, T: 210 mm, RAL 7035, incl. flange in roof

Model				
product brand name		ALPHA 630		
product designation		Free-standing cabinet		
surface processing		powder-coated		
Protection class				
protection class IP		IP43		
operating resource protection class		Safety class 1		
suitability for interaction / lightning protection		Yes		
suitability for use / for outside use		No		
Appearance				
RAL color number		7035		
product component				
• cable entry		Yes		
• mounting plate		No		
special product feature		incl. flange in the roof		
product extension / optional / side-by-side mounting		Yes		
Mechanical Design				
height		1 950 mm		
width		1 050 mm		
depth		210 mm		
installation depth		210 mm		
net weight		61 kg		
material / of the enclosure		Steel		
General Product Approval		Declaration of Conformity	Test Certificates	other



[Special Test Certificate](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1322-8KA42>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1322-8KA42>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1322-8KA42



