



CorePro LEDspot Reflectors

CorePro LEDspot CoreProLEDspot D 4.3-60W R50 E14 827 36D

CorePro LEDspots Reflectors are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with an E27 or E14 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots Reflectors deliver significant energy savings and minimise maintenance costs.

Product data


General Information		Luminous Flux in 90° Cone (Rated)	320 lm
Cap base	E14 [E14]	Operating and Electrical	
Nominal lifetime (nom.)	15000 h	Input frequency	50 to 60 Hz
Switching cycle	50000X	Power (Rated) (Nom)	4.3 W
Technical type	4.3-60W	Lamp current (nom.)	25 mA
Light Technical		Wattage equivalent	60 W
Colour code	827 [CCT of 2700K]	Starting time (nom.)	0.5 s
Beam Angle (Nom)	36 °	Warm-up time to 60% light (nom.)	0.5 s
Luminous flux (nom.)	320 lm	Power factor (nom.)	0.7
Luminous flux (rated) (nom.)	320 lm	Voltage (Nom)	220-240 V
Luminous intensity (nom.)	550 cd	Temperature	
Colour designation	Warm white (WW)	T-Case maximum (nom.)	80 °C
Rated beam angle	36 °	Controls and Dimming	
Correlated colour temperature (nom.)	2700 K	Dimmable	Yes
Luminous efficacy (rated) (nom.)	74.00 lm/W		
Colour consistency	<6		
Color rendering index (nom.)	80		
LLMF at end of nominal lifetime (nom.)	70 %		

CorePro LEDspot Reflectors

Approval and Application	
Suitable for accent lighting	Yes
Energy efficiency label (EEL)	A+
Energy Consumption kWh/1000 h	5 kWh
Product Data	
Full product code	871869681177100
Order product name	CorePro LEDspot CoreProLEDspot D 4.3-60W R50 E14 827 36D

EAN/UPC – product	8718696811771
Order code	81177100
Numerator – quantity per pack	1
Numerator – packs per outer box	6
Material no. (12NC)	929001891202
Net weight (piece)	0.050 kg



Dimensional drawing



R50 220-240V5W-60W 345lm 36D 2700K E14 d

Product	D	C
CorePro LEDspot CoreProLEDspot D 4.3-60W R50 E14 827 36D	50 mm	84 mm


Photometric data



LEDspot CorePro 4.3-60W E14 R50 827 36D DIM


CorePro LEDspot Reflectors

Photometric data




LEDspot CorePro 1.8-30W E14 R39 827 36D ND

Lifetime



LEDspot CorePro 1.8-30W E14 R39 827 36D ND



LEDspot CorePro 1.8-30W E14 R39 827 36D ND

