

12888107 USB 2.0 Cable, USB-C Male to USB-A Male, 1.0m

Product Images



Short Description

- **Connector A:** USB-C Male
- **Connector B:** USB-A Male
- **USB standard:** USB 2.0
- **Data transfer rate:** Up to 480 Mbps
- **Charging current:** Up to 3A
- **Shielding:** Double shielding for stable transmission
- **Connector plating:** Nickel plated
- **Jacket:** PVC
- **Length:** 1.0 m
- **Function:** Charging & data sync

Description

The 12888107 USB 2.0 USB-C to USB-A cable provides a reliable solution for charging and data synchronization between USB-C devices and standard USB-A ports.

Supporting data transfer speeds of up to 480 Mbps, the cable is suitable for syncing photos, music, and files with laptops, PCs, and USB chargers. Double shielding helps reduce electromagnetic interference and ensures stable, error-free signal transmission.

With support for up to 3A output current, this cable enables efficient charging for USB-C smartphones, tablets, and accessories. Nickel-plated connectors and a durable PVC jacket ensure consistent performance and long-term durability for everyday use.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Shielded.	Yes
Connector 1.	USB-A, male
Connector 2.	USB-C, male
Approval and Compliance.	RoHS
Package Contents.	USB 2.0 C to A Cable
Color.	Black
EAN.	4015867198698
Model Number.	12888107
Cable Length.	1m
Dimensions (W x D x H).	15.5 x 8 x 1000 mm
Product weight (kg).	0,04
Conductor material.	Copper
Conductor size (AWG).	28AWG
Data Rate.	480Mbps
Cable Jacket material.	PVC
Standards.	USB 2.0

