

Product data sheet

Specifications



Wiser micro module blinds & shutters

CCT5015-0002

Main

Product brand	Schneider Electric
Range	Wiser
Type number	W50150
Product or component type	Connected shutter control

Complementary

Device application	Blind actuator
Device presentation	Module
Technology type	Electronic
Device mounting	Flush
[Ue] rated operational voltage	220...240 V AC 50/60 Hz
Rated current	4 A
Standby consumption	Max. 0.3 W
Associated fuse rating	16 A
Colour tint	Dark grey
Surface finish	Matt
Local signalling	Programming indication: 1 LED (green/red)
Number of outputs	1
Control type	Remote control by auxiliary double push-button Remote control Wiser App device programming
Software name	Wiser App: upgrade device firmware Wiser App: setting the blind movement time
Maximum number of connected devices	Zigbee: 15 (smart device)
Communication network type	Wireless Zigbee (2.4 GHz), 2.5 mW
System requirements	Android 5.1 or higher Wiser App Apple iOS 10.3 or higher Wiser App Bluetooth 4.1 or higher Bluetooth Wiser Home Touch Wiser Home control
Connected auxiliaries	Unlimited number of double push-buttons, distance : 50 m
Wiring configuration	With neutral
Connections - terminals	Screw terminal

Number of loop terminals	2
Clamping connection capacity	1 x 1.5...2 x 2.5 mm² for solid cable(s) 1 x 1.5...2 x 2.5 mm² for solid stranded cable(s)
Shape of screw head	Pozidriv No 1 and combi
Tightening torque	0.5 N.m
Mounting support	Installation box Wall
Type of installation	Indoor installation
Type of packing	Carton
Depth	22 mm
Width	43 mm
Height	43 mm
Product certifications	CE Zigbee 3.0

Environment

Environmental characteristic	Indoor use
------------------------------	------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	7.5 cm
Package 1 Length	7.5 cm
Package 1 Weight	115.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	40
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	4.853 kg
Unit Type of Package 3	P06
Number of Units in Package 3	640
Package 3 Height	75.0 cm
Package 3 Width	80.0 cm
Package 3 Length	60.0 cm
Package 3 Weight	85.648 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes

Recommended replacement(s)