



## FOR ANIMAL TREATMENT ONLY

921846 PAL206517X

### Capstar™ Tablets for Cats and Small Dogs

### Capstar™ Tablets for Large Dogs

#### Active Constituents

Capstar Tablets for Cats and Small Dogs, each tablet contains 11.4mg Nitenpyram

Capstar Tablets for Large Dogs, each tablet contains 57mg Nitenpyram

#### Indication

The oral treatment for fast acting knockdown of adult fleas on cats and dogs.

Net Contents: 2 tablets, (6 tablets)

#### Directions for Use

##### Side Effects

For the first hours after administration, the pet may scratch and groom more than normal. In rare cases in cats and dogs, transient signs of hyperactivity and panting may be observed, which may include clinical signs of muscle tremor, ataxia, and hypersalivation. These adverse events are usually transient in nature. Please monitor the animal closely and seek veterinary advice as necessary if signs persist.

#### Dosage and Administration

CAPSTAR Tablets can be administered to kittens and puppies from four weeks of age.

Administer one tablet on any day when fleas are evident on your pet. Repeat on any subsequent day when fleas are again evident on your pet. Flea detection can be achieved by examining the skin for signs of flea activity by parting the pet's coat.

CAPSTAR Tablets can be dosed directly into the mouth, or can be given mixed in a small portion of your pet's favourite food. Cats generally prefer a fish-based food like tuna or anchovies.

#### Dose Instructions:

Size of dog or cat treated	Dose (tablets)
0.5 to 11 kg	1 small (11.4 mg NITENPYRAM) tablet on any day when fleas are evident on your pet.
11.1 – 57 kg	1 large (57 mg NITENPYRAM) tablet on any day when fleas are evident on your pet.
Over 57.1 kg	1 large (57 mg NITENPYRAM) tablet plus 1 small (11.4 mg NITENPYRAM) tablet for every 11 kg over 57 kg, to be administered on any day when fleas are evident on your pet.

There are no known contra-indications to the use of this product.

#### General Directions

##### Integrated Flea Control

CAPSTAR Tablets are an easy-to-use oral treatment for fast acting knockdown of adult fleas on cats and dogs.

CAPSTAR Tablets start working within 30 minutes of dosing. Effective long-term flea control demands an integrated approach. This means breaking the flea breeding cycle by using products, such as PROGRAM™ Tablets (AUS/NZ) or SENTINEL SPECTRUM™ (Australia only) or PROGRAM™

Oral Suspension (Australia only), or PROGRAM™ 40 and 80 Injectable for Cats (Australia only), alongside CAPSTAR Tablets. Products containing an insect development inhibitor, such as lufenuron, will prevent the development of immature stages of the flea's life cycle.

Regular washing of animal bedding and vacuuming carpets will also help control fleas in the pet's environment.

CAPSTAR Tablets should be used when fleas are found on your pet.

#### First Aid

**If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766.**

#### Disposal

Dispose of empty containers by wrapping with paper and putting in garbage.

#### Storage

Store below 25°C (Air Conditioning), in a cool, dry place, away from direct sunlight. Store unused tablets in the carton.

#### Australia

Elanco Australasia Pty Ltd  
ABN 64 076 745 198  
112 Wharf Road, West Ryde  
NSW 2114, Australia

APVMA Approval Nos. 49578/107840, 49579/107842

#### NEW ZEALAND INFORMATION

**By law the user must take due care, obtaining expert advice when necessary, to avoid unnecessary pain and distress.**

Registered pursuant to the ACVM Act 1997, No. A007452. See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions. Registered to Elanco Animal Health (division of Eli Lilly and Company (NZ) Limited), Level 1, 123 Ormiston Road, Botany Junction, Auckland 2016.

#### CUSTOMER INFORMATION

**Australia: ☎ 1800 995 709 TOLL FREE**

**New Zealand: ☎ 0800 426 633 TOLL FREE**

#### EXCLUSION OF LIABILITY

To the extent permitted by legislation, Elanco will not be liable or responsible for any loss, damage or expense where the product is not used as directed.

Capstar™, Elanco™ and the diagonal bar logo are trademarks of Eli Lilly and Company or its affiliates.



106517

