

### Technical Specifications

#### HP M24m FHD USB-C Conferencing Monitor



1. Microphones (2)
2. Camera Light
3. 5MP Webcam

- Front**
4. Privacy Slider
  5. Speakers
  6. Power LED

### Technical Specifications

#### HP M24m FHD USB-C Conferencing Monitor



1. OSD Button
2. Power Button
3. Security Cable Slot
4. Power Connector
5. DisplayPort™ 1.2

#### Back

6. HDMI 1.4
7. SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.2)
8. SuperSpeed USB Type-A 5Gbps signaling rate (2)
9. Audio Jack Combo

### Technical Specifications


Model: 678U5AA, 678U5AT

<b>Panel Specifications</b>	<b>Display Size (Diagonal)</b>	23.8"
	<b>Panel Technology</b>	IPS
	<b>Max Refresh Rate</b>	75 Hz
	<b>Native Resolution</b>	1920 x 1080
	<b>Panel Bit Depth</b>	8 bit
	<b>Aspect Ratio</b>	16:9
	<b>Brightness (Typical)</b>	300 nits
	<b>Contrast Ratio (Static)</b>	1000:1
	<b>Dynamic Contrast Ratio</b>	8M:1
	<b>Flicker Free</b>	Yes
	<b>Pixel Pitch</b>	0.2745 x 0.2745
	<b>Pixels Per Inch (PPI)</b>	93 PPI
	<b>Backlight Lamp Life Minimum (To Half Brightness - In Hours)</b>	30,000
	<b>Backlight Type</b>	Edge-lit
	<b>Screen Treatment</b>	Anti-glare
	<b>Hardness</b>	3H
	<b>Haze</b>	25
	<b>Response Time (Typical)</b>	5ms GtG (with overdrive)
	<b>Horizontal Viewing Angle (Typical Cr&gt;10)</b>	178°
	<b>Vertical Viewing Angle (Typical Cr&gt;10)</b>	178°
	<b>Panel Active Area Metric (W x H)</b>	52.704 x 29.646
	<b>Panel Active Area Imperial (W x H)</b>	20.74 x 11.67
	<b>NOTE:</b> Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.	
<b>Color</b>	<b>sRGB</b>	(CIE 1931)99%
<b>Color Management</b>	<b>Color Space/ Subsampling Support</b>	RGB 4:4:4
	<b>RGB Channel Adjust</b>	Yes, Gain
	<b>Default Color Temperature</b>	Standard (6500K)
<b>Monitor Specifications</b>	<b>Bezel Type</b>	3-sided Micro Edge
	<b>Color Of Stand</b>	Black
	<b>Color Of Head</b>	Black
	<b>Tilt</b>	from -5 to +23°
	<b>Swivel</b>	±45°
	<b>Height Adjust Range</b>	100mm
	<b>Vesa Mounting</b>	100 mm x 100 mm
	<b>Security Lock</b>	Standard Security Lock Slot
	<b>Detachable Stand</b>	Yes
	<b>Warranty</b>	2/2/0 EMEA
	<b>Low Blue Light</b>	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
	<b>Webcam</b>	5MP
	<b>Microphone</b>	Dual microphone (noise cancelling)

### Technical Specifications

	<b>Speaker Output Power</b>	2 x 2 W
	<b>Display Software</b>	HP Display Center
<b>On Screen Display (OSD)</b>	<b>On Screen Display</b>	Brightness+, Color, Image, Input, Power, Menu, Management, Information, Exit
	<b>Native Resolution</b>	Full HD (1920 x 1080) <b>NOTE:</b> DisplayPort 1.2 or HDMI 1.4 or USB-C (DP alt mode) required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one DP, HDMI, or USB-C (DP alt mode).
	<b>Maximum Resolution</b>	1920x1080 @75Hz
	<b>Preset Graphic Modes/Supported Resolutions</b>	640 x 480 @ 60Hz 720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz
	<b>Minimum Vertical Scan Rate</b>	48 Hz
	<b>Maximum Vertical Scan Rate</b>	75 Hz
	<b>Minimum Horizontal Scan Rate</b>	30.0 kHz
	<b>Maximum Horizontal Scan Rate</b>	85.0 kHz
	<b>Maximum Pixel Clock</b>	180.0 MHz
	<b>User Programmable Modes</b>	Yes, 20
	<b>User-Assignable Function Buttons</b>	Yes, 3 (7 optional)
	<b>Audio</b>	Built-in speakers
	<b>Languages</b>	10 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese and S-Chinese)
<b>Connector Types</b>	<b>DisplayPort™</b>	1 DisplayPort™ 1.2
	<b>HDMI</b>	1 HDMI 1.4
	<b>HDCP</b>	Yes, DisplayPort and HDMI
	<b>USB Type-C® Video Input</b>	1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.2)
	<b>USB- A</b>	2 SuperSpeed USB Type-A 5Gbps signaling rate
	<b>AUDIO PORT</b>	1 x 3.5 mm Audio Jack (Audio Out)
<b>Special Features</b>	<b>SWITCH</b>	Menu/OK, Plus ("+")/Next Active Input, Minus ("-")/Color Modes, Return/Brightness, Power
	<b>User Presets</b>	11

### Technical Specifications

<b>Power &amp; Operating Specs</b>	<b>Power Supply</b>	Internal
	<b>Power Source</b>	100 – 240 VAC 50/60 Hz
	<b>Power Consumption- Max</b>	120
	<b>Energy Saving/Stand By Mode</b>	0.5
	<b>Power Consumption - Typical</b>	30
<b>Energy Star Data</b>	<b>Operational Mode at 100 VAC</b>	14
	<b>Operational Mode at 115 VAC</b>	14
	<b>Operational Mode at 230 VAC</b>	14
<b>EU Energy Efficiency Class (ErP LOT-5)</b>	<b>On-mode Power Consumption (EC 1062/2010)</b>	17
	<b>Annual Power Consumption (EC 1062/2010)</b>	25
	<b>EMEA energy ErP Lot5</b>	
<b>Operating Conditions</b>	<b>Operating Temperature - Celsius</b>	5° – 35°C
	<b>Operating Temperature - Fahrenheit</b>	41° – 95°F
	<b>Non-Operating Temperature - Celsius</b>	-20° – 60°C
	<b>Non-Operating Temperature - Fahrenheit</b>	-4° – 140°F
	<b>Operating Humidity</b>	20 – 80% (non-condensing)
	<b>Non-Operating Humidity</b>	5 – 95%
	<b>Operating Altitude</b>	0 – 5,000 m (16,400 ft.)
<b>Certifications and Compliances</b>	<b>Low Halogen</b>	Yes*
	<b>Agency Approvals and Certifications</b>	*External power supplies, WWAN modules, power cords, cables and peripherals excluded. CE/CB/ISO9241-307/TUV LBL EyeSafe/TUV GS/TCO/TCO Edge/EPA/Ukraine CoC/Russia EAC/Belarus energy efficiency/UAE
	<b>Microsoft WHQL Certification</b>	Win 11
	<b>ENERGY STAR® Certified</b>	Yes, ENERGY STAR® 8
	<b>EPEAT® Registered</b>	EPEAT® registered*
	<b>Regions need to verify by country</b>	*Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit <a href="http://www.epeat.net">http://www.epeat.net</a> for more information.
	<b>China Energy Label</b>	CEL Grade 1
	<b>TCO Certified Edge</b>	Yes
	<b>TCO Certified</b>	Yes
	<b>SmartWay Transport Partnership - NA only</b>	Yes (NA sku)

### Technical Specifications

#### Contains Recycled Plastics

#### Contains Recycled Plastics

ABS 85%\* + 5%\*\* Ocean Bound Plastic

\*Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

\*\*5% ocean bound plastic by weight in each of the following components: Rear Cover, Middle Frame, Deco, Webcam door, VESA cover, Hinge top cover, Hinge btm cover, Lift cover, QR button, Column front cover, Column back cover, Swivel cover, Base cover.

100% fiber packaging, cardboard\*

#### Recyclable Packaging (Box, packing materials)

\*100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

#### Unit Product/Package Specifications

#### Product Dimensions

(Unpacked with stand) (W x D x H)

#### Metric

53.95x21.14x52.34 cm

#### Imperial

21.24 x 8.32 x 20.61 in

#### Product Dimensions

(Packed) (W x D x H)

59.6 x 19.5 x 41.6 cm

23.46 x 7.68 x 16.38 in

#### Display Head Dimensions

(Unpacked without stand) (W x D x H)

53.95x4.79x37.22 cm

21.24x1.89x14.65 in

#### Base Area Footprint

(w x d mm)

240 x 211.4 mm

9.45 X 8.32 in

#### Bezel Measurements

(Unpacked with stand) (W x D x H)

Bottom: 52.13

Bottom: 2.05

#### Product Weight

(Unpacked with stand)

6.3 kg

13.86 lb

#### Product Weight

(Packed)

9.2 kg

20.24 lb

#### Product Weight

(Head Only)

3.7 kg

8.14 lb

#### Pallet Information

#### Pallet Dimensions

(L x W x H mm)

1206 x 994 x 2223

47.48 x 39.13 x 87.52

#### Pallet Total Weight

469.34

1034.72

#### Pallet Layers

5

#### Pallet Product per Layer

10

#### Total Products per Pallet

50

#### Container Load, 20-Foot

500

#### Container Load, 40-Foot

1100

#### Container Load, 40-Foot HighQ

1100

#### What's in the box?

AC power cord (1.83m) 6.0 ft

USB C-C cable (1.8m) 5.9 ft

USB C-A cable (1.8m)

HDMI cable (1.8m) 5.9ft

QSP

Warranty card

### Technical Specifications

Doc Kit

**User Guide and  
Warranty Languages**

**User Guide Languages**

English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish

**Warranty Languages**

English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish

### *Technical Specifications*

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



### Summary

#### Change Log

Change Log			
	V1 to V2		