

**#21059**

Überspannungsschutz mit 6 Anschlüssen

Überspannungsschutz mit 6 Anschlüssen zum Schutz Ihrer Geräte vor Beschädigung durch Spannungsspitzen

Hauptmerkmale

- 6 Anschlüsse mit Überspannungsschutz für den Anschluss und die sichere Versorgung Ihrer Geräte, Lieferung mit 1,8 Meter langem Anschlusskabel
- Praktischer Netzschalter zum gleichzeitigen Abschalten aller Geräte
- Schützt empfindliche Geräte vor Überspannung und Stromspitzen
- Anschlüsse für leichteren Zugang um 45 Grad geneigt
- Beleuchteter Schalter, der den EIN- oder AUS-Modus anzeigt
- Befestigungslöcher für einfache Wandmontage



Was ist in der Verpackung

- Überspannungsschutz
- Bedienungsanleitung
- Garantieerklärung

System Anforderungen

- Geerdete Netzsteckdose

GENERAL

Number of ports	6	Number of protected lines	6
Height of main product (in mm)	44 mm	Width of main product (in mm)	50 mm
Depth of main product (in mm)	360 mm	Weight of main unit	410 g

MAINS SOCKET

Double isolation	Double	Mains plug grounded	True
------------------	--------	---------------------	------

PROTECTION

Protections	Over-load and fire, short-circuit, spike	RFI-filter	True
One way direction screws	True		

ELECTRONIC

Input voltage of main device	250 V
------------------------------	-------

CONNECTIVITY

Cable length main cable	180 cm
-------------------------	--------

CONTROL

Controls	Reset	Indicators	Power on/off
----------	-------	------------	--------------

OUTPUT

Total peak output power	2500 W
-------------------------	--------

FEATURES

Special features	45 degree sockets , 1x switch (on /off with LED) for powering all ports
------------------	---



PRODUCT VISUAL 1



PRODUCT SIDE 1



PRODUCT TOP 1



PRODUCT BOTTOM 1



LIFESTYLE VISUAL 1