

LC-POWER

LC7300 V2.3 - Silver Shield

PRO-LINE-Series



ATX V2.3 / EPS 12V

Due to its current ATX V2.3 standard, the Silver Shield power supply works perfectly in modern as well as in older computer systems.

Dual/Quad Core Support

The power supply supports all modern DualCore, QuadCore and server systems.

PCI-Express x 1

Includes one PCI-Express 6 pin connector for a graphic card.

+12V Rail x 2

Silver Shield features two independent +12V rails (15 A/11 A) to provide stability and power for your system.

High Efficiency / 80 PLUS® SILVER certified

Modern technology decreases the standby mode power consumption (<0,3W) and increases the efficiency of your power supply up to 89,20%.

Active PFC

Use active power factor correction (>0.99) to provide additional security to your system.

Advanced Security Circuitry

Over-Voltage Protection (OVP), Over-Current Protection (OCP), Over-Power Protection (OPP), Under-Voltage Protection (UVP), Short-Circuit Protection (SCP)

120 mm Fan

Enjoy ultra silent work thanks to the high quality white 120 mm fan.

Connectors:

- 1x 20+4 pin mainboard
- 1x 4+4 pin mainboard 12V (8 pin EPS)
- 1x PCI-Express 6 pin
- 4x SATA
- 3x PATA
- FDD

Barcode:

4260070122866

Mark of conformity:

TÜV, CE

Fan:

120 mm

PFC:

active

Weight (retail):

1,865 kg

Dimension:

86 x 150 x 140 mm
(height x width x depth)

Power rating:

+3,3V:	21 A
+5V:	15 A
max. combined:	103 W
+12V1:	15 A
+12V2:	11 A
max. combined:	300 W
max. combined:	300 W
max. peak load:	350 W
Standby:	<0,3W