


128382 USB4 C to C Cable, 2.0m, 20Gbps, PD 100W, 4K@60Hz, DP Alt Mode, Black

Product Images





Short Description

- **Connector:** USB-C Male to USB-C Male (compatible with TB3/TB4)
- **USB standard:** USB4 Gen 2x2
- **Data rate:** Up to 20Gbps
- **Power Delivery:** Up to 100W (20V/5A), E-marker chipset
- **Video support:** Up to 4K@60Hz, DP Alt Mode
- **Protocol support:** DisplayPort 1.4a, HDR10, HDCP 1.4 / 2.3, PCIe 3.0
- **Shielding:** Double shielding
- **Jacket:** Premium braided cotton mesh
- **Housing:** Aluminum casing
- **Length:** 2.0m
- **Color:** Black

Description

The 128382 USB4 C to C cable is designed to deliver high-speed data transfer, reliable

power delivery, and advanced display support for modern USB-C devices.

Built on USB4 Gen 2x2 architecture, it supports data transfer speeds of up to 20Gbps, making it suitable for fast file transfers, external SSDs, and high-bandwidth peripherals. With an integrated E-marker chipset, the cable supports USB Power Delivery up to 100W (20V/5A), enabling stable and efficient charging for laptops, tablets, and other USB-C devices.

The cable also supports video output up to 4K@60Hz via DP Alt Mode and is compatible with DisplayPort 1.4a, HDR10, and HDCP standards. A premium braided cotton mesh jacket, double shielding, and aluminum housing ensure signal integrity, durability, and long-term performance. Fully compatible with USB 3.2, USB 2.0, and Thunderbolt 3 devices.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Shielded.	Yes
Connector 1.	USB-C, male
Connector 2.	USB-C, male
Approval and Compliance.	CE, RoHS
Package Contents.	USB4 Gen 2x2 C to C Cable
Color.	Black
EAN.	4015867231067
Model Number.	128382
Cable Length.	2m
Dimensions (W x D x H).	2000 x 4.8 x 4.8 mm
Product weight (kg).	0.085
USB Power Delivery (PD).	100W
Conductor material.	Copper
Data Rate.	20Gbps
Cable Jacket material.	PVC
Standards.	USB 4 Gen 3x2

