



marshalling box safety class 1, IP55 h=500, w=550, d=250 screwed front plate without stays

Model			
product brand name	ALPHA 630		
product designation	Marshalling box		
design of the product	Surface mounting		
design of the cap/top cover	closed		
surface processing	powder-coated		
Protection class			
protection class IP	IP55		
operating resource protection class	Safety class 1		
suitability for use / for outside use	No		
Appearance			
RAL color number	7035		
product component			
• cable entry	No		
• mounting plate	No		
product extension / optional / side-by-side mounting	No		
Mechanical Design			
height	500 mm		
width	550 mm		
depth	250 mm		
installation depth	250 mm		
material / of the enclosure	Steel		
General Product Approval	Declaration of Conformity	Test Certificates	other



[Special Test Certificate](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1383-1KK23>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1383-1KK23>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1383-1KK23

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



