


PRODUCT DATASHEET

SMART+ WIFI Remote Wall Switch 2 Button

SMART+ WIFI Remote Wall Switch | Smart magnetic wall switches to control the smart home with WiFi technology



Areas of application

- Smart home indoors

Product benefits

- Universal control of SMART+ WiFi and Matter over WiFi products
- Multi-functional buttons with single, double and long press mode
- Button functions can easily be configured in the app to control product functions, automations and routines

Product features


- Controllable via SMART+ App (with minimum Android 8.0 or iOS 14.0)
- Network protocol: WiFi (2.4 GHz)
- Rechargeable battery and long battery life (6 months operating time per charge with 5 trigger per day)
- Simple and flexible installation with magnetic attachment to metal surfaces and a choice of two wall brackets

TECHNICAL DATA

Electrical data

Nominal voltage	5 V
Operating mode	Battery

Dimensions & Weight



Product weight	115.00 g
Length	86.00 mm
Width	15.00 mm
Height	86.00 mm

Lifespan

Number of switching cycles	40000
----------------------------	-------

Colors & materials

Product color	White
Body material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-10...+50 °C
---------------------------	--------------

Capabilities

Dimmable	No
Type of connection	USB Type-C
Compatible smart home technology	Amazon Alexa / Google Home

BATTERY

Type of Battery	Lithium ion
Battery size [GMS]	Others
Number of included batteries	1
Nominal voltage of battery	3.7 V
Nominal capacity of battery	550 mAh

Certificates & Standards

Standards	CE / UKCA
Protection class	III
Type of protection	IP20

EQUIPMENT / ACCESSORIES

- Rechargeable battery integrated and easy charging via USB-C
- USB-C charging cable not included
- For control via SMART+ App, a smartphone or tablet is required (with minimum Android 8.0 or iOS 14.0)

Safety advice

- Please avoid: Maximal ambient temperature: +45 °C. Replacement of a battery with an incorrect type that can defeat safeguard (for example, in the case of some lithium battery types). Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	SMART WIFI REMOTE WALL SWITCH
	Legal information	Safety insert G11222349
	Declarations of conformity	SMART WIFI REMOTE WALL SWITCH
	Declarations of conformity UKCA	SMART WIFI REMOTE WALL SWITCH
	EU Data Act	SMART WIFI Sensors

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075849860	Folding box 1	30 mm x 90 mm x 99 mm	139.00 g	0.27 dm ³
4058075849877	Shipping box 4	132 mm x 102 mm x 144 mm	605.00 g	1.94 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- Further information and frequently asked questions (FAQs) at www.ledvance.com/en-int/home-lighting/services/faq

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.