

USB 3.0 Front Panel 4 Port Hub – 3.5in or 5.25in Bay

Product ID: 35BAYUSB3S4



The 35BAYUSB3S4 3.5-inch Front Bay to 4-Port USB 3.0 Panel Hub turns any available 3.5-inch computer case front bay into a 4-Port USB 3.0 hub.

Using only a single USB connection, this front panel hub adds four easily accessible USB ports to the front of your computer case through a 3.5-inch bay, or through a 5.25-inch bay using the optional [Front Bay Bracket Adapter](#) (BRACKETFDBK) accessory. Each of the added ports is compliant with the USB 3.0 standard which supports up to 5 Gbps of bandwidth (10x faster than the USB 2.0 standard) and up to 900mA of power.

Accessorize with the PEXUSB3S11 PCI Express card to provide an internal USB 3.0 port, so as to keep the external ports free for external devices. Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- Expand your system's USB 3.0 capabilities with additional ports for connecting high speed external storage devices
- Add easier to access USB ports to the front of a computer system instead of the rear
- Make use of an internal USB port and unused 3.5" front bay to increase the system's expandability

Features

- Four front accessible USB type-A ports
- Fits into any 3.5" computer case front bay
- SuperSpeed USB 3.0 compliant, supporting data transfer rates up to 5 Gbps
- Backward compatible with USB 2.0 and USB 1.0/1.1 specifications and devices
- Provides up to 900mA of power per port
- USB Link LED indicator for each port

| | | |
|-------------------------------------|-------------------------------|---|
| Hardware | Warranty | 2 Years |
| | Chipset ID | VLI - VL810 |
| | Fast-Charge Port(s) | No |
| | Interface | USB 3.0 |
| | Ports | 4 |
| | USB-C Device Port(s) | No |
| | USB-C Host Connection | No |
| Performance | Type and Rate | USB 3.0 - 5 Gbit/s |
| Connector(s) | External Ports | 4 - USB Type-A (9 pin) USB 3.0 Female |
| | Internal Ports | 1 - SATA Power (15 pin) Plug 1 - USB Type-B (9 pin) USB 3.0 Female |
| Software | OS Compatibility | OS Independent; No additional drivers or software required |
| Special Notes / Requirements | System and Cable Requirements | Available 3.5 inch front bay |
| | | Available USB 3.0 type A port |
| Indicators | LED Indicators | 4 - USB Device Link (Green) |
| Power | Power Source | USB-Powered |
| Environmental | Humidity | 20% ~ 80% RH |
| | Operating Temperature | 5°C to 50°C (41°F to 122°F) |
| | Storage Temperature | -25°C to 70°C (-13°F to 158°F) |
| Physical Characteristics | Color | Black |
| | Enclosure Type | Plastic |
| | Form Factor | Drive Bay |
| | Product Height | 1 in [25 mm] |
| | Product Length | 4.7 in [120 mm] |
| | Product Weight | 3.5 oz [100 g] |
| | Product Width | 3.9 in [100 mm] |
| Packaging Information | Shipping (Package) Weight | 7.6 oz [214 g] |
| What's in the Box | Included in Package | 1 - 3.5" Front Panel |
| | | 1 - USB 3.0 Cable |
| | | 1 - Mounting Screw Kit |

Product appearance and specifications are subject to change without notice.