Data Sheet

Mountable Rugged Industrial 7 Port USB Hub

Product ID: ST7200USBM

This sturdy, industrial grade USB 2.0 hub can be wall mounted or installed onto a DIN rail for convenient access to its 7 female USB 2.0 ports, providing a work area, server room, or industrial environment with USB 2.0 connectivity.

With support for Hi-Speed USB 2.0 data transfer rates of up to 480 Mbps, this 7 port USB hub is backwards compatible with USB 1.1 specifications and can be powered through the host USB bus, or self powered using a three wire terminal block connector (7-24V).

Certifications, Reports and Compatibility

RoHS Compliant Available

Applications

- Add additional, easy to access USB ports to rack mounted equipment
- Install a USB hub that can be securely mounted to a surface or inside an equipment rack DIN rail

Features

- Provides 7 USB 2.0 ports
- USB bus powered or external terminal block with support for 7 ~ 24VDC input
- Compact and lightweight design with surface or DIN rail mounting options
- Industrial strength, all-metal enclosure
- High Speed USB 2.0 compliant, with transfer rates up to 480 Mbps
- 15KV ESD protection
- Plug-and-Play and Hot-Swap compatible
- Includes a 2 meter screw-locking USB cable

	Warranty	2 Years
Hardware	Chipset ID	Terminus - FE2.1
	Industry Standards	USB 2.0
	Interface	USB 2.0
	Ports	7
Performance	Maximum Data Transfer Rate	Up to 480Mbps
	MTBF	170,227 Hours
	Surge Protection	15KV ESD protection
Connector(s)	External Ports	1 - Terminal Block (2 Wire)
		1 - USB B (4 pin) Female
		7 - USB Type-A (4 pin) USB 2.0 Female
Software	OS Compatibility	OS independent; No software or drivers required
Special Notes / Requirements	System and Cable Requirements	Any computer with a USB 2.0 port
Indicators	LED Indicators	1 - Power
Power	Input Voltage	7 ~ 24 DC
	Power Source	Terminal Block
Environmental	Humidity	5~95% RH
	Operating Temperature	0°C to 55°C (32°F to 131°F)
	Storage Temperature	-20°C to 85°C (-4°F to 185°F)
Physical Characteristics	Color	Black
	Enclosure Type	Steel
	Product Height	1.4 in [36.3 mm]
	Product Length	5.2 in [133 mm]
	Product Weight	17.6 oz [500 g]
	Product Width	2.4 in [61.5 mm]
Packaging Information	Shipping (Package) Weight	1.1 lb [0.5 kg]
What's in the Box	Included in Package	1 - USB 2.0 Hub
		2 - DIN rail mounting bracket
		1 - USB-B w/screw lock to USB-A cable
		1 - Screw kit

1 - Instruction Manual

Product appearance and specifications are subject to change without notice.