


ETTA04B20 USB4 Cable, USB-C Male to USB-C Male, 2.0m, 40Gbps, PD 3.1 240W, 8K 60Hz, Thunderbolt 3 Compatible

Product Images





Short Description

- **Connector:** USB-C Male to USB-C Male.
- **USB standard:** USB4.
- **Data transfer rate:** Up to 40Gbps.
- **Power Delivery:** PD 3.1 up to 240W (48V/5A), E-marker chipset.
- **Video support:** Up to 8K 60Hz.
- **Compatibility:** USB4, Thunderbolt 3, USB 3.2, USB 2.0.
- **Jacket:** Durable braided cable.
- **Length:** 2.0m.

Description

The Conceptronic ETTA04B20 USB4 C to C cable is designed for ultra-high-speed data

transfer, high-resolution display output, and extreme power delivery for modern USB-C devices.

Built on USB4 technology, it supports data transfer speeds of up to 40Gbps and offers backward compatibility with USB 3.2, USB 2.0, and Thunderbolt 3 devices. The cable enables seamless connectivity between laptops, tablets, external SSDs, docking stations, and displays, with video output support up to 8K at 60Hz.

Equipped with an integrated E-marker chipset and Power Delivery 3.1 support, the cable delivers up to 240W (48V/5A), making it suitable for charging power-hungry laptops and professional equipment. A robust braided jacket enhances durability and flexibility, ensuring reliable performance for everyday office, home, and mobile use.

Additional Information

Color.	Black
Model Number.	ETTA04B20
Angled Plug.	No
Shielded.	No
Cable Length.	2m
Dimensions (W x D x H).	4 x 4 x 2000 mm
Product weight (kg).	0,1
Upstream Port	USB-C male
USB Power Delivery (PD).	240W
Conductor material.	Copper
Data Rate.	40Gbps
Standards.	USB 4 Gen 3x2
Approval and Compliance.	CE, RoHS, REACH
Operating temperature.	-40°C ~ 85°C
Package Contents.	ETTA04B20
Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544429000
EAN.	4015867237953

