

# Qoltec Uninterruptible Power Supply | Monolith | 2000VA | 1200W | LCD | USB

**Product code: 53956**

Qoltec UPS Line Interactive is a modern and economical device that ensures stable operation of the computer even in the event of a power cut.

It's perfect for anyone who wants to have control over the stable operation of their devices regardless of fluctuations in the power supply.

Discover safe energy



Each of us has had to deal with low tensions at home or at work more than once. Sometimes they only have the effect of needing to restart the computer. But how many times as a result of such an event have you lost important unsaved data or encountered a device failure?
If the above situations are familiar to you, we have a solution, thanks to which the problems of voltage decay or voltage drops will not apply to you. Qoltec UPS uninterruptible power supply is a solution that provides a constant supply of energy necessary for the stable operation of your computer.

Appearance and functionality




The built-in LCD display guarantees easy management of the device operation. Thanks to this, you regularly receive information about the status of work and parameters, making work easy, fast and reliable.

Efficiency



BUILT-IN BATTERY

UPS is equipped with a maintenance-free battery that provides stable operation during an emergency power supply. During this time, you will save important data on the disk. The process of charging the battery to 90% efficiency is 6 hours.

Improve the quality of work



Our power supply additionally offers:
- automatic voltage regulator (AVR) is a device designed to regulate voltage automatically,
- overload protection, short circuit protection and high-temperature protection,
- USB port - thanks to the UPS management software, you can monitor its operation on an ongoing basis and adapt it to your needs,
- RJ-45 port - provides security against overvoltage via LAN.

| | |
|---|---|
| Confidence confirmed by a warranty | You value the quality of purchased equipment so our projects and solutions are focused on meeting your expectations. Each UPS Line Interactive is covered by 24 months warranty. |
| Technical data | |

| | |
|---|---|
| Producer | Qoltec |
| Rated capacity | 2000 VA |
| Usable power | 1200 W |
| Wave form | Modified sine wave |
| Transfer time | 2 - 6 ms |
| Overload | > 100% alarm off |
| Range voltage | Input voltage: 140 Vac ~ 290 Vac (50 Hz 5 Hz);<br>Output voltage:<br>- battery mode: 220 Vac ~ 230 Vac 5% (50 Hz - 60 Hz 1 Hz);<br>- wired mode: 220 Vac 10% (50 Hz - 60 Hz 1 Hz) |
| Usage | Home offices |
| Built-in battery | 2 x 12V / 9Ah |
| Battery quantity | 2 |
| Battery voltage | 24 V |
| Output sockets | 1 x FRENCH (Type E CEE 7/5)<br>1 x SCHUKO (Type F CEE 7/3)<br>2 x IEC (IEC 320 C13)<br>2 x RJ45<br>1 x USB type B (only for diagnostic) |
| Charging time | 6 h to reach 90% capacity |
| Operating temperature | 0°C ~ +40°C |
| Noise | Less than 40 dB |
| Safety | Overload protection<br>Overvoltage protection<br>Short circuit protection<br>High and low voltage protection<br>Input protection |
| Load type | PC, servers |
| Communication interface | USB |
| Package contents | UPS with built-in power cable (1 x FRENCH) 1.2m<br>User manual |
| Housing color | Black |
| Dimensions | 370 x 135 x 165 mm |
| Net weight | 11,3000 kg |
| Gross weight | 11,9000 kg |
| Warranty | 24 months |
| EAN code | 5901878539560 |

| LOAD | Power backup time |
|---|---|
| 100 W | 55 min. |
| 200 W | 30 min. |
| 300 W | 15 min. |
| 500 W | 6 min. |
| 1000 W | 1 min. |