



Model: 4U-465M2

Art.: 88887424

The 4U server case 4U-465M2 has been specially developed for high-performance and flexible server solutions and is ideal for professional IT environments, virtualisation systems or storage applications. Thanks to its well-thought-out design, it enables multiple systems to be operated in parallel within a single case.

A key feature is the support for **installing two Mini-ITX motherboards**, making the case ideal for redundant systems, cluster solutions or energy-efficient dual-server setups. Each motherboard has its own front-panel connection, **each featuring two USB 3.2 Gen1 ports**, enabling convenient operation and fast data transfer.

Two ATX power supplies can be integrated to provide power, enabling both systems to operate independently and reliably – ideal for ensuring redundancy and load balancing.

Features	Installation of two separate systems with ITX motherboards	
Size	Mainboard	Mini-ITX
	Case	480 x 692 x 174mm (BxTxH)
	Cage	430 x 662 x 174mm (BxTxH)
HDD/ ODD Mounting space	5.25" external	-
	3.5" external	-
	3.5" or 2.5" external	-
	3.5" internal	2x 3
	2.5" internal	-
	3.5" or 2.5" internal	-
Front connectors	USB A 3.0	2x 2x 3.2 Gen1
	USB A 2.0	-
	USB Type C	-
	Heaphone	-
	Microphone	-
	Card Reader	-
Mounted fans	200mm	-
	140mm	-
	120mm	3
	80mm	-
	60mm	-
	40mm	2x 2
Further mounting options	Power supply	2x ATX
	CPU cooler	max. 145 mm
	Graphic adapter	-
	Fans	-

Scope of delivery

Case
Screws

Warranty

24 Months

Logistic data

Net weight

14.41 kgs

Gross weight

16.58 kgs

Article number

88887424

GTIN

4260455649964

Packing unit

1 pcs
12 pcs (pallet)