



# REBEL C20 ITX RGB

Thanks to its cleverly spacious design, the Rebel C20 ITX is a mini-ITX case that can accommodate even the largest modern graphics cards as well as a 360 mm radiator. Three addressable 120 mm RGB fans are already pre-installed in the RGB version. And because the case can be positioned either vertically or horizontally, it is able to blend elegantly into any kind of surrounding, whether office or living room.

## Features

### ■ SPACE FOR BIG GPUS

The Rebel C20 ITX has been especially designed to accommodate even the largest modern graphics cards of the RTX-4090 series despite its compact form factor.

### ■ VERTICAL OR HORIZONTAL INSTALLATION

The Rebel C20 ITX can be easily positioned either vertically or horizontally, allowing the case to fit in perfectly anywhere, whether as a compact living room PC or as a work PC in the study or office room.

### ■ OPTIMAL COOLING OPTIONS

For an optimal airflow, up to nine fans will find room in the Rebel C20 ITX, while a 360 mm radiator can be installed as an alternative to provide even more effective cooling. The RGB version of the case is already equipped with three 120 mm fans with addressable RGB LEDs and a RGB controller.

### ■ PROTECTED ALL-ROUND AIR INTAKE

Unhindered airflow and effective hardware cooling is ensured thanks to perforated paneling around the case. All the areas of air intake are protected with dust filters.

### ■ MODERN CONNECTIVITY

In addition to conventional USB ports, the Rebel C20 ITX also has USB-C and TRRS ports and is thus designed for an uncomplicated connection to all mobile and storage devices.

### ■ MINI-ITX FORM FACTOR

With its compact size, the Rebel C20 ITX is designed for mainboards with an ITX form factor and SFX and SFX-L power supply units.

## Specifications

Product Name	Rebel C20 ITX RGB
Color Versions	Black
Form Factor	Mini-ITX
Expansion Slots	4
Interior Painting	✓
Side Panel	Metal
Weight	6.6 kg
Dimensions (L x W x H)	45.7 x 20.8 x 30.1 cm

### Max. Drive Bays

1 x 3.5" | 4 x 2.5"

### I/O

Type-C (USB 3.2 Gen 2) (Front): 1 | USB 3.0 (Front): 2 | Audio (Front): TRRS

### Fan Configuration

Front Panel	3x 120 mm or 2x 140 mm Fan or Radiator (Optional)
Side Panel	1x 120 mm Fan (Optional)
Rear Panel	3x 120 mm Addressable RGB LED PWM Fan (Pre-installed)
Top Panel	2x 120 mm Fan (Optional)*

### RGB Compatibilit

Type	Addressable
Ports	4
Manual Control	14 Modes
Mainboard Compatibility	MSI Mystic Light Sync, ASUS Aura Sync, Gigabyte RGB Fusion Ready, ASRock POLYCHROME SYNC
RGB Pinout	5V-D-coded-G

### Compatibility

Mainboard	Mini-ITX
Max. Length Graphics Card	36.5 cm
Max. Height CPU Cooler	17.5 cm**
Max. Length PSU	17.5 cm
Max. Height Radiator incl. Fan	7.0 cm

### Package Contents

Rebel C20 ITX RGB, Accessory Set

### EAN Code

Rebel C20 ITX RGB 4044951040520

\*One of the fans uses a location that is otherwise available for an SSD. If the graphics card is more than 65 mm in thickness, it is not possible to install a fan with a thickness of 25 mm or more.

\*\*When no fans or radiators are installed next to the side panel.





