




# Elevated entertainment

Dell 27 Plus Monitor

**MODEL: S2725HSM**

The world's # 1 monitor company\*

\* Source: IDC Worldwide Quarterly PC Monitor Tracker, Q1 2025. CLM-005299



**Enjoy crisp and smooth visuals with this 27-inch FHD monitor featuring a 144 Hz refresh rate and built-in speakers.**

#### **Elevated entertainment**

Enjoy your favorite shows with smooth visuals and built-in speakers in Full HD resolution and a 1500:1 contrast ratio, delivering vibrant detail and remarkable depth.

Experience unmatched speed and precision in every frame with a 144 Hz refresh rate, AMD FreeSync™, and 1ms Moving Picture Response Time (MPRT), ensuring seamless performance whether you're enjoying casual gaming, streaming, or simply unwinding.

#### **Built-in acoustic excellence**

Immerse yourself in sound with integrated dual 3W speakers delivering a wider range of frequencies. Whether you're watching a movie or enjoying music, you can fine-tune your experience with five preset sound profiles or create your own for personalized, dynamic audio that suits every moment.

#### **All-day comfort**

Prioritize visual comfort with this 4-star TÜV-certified display. Reduce harmful blue light emissions while maintaining stunning image quality without compromising colors.

Additionally, you can customize your viewing experience by tilting, swiveling, pivoting, or adjusting the monitor's height for all-day comfort.

**Smooth visuals**


Full HD resolution and 1500:1 contrast ratio bring astounding depth and vivid detail, while a 144 Hz refresh rate, AMD FreeSync™, and 1ms Moving Picture Response Time (MPRT) deliver a smooth, tear-free viewing experience.

**Audio re-engineered**

Experience tailored audio perfection with integrated dual 3W speakers delivering a wider range of frequencies, and five preset sound profiles.

**Designed for comfort**

Customize your viewing experience by tilting, swiveling, pivoting, or adjusting the monitor's height.

**Eye comfort**

This monitor is 4-star TÜV-certified display. Reduce harmful blue light emissions while maintaining stunning image quality without compromising colors.




▶ [Click here to explore more.](#)

**World's number 1 monitor company\***

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

# Smart design. Effortless experience.



## Easy-to-use


Navigate the onscreen menu and adjust settings with a convenient joystick control.

## Comfort from every angle

Tilt, swivel, pivot and adjust the height (up to 110mm) of your monitor for all-day comfort.

## Dell Display and Peripheral Manager

Easy Arrange<sup>1</sup> tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.





# Made for you, sustainably

## Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor helps reduce waste with a design made from recycled materials like up to 95% post-consumer recycled plastic, 100% recycled aluminum, 50% recycled steel, and up to 20% recycled glass.<sup>1</sup>

## Environmental standards

This monitor is certified ENERGY STAR®, meaning it has met high standards for energy efficiency.

## Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.


## Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.<sup>2</sup>

<sup>1</sup> Based on internal analysis, June 2025. Up to 95% recycled plastic, 100% recycled aluminum in the stand, 50% recycled steel in the chassis, and at least 20% recycled glass in the panel. Applies to monitors: S2425HSM, S2725HSM, S2725DSM, S2725DC.

<sup>2</sup> Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.

# Ports & Slots



- 1 Power connector
- 2 Security lock slot<sup>1</sup>
- 3 Stand lock
- 4 2 x HDMI (HDCP 1.4) (Supports up to 1920 x 1080, as per specified in HDMI 1.4)
- 5 Built-in speakers

<sup>1</sup> Based on Kensington Security Slot™

| FEATURE                         | TECHNICAL SPECIFICATION                                                                                                                                                                                                          |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MODEL                           | Dell 27 Plus Monitor - S2725HSM                                                                                                                                                                                                  |
| MONITOR COLOR                   | Ash White                                                                                                                                                                                                                        |
| DIAGONAL VIEWING SIZE           | 686.0 mm (27.0")                                                                                                                                                                                                                 |
| ASPECT RATIO                    | 16:9                                                                                                                                                                                                                             |
| MAXIMUM PRESET RESOLUTION       | 1920 x 1080                                                                                                                                                                                                                      |
| REFRESH RATE                    | 144 Hz                                                                                                                                                                                                                           |
| PANEL TYPE                      | In-Plane Switching (IPS) Technology                                                                                                                                                                                              |
| VIEW ANGLE (V/H)                | 178°vertical (178°horizontal)                                                                                                                                                                                                    |
| SURFACE TREATMENT               | Anti-glare with hard-coating 3H                                                                                                                                                                                                  |
| PIXEL PITCH                     | 0.3114 mm (H) x 0.3114 mm (V)                                                                                                                                                                                                    |
| PIXEL PER INCH (PPI)            | 82                                                                                                                                                                                                                               |
| CONTRAST RATIO                  | 1,500:1 (typical)                                                                                                                                                                                                                |
| BRIGHTNESS                      | 300 cd/m <sup>2</sup> (typical)                                                                                                                                                                                                  |
| RESPONSE TIME                   | <ul style="list-style-type: none"> <li>• 1ms MPRT</li> <li>• 4ms GTG (Extreme)</li> <li>• 5ms GTG (Fast)</li> <li>• 8ms GTG (Normal)</li> </ul>                                                                                  |
| COLOR GAMUT                     | 99% sRGB (CIE 1931) (typical)                                                                                                                                                                                                    |
| COLOR DEPTH                     | 16.7 Million Colors                                                                                                                                                                                                              |
| PANEL BITS                      | 8-bit                                                                                                                                                                                                                            |
| CALIBRATION ACCURACY            | No                                                                                                                                                                                                                               |
| VARIABLE REFRESH RATE           | AMD FreeSync™                                                                                                                                                                                                                    |
| HDR                             | No                                                                                                                                                                                                                               |
| CURVATURE                       | No                                                                                                                                                                                                                               |
| TÜV EYE COMFORT                 | 4 Star                                                                                                                                                                                                                           |
| LOW BLUE LIGHT                  | Yes                                                                                                                                                                                                                              |
| FLICKER FREE                    | Yes                                                                                                                                                                                                                              |
| CONNECTIVITY BACK-HDMI          | 2 x HDMI (HDCP1.4) (Support up to 1920 x 1080 144Hz, as per specified in HDMI1.4)                                                                                                                                                |
| AUDIO OUTPUT                    | 2 x 3W speakers                                                                                                                                                                                                                  |
| SOFTWARE COMPATIBILITY          | Dell Display and Peripheral Manager (DDPM)                                                                                                                                                                                       |
| SECURITY                        | Kensington security slot (Cable lock sold separately)                                                                                                                                                                            |
| PLATFORM SUPPORTED              | Windows                                                                                                                                                                                                                          |
| LIMITED WARRANTY                | 1 Year (US/Canada), 3 Years (ROW)                                                                                                                                                                                                |
| ADDITIONAL WARRANTY INFORMATION | <ul style="list-style-type: none"> <li>• (US/Canada) 1-year Advanced Exchange Service<sup>1</sup> and Premium Panel Exchange</li> <li>• (ROW) 3-year Advanced Exchange Service<sup>1</sup> and Premium Panel Exchange</li> </ul> |
| STAND HEIGHT RANGE              | Height adjustable up to 110mm                                                                                                                                                                                                    |
| TILT ANGLE                      | -5° to 21°                                                                                                                                                                                                                       |
| SWIVEL ANGLE                    | 30° to 30°                                                                                                                                                                                                                       |
| PIVOT ANGLE                     | +/-90°                                                                                                                                                                                                                           |

| FEATURE                                     | TECHNICAL SPECIFICATION                      |
|---------------------------------------------|----------------------------------------------|
| FLAT PANEL MOUNT INTERFACE                  | VESA (100 mm x 100 mm)                       |
| BEZEL WIDTH (TOP)                           | 5.89 mm (0.23 in.)                           |
| BEZEL WIDTH (LEFT OR RIGHT)                 | 5.90 mm (0.23 in.)                           |
| BEZEL WIDTH (BOTTOM)                        | 12.00 mm (0.47 in.)                          |
| DIMENSION (WITH STAND)- HEIGHT (EXTENDED)   | 499.07 mm (19.65 in.)                        |
| DIMENSION (WITH STAND)- HEIGHT (COMPRESSED) | 389.07 mm (15.32 in.)                        |
| DIMENSION (WITH STAND)- WIDTH               | 609.69 mm (24.00 in.)                        |
| DIMENSION (WITH STAND)- DEPTH               | 201.83 mm (7.95 in.)                         |
| WEIGHT (WITH PACKAGING)                     | 8.08 kg (17.81 lbs)                          |
| WEIGHT (WITH STAND, CABLES)                 | 5.73 kg (12.63 lbs)                          |
| WEIGHT (WITHOUT STAND, CABLES)              | 3.95 kg (8.71 lbs)                           |
| WEIGHT OF STAND ASSEMBLY                    | 1.55 kg (3.42 lbs)                           |
| DIMENSION (WITHOUT STAND)- HEIGHT           | 354.21 mm (13.95 in.)                        |
| DIMENSION (WITHOUT STAND)- WIDTH            | 609.69 mm (24.00 in.)                        |
| DIMENSION (WITHOUT STAND)- DEPTH            | 58.87 mm (2.32 in.)                          |
| WEIGHT (WITH PACKAGING)                     | 8.08 kg (17.81 lbs)                          |
| WEIGHT (WITHOUT STAND, CABLES)              | 3.95 kg (8.71 lbs)                           |
| VOLTAGE REQUIRED                            | 100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/1 A |
| POWER CONSUMPTION (MAX.)                    | 43.00 W                                      |
| POWER CONSUMPTION (OFF-MODE)                | 0.30 W                                       |
| POWER CONSUMPTION (STANDBY MODE)            | 0.50 W                                       |
| POWER CONSUMPTION (ON MODE)                 | 17.00 W                                      |
| OPERATING HUMIDITY RANGE                    | 10% to 80% non-condensing                    |
| NON-OPERATING HUMIDITY RANGE                | 5% to 90% non-condensing                     |
| OPERATING ALTITUDE                          | 5,000 m (16,404 ft)                          |
| NON-OPERATING ALTITUDE                      | 12,192 m (40,000 ft)                         |
| OPERATING TEMPERATURE RANGE                 | 0°C to 40°C (32°F to 104°F)                  |
| NON-OPERATING TEMPERATURE RANGE             | -20°C to 60°C (-4°F to 140°F)                |

| FEATURE                                      | TECHNICAL SPECIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COUNTRY OF ORIGIN                            | China/Vietnam                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| ENVIRONMENTAL COMPLIANCE & CERTIFICATION     | <ul style="list-style-type: none"><li>• Restriction of Hazardous Substances (RoHS)</li><li>• Product Safety, EMC and Environmental Datasheets</li><li>• Dell Regulatory Compliance Home Page</li><li>• Dell and the Environment</li><li>• BFR/PVC reduce monitor (Circuit boards are made from BFR/PVC-free laminates)</li><li>• Meets NFPA 99 leakage current requirements.</li><li>• Arsenic-Free glass and Mercury-Free for the panel only</li></ul> |
| ENERGY EFFICIENCY COMPLIANCE & CERTIFICATION | ENERGY STAR 8.0                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| WHAT'S INCLUDED                              | <ul style="list-style-type: none"><li>• Monitor with stand</li><li>• Power cable</li><li>• 1 x HDMI 1.4 cable - 1.80 m</li><li>• QR Card</li><li>• Safety, Environmental, and Regulatory Information</li></ul>                                                                                                                                                                                                                                          |

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.