

5.25" Mobile Rack for 8 x 2.5" SATA or SAS HDD / SSD with lock

Description

This solid metal mobile rack by Delock can be installed into a **5.25" bay** of a PC, IPC or server enclosure and enables the operation of up to **8 2.5" SATA or SAS HDD or SSD**.

Quick change of memory

Due to the special mechanism, the HDD / SSD can be **exchanged quickly and easily**. For example, data backups can be taken and stored in a safe place.

Tray with key lock and springs

The mobile rack is equipped with a **key lock** to prevent unauthorised access. The stable carrier of metal has springs on the top and bottom which reduce vibrations.

Efficient cooling for the drives

Large **ventilation openings** on the top and bottom of the Delock mobile frame ensures **excellent airflow**. An integrated **fan at the rear** provides additional air circulation, delivering optimal cooling performance for the drives.



Item no. 47172

EAN: 4043619471720

Country of origin: China

Package: Box

Technical details

- Connectors:
 - internal:
 - 8 x SATA 6 Gb/s / SAS 12 Gb/s 22 pin receptacle
 - external:
 - 8 x SATA 7 pin plug
 - 2 x SATA 15 pin plug
 - 1 x 3 pin fan connector male
- Suitable for 2.5" SATA HDD / SSD:
 - HDD height up to 7 mm
 - SATA HDD / SSD up to 6 Gb/s
 - SAS HDD up to 12 Gb/s
- Data transfer rate up to 12 Gb/s
- Mobile rack with key lock for each bay
- 16 x LED indicator for power and access
- Hot Swap
- Bootable
- Robust aluminum housing

- Tray made of metal
- 1 x 40 mm fan

System requirements

- PC with one free 5.25" bay
- PC with 8 free SATA ports
- Power supply with two free SATA power connectors

Package content

- Mobile Rack
- SATA power cable 15 pin male to female, length ca. 6 cm
- 2 x keys
- Screws
- User manual

Images



General

Function:	Hot Swap bootable
Suitable for data medium:	2.5" SSD or HDD height up to 7 mm
LED indicator:	16 x

Interface

External:	2 x SATA 15 pin plug 1 x 2 pin fan connector male 8 x SATA 7 pin plug
Internal:	8 x SATA 6 Gb/s / SAS 12 Gb/s 22 pin receptacle

Technical characteristics

Data transfer rate:	SAS bis zu 12 Gb/s SATA up to 6 Gb/s
---------------------	---

Physical characteristics

Housing material:	Aluminium
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

