

Fact Sheet:

TERRA PC-Micro 6000 SILENT

GREENLINE slim vPro

Micro-PC mit Intel Core Prozessor (12th Gen), WLAN & BT




Manufacturer: WORTMANN AG

Art#: 1000027

Ref#: 1000027

36 Months Service (Bring-in)



Additional Product Pictures





Details

	General
Processor model	Intel® Core™ i5-1250P Processor (12M Cache, up to 4.40 GHz; vPro) Intel® Core™ i5-1250P Processor (12M Cache, up to 4.40 GHz; vPro)
Operating system	Windows 11 Pro Windows 11 Pro
	Processor
Processor family	Core i5
Processor cores	12-Core
Processor model	Intel® Core™ i5-1250P Processor (12M Cache, up to 4.40 GHz; vPro)
Number of processors	1
	Memory
Internal memory	16 GB
Memory layout (slots x size)	2 x 8 GB
Maximum internal memory	64 GB
Memory clock speed	3200 MHz
Internal memory type	DDR4
Memory slots	2 pc(s)
Memory form factor	SO DIMM, 260-PIN
	Storage
Total storage capacity	500 GB
SSD interface	PCIe (NVMe)
SSD capacity	500 GB
HDD capacity	1 x 500 GB - SSD
Number of storage drives supported	2
Storage media	SSD M.2

Performance	
Series	Business Micro/ Mini Format
Product type	Personal-Computer
Design	
Chassis type	Micro format
Certification	ISO 9001, Assembled in Germany Compatibility: SMBios (DMI), EnergyStar (Valid only for U.S.), EN62368-1, EN55032, EN55035, EN61000-3-2/3, EN62623, 89/336/ECC
Keyboard	
Device interface	USB
Technical details	
Localization	International
Packaging content	
Included Accessories	Manual, external psu, powercord EU, powercord UK, VESA mounting kit
Weight & dimensions	
Height	3.7 cm
Width	11.2 cm
Depth	11.7 cm
Weight	0.5 kg
Other features	
Number of drive bays	1 internal - 6.35 cm (2.5") SSD or HDD
Interface	Front: 2x USB 3.2; 1x 3.5mm Headphone/Mic; Rear: 2x USB 4 (type C), 1x USB 3.2, 1x USB 2.0; 2x HDMI, 1x RJ45
Compatible operating systems	Windows 10, Windows 11
Cooling type	Active
Special features	Kensington Lock TPM 2.0 Secure Boot Windows Autopilot ready
Graphics	
On-board graphics adapter maximum resolution	4K (60Hz)
Graphics card	Intel Iris Xe Graphics
Graphics adapter ports	2x HDMI 2.1 TMDS Compatible, 2x DP 1.4a via Type C Supports Quad-Monitoring
Power	
Power source	External fanless power supply Efficiency : >= 85%
Maximum input power	90 W
Operational conditions	

Operating temperature (T-T)	0° - 35° C
Network	
Ethernet LAN	RJ45
LAN controller	Intel® Ethernet Controller i225-V
Wi-Fi standards	Intel® Wi-Fi 6E AX211(Gig+)
Data link protocols	Ethernet, Fast Ethernet, Gigabit Ethernet, 2.5 Gb Ethernet, IEEE 802.11ax Bluetooth 5.3
Optical drive	
Optical drive type	None
Input device	
Device interface	USB

Service (Optional and at extra cost)

- 36 Months Service (Bring-in)
- TERRA PC 24h on-site service + mr 36 months
- TERRA PC 24h on-site service + mr 48 months
- TERRA PC 24h on-site service + mr 60 months

Addon Items



Mounting PC-Micro/Mini
f.TFT PV / Multistand V2.0
Artikel-Nr.: 1400033



Mounting Kit PC-Micro/Mini
for TFT 2X35W HA series
Artikel-Nr.: 1407067



VESA Universal Bracket TFT
Artikel-Nr.: 2050004

Power supply MPG
90W/19V/ 2.5mm
Artikel-Nr.: 2090036



Adapter USB-C =>DP
(St/Bu) 15cm weiss/white
Artikel-Nr.: 2560007

Power Cable [UK] - Triple
Prong Cloverleaf
Artikel-Nr.: 3809226