



**FAN TESTING MACHINE TECHNICAL SPECIFICATIONS**

<b>Manufacturer</b>	<b>Long Win Science &amp; Technology Corporation</b>
Model Number	LW-9266
Air Flow Rate	2.4 - 250 CFM
Accuracy of Air Flow Range	< 3.5% INFS
Repeatability error	< 2%
Static pressure	0-20mmAq (100mmAq with the high static pressure throttle device)
Overall Dimensionsr	0.7 (W) x 2.2 (L) x 1.6 (H) m
Power Source	220VAC, 5A, Single Phase, 50/60Hz
Based on Standards	ISO 5801-2007, AMCA 210-0, ASHRAE 51-2007, IEC 61591-2005, GB/T 1236-200

All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

## Evaluation Report

T30-120 (Hybrid Mode)

### TEST EQUIPMENT

Test Environment	Hemi-Anechoic Chamber with 6 dB(A) noise floor
Conditions	25(±2) degrees Celsius, 40-50% humidity
Sound Analyzer	Bruel & Kjaer 2270-S G4 & 2250-L G4
Microphone	Bruel & Kjaer Type 4955-A
Mic Calibrator	Bruel & Kjaer Type 4231
Data Logger	Picoscope TC-08

### TECHNICAL SPECIFICATIONS TABLE

Brand	Phanteks
Model	T30-120 (Hybrid Mode)
Max Speed (RPM)	1234
Max Airflow (CFM)	41.65
Max Static Pressure (mmAq)	1.13
Max Fan Noise Level	14.4
Fan Bearing Type	Magnetic Levitation
Fan Connector	PWM
Fan Max Current (A)	0.05
Fan Weight (gr)	231
Dimensions (W x H x D)	120 x 120 x 30
Fan daisy-chain connector	X
Cable length (mm)	0

All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 2/13

**Evaluation Report**

T30-120 (Hybrid Mode)

**PQ Chart 10% Speed**

Image not found or type unknown



**PQ Chart 20% Speed**

Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:


- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 3/13**


Evaluation Report

T30-120 (Hybrid Mode)

PQ Chart 30% Speed



PQ Chart 40% Speed



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

## Evaluation Report

T30-120 (Hybrid Mode)


### PQ Chart 50% Speed

Image not found or type unknown



### PQ Chart 60% Speed

Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:


- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

PAGE 5/13


## Evaluation Report

T30-120 (Hybrid Mode)

### PQ Chart 70% Speed



### PQ Chart 80% Speed



All data and graphs included in this test report can be used by any individual on the following conditions:


- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 6/13**


## Evaluation Report

T30-120 (Hybrid Mode)

### PQ Chart 90% Speed



### PQ Chart 100% Speed



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 7/13**

## Evaluation Report

T30-120 (Hybrid Mode)

### PQ Chart All Speed

Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 8/13**



Image not found or type unknown



Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 9/13**

Image not found or type unknown



Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 10/13**

Image not found or type unknown



Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 11/13**

**Evaluation Report**

T30-120 (Hybrid Mode)

Image not found or type unknown




Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 12/13**

Image not found or type unknown



All data and graphs included in this test report can be used by any individual on the following conditions:

- > It should be mentioned that the test results are provided by Cybenetics
- > The link to the original test results document should be provided in any case

**PAGE 13/13**