

**AXOR ShowerSolutions**  
**Overhead shower 250/250 1jet ceiling**  
 Surfaces: **polished gold-optic** Art. no. : **35309990**



## Description

### product features

- Shower head size: 250 x 250 mm
- Spray pattern: PowderRain
- dynamic spray nozzles move out while using
- Spray face: metal
- maximum flow rate 18.1 l/min at 3 bar
- Flow rate PowderRain (at 3 bar): 18.1 l/min at 3 bar
- Operating pressure: min. 1,8 bar/max. 6 bar
- overhead shower removable for cleaning
- Installation: ceiling mounted

## Article Details

Price excl. VAT

£ 1,608.88

## Technology



## Design awards




reddot winner 2020




reddot winner 2021

## Product image



## Scale drawing




## AXOR ShowerSolutions

### Overhead shower 250/250 1jet ceiling

Surfaces: **polished gold-optic** Art. no. : **35309990**



## Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Surfaces: **polished gold-optic**      Art. no. : **35309990**



AXOR 250 Ijet  
35287000  
AXOR 300 Ijet  
35302000

AXOR 250/250 Ijet  
35309000  
AXOR 300/300 Ijet  
35317000

Q = l/min 0 3 6 9 12 15 18 21 24 27 30  
Q = l/min 0 0.1 0.2 0.3 0.4 0.5

6.0  
5.5  
5.0  
4.5  
4.0  
3.5  
3.0  
2.5  
2.0  
1.5  
1.0  
0.5  
0.0

0.60  
0.55  
0.50  
0.45  
0.40  
0.35  
0.30  
0.25  
0.20  
0.15  
0.10  
0.05  
0.00

1  
2

