

AXOR ShowerSolutions
Overhead shower 250/580 3jet
 Surfaces: **chrome** Art. no. : **35283000**



product features

- Consists of: overhead shower, wall connector
- Shower head size: 580 x 260 mm
- Spray pattern: Rain, RainFlow, Mono
- Spray face: metal
- maximum flow rate 20 l/min at 3 bar
- flow rate Rain 17 l/min at 3 bar
- flow rate RainFlow 17 l/min at 3 bar
- flow rate Mono 20 l/min at 3 bar
- Operating pressure: min. 1.7 bar/max. 6 bar
- spray disc removable for cleaning
- Installation: wall-mounted - for installation on iBox
- WRAS 2006046

Article Details

Price excl. VAT £ 3,472.71

Technology




Certificates



Product image




Scale drawing



AXOR ShowerSolutions
Overhead shower 250/580 3jet
 Surfaces: **chrome** Art. no. : **35283000**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

AXOR ShowerSolutions
Overhead shower 250/580 3jet
 Surfaces: **chrome** Art. no. : **35283000**



Exploded Drawing

Year of production: >07/17



AXOR ShowerSolutions
Overhead shower 250/580 3jet
 Surfaces: **chrome** Art. no. : **35283000**



Spare part list

Year of production: >07/17

Pos.		Art. no.	Price	PU
1	filter	98513000	-	1
2	O-ring 16x2	98133000	-	1
3	O-ring 18x2	98181000	-	1
4	installation unit cpl.	95170000	-	1
5	O-ring 12x2	98214000	-	1
6	set of screws	96525000	-	1
7	escutcheon	92747000	-	1
8	hollow set screw M4x8	97669000	-	1
9	cover	92746000	-	1
10	spray body	93212000	-	1
11	filter	92683000	-	1
12	O-ring 24x2	98388000	-	1
13	aerator laminar	93211000	-	1
14	O-ring 15x2	98163000	-	1
15	O-ring 21x2	98205000	-	1
16	special tool	92686000	-	1
17	extension 25 mm	13595000	-	1
18	set of fixing screws	97747000	-	1
19	compensation set 1°	95521000	-	1