



ALPHA 160, wall-mounted cabinet, Surface mounting, with distribution board panel, IP44, Protection class 2, H: 650 mm, W: 800 mm, T: 140 mm, RAL 9016

Model		
product brand name		ALPHA 160
product designation		Wall-mounted cabinet
design of the product		Surface mounting, with distribution board panel
surface processing		powder-coated
Protection class		
protection class IP		IP43
operating resource protection class		Safety class 2
suitability for interaction / lightning protection		Yes
suitability for use / for outside use		No
Appearance		
RAL color number		9016
product component		
• cable entry		Yes
• mounting plate		No
product extension / optional / side-by-side mounting		No
number of DIN mounting bars		12
Mechanical Design		
height		650 mm
width		800 mm
depth		140 mm
installation depth		140 mm
number of modular width units / per DIN mounting bar		144
net weight		18.6 kg
material / of the enclosure		Steel
General Product Approval		Declaration of Conformity
		Test Certificates



[Miscellaneous](#)



EG-Konf.

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

Test Certificates	other
-------------------	-------

[Special Test Certificate](#)

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1052-2KK31>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1052-2KK31>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1052-2KK31

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



