

Pulsify S

Overhead shower 260 2jet with wall connector

Surfaces: **matt white** Art. no. : **24150700**



Description

product features

- Consists of: overhead shower, wall connector
- Shower head size: 260 mm
- Spray pattern: PowderRain, Intense PowderRain
- Fast Drain empties the overhead shower from an angle of 10°
- Ball-joint: overhead shower angle adjustable
- Spray face: plastic
- spray disc surface: graphite
- maximum flow rate 11.3 l/min at 3 bar
- Flow rate PowderRain (at 3 bar): 11.3 l/min at 3 bar
- flow rate Rain 7.2 l/min at 3 bar
- Function from: 6.3 l/min
- overhead shower removable for cleaning
- Installation: wall
- Not included: basic set
- WRAS 2205074
- WRAS 2205074 - Approval letter

Article Details

Price excl. VAT

£ 666.67

Technology



Design awards




reddot winner 2021


Certificates



Product image




Scale drawing



Pulsify S
Overhead shower 260 2jet with wall connector
 Surfaces: **matt white** Art. no. : **24150700**



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Pulsify S
Overhead shower 260 2jet with wall connector
 Surfaces: **matt white** Art. no. : **24150700**



Exploded Drawing

Year of production: >01/23



Pulsify S
Overhead shower 260 2jet with wall connector
 Surfaces: **matt white** Art. no. : **24150700**



Spare part list

Year of production: >01/23

Pos.	Description	Art. no.	Price	PU
1	filter	98513000	-	1
2	O-ring 16x2	98133000	-	1
3	O-ring 18x2	98181000	-	1
4	set of screws	96525000	-	1
5	O-ring 17x2	98199000	-	1
6	O-ring 10x2	98170000	-	1
7	O-ring 9x2	98119000	-	1
8	cramp	94521000	-	1
9	hexagon socket screw M5x40	97673000	-	1
10	escutcheon	94465700	-	1
11	filter	94467000	-	1
12	cover	94464700	-	1
13	O-ring 6x2	98458000	-	1
14	head shower	94520700	-	1
15	extension 25 mm	13595000	-	1
16	compensation set 1°	95521000	-	1