



T 12/1 Hf

The specialist for thorough and efficient cleaning in aircraft: the T 12/1 Hf dry vacuum cleaner operates with on-board voltage (110 V, 400 Hz) for use in all aircraft worldwide.

1 The specialist for cleaning aircraft cabins

- The T 12/1 Hf operates with on-board voltage and has a 25 m long cord. Perfect for aircraft.

T 12/1 Hf

- On-board voltage with 110 V and 400 Hz
- 25 metre cable
- Ergonomic foot switch

Technical data

Order no.		1.355-147.0
EAN code		4054278190921
Air flow rate	l/s	53
Vacuum	mbar / kPa	240 / 24
Container capacity	l	12
Max. rated input power	W	900
Standard nominal width		32
Cable length	m	25
Sound pressure level	dB(A)	62
Sound power level	dB(A)	78
Weight	kg	7.8
Dimensions (L × W × H)	mm	410 × 315 × 340


Equipment

Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		■
Telescopic suction tube		-
Filter bag		fleece
Switchable floor nozzle	mm	285
Container material		plastic
Clip system for hose extension		■
Protection class		II
Permanent filter basket, nylon		■

■ Included in the scope of supply.

T 12/1 HF

1.355-147.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Main filter baskets									
Permanent main filter basket	1	4.731-011.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	■
Bend, plastic									
Bend, plastic	2	4.408-051.0	1 piece(s)	ID 32				Plastic with C-32 clip system.	■
Suction hoses (clip system)									
Suction hose	3	4.440-911.0	1 piece(s)	ID 32	2.5 m			2.5 m suction hose with dry vacuum cleaner connection, clip connection (C 32).	■
Exhaust air filter									
Standard exhaust filter	4	6.414-802.0	3 piece(s)					Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	■
Motor protection filter	5	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	■
Fleece filter bags (three-ply)									
Fleece filter bags	6	6.904-315.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.	■
Combi-nozzles, dry									
Combi-nozzle	7	6.907-410.0	1 piece(s)	ID 32		270 mm		Plastic, ID 32, switchable.	■
Parquet nozzle	8	2.889-196.0	1 piece(s)	ID 35		360 mm		Parquet nozzle with wide working width	□
	9	2.889-197.0	1 piece(s)	ID 35		300 mm			□
Suction tubes, metal									
Suction tube	10	6.906-618.0	1 piece(s)	ID 32	0.5 m			Metal suction tube (DN 32, length 0.5 m) with black plastic coating, suitable as an extension, e.g. vacuuming ceilings.	■
Crevice nozzles									
Crevice nozzle	11	2.889-130.0	1 piece(s)	ID 35	210 mm			Plastic crevice nozzle.	□

■ Included in the scope of supply. □ Available accessories.