


128888 USB 2.0 Cable, USB-C Male to USB-C Male, 3.0m, PD 60W

Product Images



Short Description

- **Connector A:** USB-C Male
- **Connector B:** USB-C Male
- **USB standard:** USB 2.0
- **Data transfer rate:** Up to 480 Mbps
- **Power Delivery:** Up to 60W (20V/3A)
- **Shielding:** Double shielding
- **Connector plating:** Nickel plated
- **Jacket:** PVC
- **Length:** 3.0 m

Description

The 128888 USB-C to USB-C cable provides a reliable solution for charging and data synchronization between USB-C enabled devices.

Supporting USB 2.0 data transfer speeds of up to 480 Mbps, this cable is suitable for everyday file syncing, peripheral connections, and basic data tasks. With a longer 3.0-meter length, it offers added flexibility for desk, home, or office setups where extended reach is required.

The cable supports USB Power Delivery up to 60W (20V/3A), enabling stable charging for smartphones, tablets, and compatible USB-C devices. Double shielding, nickel-plated connectors, and a durable PVC jacket help ensure consistent performance and long-term reliability.

Additional Information

Harmonized System (HS) code.	854442
Customs product code (TARIC).	8544421000
Angled Plug.	No
Shielded.	Yes
Connector 1.	USB-C, male
Connector 2.	USB-C, male
Approval and Compliance.	RoHS
Package Contents.	USB 2.0 C to C Cable
Color.	Black
EAN.	4015867226605
Model Number.	128888
Cable Length.	3m
Dimensions (W x D x H).	4.5 x 4.5 x 3000 mm
Product weight (kg).	0.047
USB Power Delivery (PD).	60W
Conductor material.	Copper
Data Rate.	480Mbps
Cable Jacket material.	PVC
Standards.	USB 2.0

