

DELTA fläche IP44, AP Dark gray/light gray Heating emergency switch, 2-pole 10A 250V, with pilot lamp 66x 75 mm



Model	
Product brand name	DELTA
Type of installation switch / rotary switch	No
Type of light source	Control switch
Type of composition	basic element with complete enclosure
Design of the operating mechanism	rocker/button
General technical data	
Type of switch	others
Mounting type	fixing with screw
Surface processing	others
Material	others
Protection class	
Protection class IP	IP44
Switching capacity	
Switching capacity current	10 A
Main circuit	
Operating voltage / Rated value	400 V

Operating current / rated value	10 A
---------------------------------	------

Appearance

Appearance	shiny
Color	grey

Product details

Product component	
• Labeling field	No
• Signaling contact	No
• Pushbutton switch	No
Product feature / halogen-free	Yes

Number

Number of actuating rockers	1
-----------------------------	---

Connections

Type of electrical connection	Plug-in terminal
-------------------------------	------------------

Mechanical Design

Height	82 mm
Depth	47 mm
Mounting type	surface mounted
Material / of the enclosure	plastic

Certificates

Reference code	
• acc. to DIN EN 61346-2	S
• acc. to DIN EN 81346-2	SF

General Product Approval	Declaration of Conformity	Test Certificates
--------------------------	---------------------------	-------------------



ÖVE



VDE



EG-Konf.

[Type Test](#)
[Certificates/Test Report](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TA4742>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TA4742>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA4742

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

