# Delock PCI Express Card > Hybrid 2 x internal M.2 + 2 x SATA 6 Gb/s with RAID – Low Profile Form Factor

Description

The PCI Express card by Delock expands your PC by two M.2 slots as well as two SATA connectors. You can connect up to two M.2 modules in format 22110, 2280, 2260, 2242 and 2230 and even connect up to two SSDs or HDDs. Therefor the card provides you different possible combination for RAID.
Furthermore the card offers a hyperduo function. With this function you can combine an SSD and an HDD to use the advantages of both data mediums. The speed of an SSD and the capacity of an HDD.

M.2

low profile bracket

Specification

• Connector: internal:
  2 x 67 pin M.2 key B slot
  2 x SATA 6 Gb/s 7 pin female
  1 x PCI Express x4, Rev. 2.0
  1 x 4 pin power connector for additional power supply
• Interface: SATA
• Supports M.2 modules in format 22110, 2280, 2260, 2242 and 2230
  with key B or key B+M based on SATA
• Maximum height of the components on the module: 1.5 mm
  application of double-sided assembled modules supported
• Data transfer rate up to 6 Gb/s
• Supports RAID 0, 1, 10, HyperDuo Virtual Disk (Safe / Capacity)

System requirements

• Windows Vista/Vista-64/7/7-64/8/8-64/8.1/8.1-64, Linux Kernel 3.2.0
• PC with one free PCI Express x4, x8, x16, x32 slot

Package content

• PCI Express card
• Low profile bracket
• 2 x fixing screw
• Driver CD

Item No. 89379

EAN: 4043619893799

Country of origin: Taiwan, Republic of China

Package: Box

PCI Express

Images

Double - Sided Module

1.5 mm