




POR-0200 PoE-Plus Repeater, Cascadable, LevelOne

Product Images



Short Description

1. High Power Midspan PoE compliant to simplify deployment and installation

2. Multiple PoE repeaters can be deployed by daisy chain to extend range
3. Forwards 802.3af/802.3at/High-Power PoE to remote device
4. Built-in 2 output ports for 1 PoE and 1 non-PoE devices
5. Extends PoE connection for another 100 meters
6. No additional power supply required
7. Simple Plug and Play installation

Description

Extend the reach of your PoE-Plus devices For system integrators looking for a professional solution to help extend their PoE (802.3af/at) network, POR-0200 is the perfect accessory to increase your network performance. Normal cable runs only reach 100 meters, but with POR-0200 installers can extend the PoE network performance up to 200 meters. Furthermore, you can triple your range or even more by daisy-chaining* multiple PoE repeaters.* Maximum distance depends on the required Wattage of the PD. Simple yet durable, no software required As a PoE-Plus Repeater, POR-0200 receives all power from the Power Sending Equipment (PSE), such as a PoE-Plus switch. This means that POR-0200 uses no external power supply, making it the most flexible option for system integrators looking for an easy, affordable solution to increase the distance to the attached devices on a network. POR-0200 has 3 RJ-45 ports for easy deployment, 1 "IN" port that accepts the power and data for the first 100 meters, and 2 "OUT" ports for 1 PoE (power + data) and 1 non-PoE (data only) installation, that boosts and extends the device an additional 100 meters. With a durable metal housing, POR-0200 fits into any tight deployments. Applications POR-0020 is a long-ranged solution for deploying PoE IP Camera and any Fast Ethernet PoE PD powered by 802.3at PSE.

Additional Information

Max. operating humidity (%)	95
Max. operating temperature (°C)	50
Min. operating humidity (%)	5
Indicators	Power, PoE In, PoE Out
Mount	Wall mount
Standards	IEEE 802.3 10Base-T, Ethernet IEEE 802.3u 100Base-TX, Fast Ethernet IEEE 802.3x Ethernet Flow ControlIEEE 802.3 10Base-T, Ethernet IEEE 802.3u 100Base-TX, Fast Ethernet IEEE 802.3x Ethernet Flow Control
Product weight (kg)	0,4
Product breadth (mm)	130
Product depth (mm)	90
Product height (mm)	28
Color	Grey
EAN	4015867185575
Model number	POR-0200
Package contents	POR-0200 Quick Installation Guide
802.3af PoE	1

