




24MP60G

27MP60G



32MP60G



English Depending on country / **Français** Selon les pays / **Español** En función del país



- For EPEAT (EPEAT applied model)

Spare parts are available for 5 years after the end of production.

Spare parts include base assembly, adapter and cables.

It may differ by model, you can get the more information by visiting to this website:

<https://lg.encompass.com/>



* M B M 6 5 3 7 8 9 6 1 *

(2101-REV00)



English

Quick Setup Guide

Please read this manual carefully before operating your set and retain it for future reference.

Français

Guide de configuration rapide

Veuillez lire ce guide de configuration rapide attentivement avant d'utiliser votre produit et conservez-le pour pouvoir vous y reporter ultérieurement.

Español

Guía Rápida de Configuración

Lea atentamente este manual antes de poner en funcionamiento el equipo y consérvelo para futuras consultas.



English

It is recommended that use the supplied components.

Français

Il est recommandé d'utiliser les composants fournis.

Español

Se recomienda utilizar los componentes suministrados.



www.lg.com

English

You can download manuals from the LGE website.

Français

Vous pouvez télécharger les guides pour ce produit à partir du site Web de LGE.

Español


Puede descargar los manuales del sitio web de LGE.




24MP60G

27MP60G


1





2



3










4






32MP60G






24MP60G

27MP60G



32MP60G



DP IN



DP OUT



PC

HDMI IN




HDMI OUT



AV/PC

D-SUB IN




RGB OUT



PC

H/P



English

- Using a DVI to HDMI / DP (DisplayPort) to HDMI cable may cause compatibility issues.
- Make sure to use the supplied cable. Otherwise, this may cause the device to malfunction.

Français

- L'utilisation d'un câble DVI à HDMI/DP (DisplayPort) à HDMI peut présenter des problèmes de compatibilité.
- Assurez-vous d'utiliser le câble fourni avec le produit. Le non-respect de cette consigne peut entraîner un dysfonctionnement du périphérique.


Español

- El uso de un cable de DVI a HDMI / DP (DisplayPort) a HDMI puede causar problemas de compatibilidad.
- Asegúrese de utilizar el cable suministrado con el producto. De lo contrario, puede provocar que el dispositivo no funcione correctamente.





24MP60G

27MP60G






or
ou
o





32MP60G

or
ou
o





English	Dimensions (Width x Height x Depth)		Weight		Recommend Resolution	Vertical Frequency	
		With Stand	Without Stand	With Stand			Without Stand
	24MP60G	539.1 x 414.3 x 211.7 (mm) 21.2 x 16.3 x 8.3 (inches)	539.1 x 321.5 x 39.1 (mm) 21.2 x 12.6 x 1.5 (inches)	3.3 kg 7.2(lbs)			2.7 kg 5.9(lbs)
	27MP60G	611.1 x 455.1 x 211.7 (mm) 24.0 x 17.9 x 8.3 (inches)	611.1 x 362.6 x 39.5 (mm) 24.0 x 14.2 x 1.5 (inches)	4.4 kg 9.7(lbs)			3.8 kg 8.3(lbs)
	32MP60G	729.4 x 513.3 x 224.8 (mm) 28.7 x 20.2 x 8.8 (inches)	729.4 x 430.3 x 45.0 (mm) 28.7 x 16.9 x 1.7 (inches)	6.9 kg 15.2(lbs)			6.2 kg 13.6(lbs)
Français	Dimensions (largeur x hauteur x profondeur)		Poids		Résolution recommandée	Fréquence verticale	
		Avec socle	Sans socle	Avec socle			Sans socle
	24MP60G	539,1 x 414,3 x 211,7 (mm) 21,2 x 16,3 x 8,3 (po)	539,1 x 321,5 x 39,1 (mm) 21,2 x 12,6 x 1,5 (po)	3,3 kg 7,2 (lb)			2,7 kg 5,9 (lb)
	27MP60G	611,1 x 455,1 x 211,7 (mm) 24,0 x 17,9 x 8,3 (po)	611,1 x 362,6 x 39,5 (mm) 24,0 x 14,2 x 1,5 (po)	4,4 kg 9,7 (lb)			3,8 kg 8,3 (lb)
	32MP60G	729,4 x 513,3 x 224,8 (mm) 28,7 x 20,2 x 8,8 (po)	729,4 x 430,3 x 45,0 (mm) 28,7 x 16,9 x 1,7 (po)	6,9 kg 15,2 (lb)			6,2 kg 13,6 (lb)
Español	Dimensiones (anchura x altura x profundidad)		Peso		Resolución recomendada (Píxeles)	Frecuencia vertical	
		Soporte incluido	Soporte no incluido	Soporte incluido			Soporte no incluido
	24MP60G	539,1 x 414,3 x 211,7 (mm)	539,1 x 321,5 x 39,1 (mm)	3,3 kg			2,7 kg
	27MP60G	611,1 x 455,1 x 211,7 (mm)	611,1 x 362,6 x 39,5 (mm)	4,4 kg			3,8 kg
	32MP60G	729,4 x 513,3 x 224,8 (mm)	729,4 x 430,3 x 45,0 (mm)	6,9 kg			6,2 kg
	24MP60G	Clasificación de potencia		19V --- 1,3 A			
		Especificaciones de Adaptador de ca/cc	Salida	19V --- 1,3 A			
			Entrada	100-240 V~ 50/60 Hz 0,7 A o 1,0 A o 1,1 A			
	27MP60G 32MP60G	Clasificación de potencia		19V --- 1,6 A			
		Especificaciones de Adaptador de ca/cc	Salida	19V --- 1,7 A			
Entrada			100-240 V~ 50/60 Hz 1,0 A o 1,1 A o 1,2 A				