

AXOR Citterio

Electronic basin mixer for concealed installation wall-mounted with spout 221 mm

Surfaces: **polished redgold** Art. no. : **39118300**



Description

product features

- spout 221 mm long
- Spray pattern: normal spray
- Maximum flow rate (at 3 bar): 5 l/min
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar
- temperature adjustable via iBox
- infrared sensor technology
- automatic environmental adjustment of infrared sensor
- adjustable optical range of infrared sensor (5 settings)
- 230 V / 50 Hz mains connection
- hygiene rinse activatable (automatic water flow)
- frequency of hygiene rinse: 24 h
- flushing time hygiene rinse: 10 s
- permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- cleaning mode: manual flow stop for cleaning
- Noise class: I
- dirt filters in the connection hoses
- for ideal function please note a minimum distance of 140 mm from the aerators center to the back rim of the wash basin
- if running with a pump, please specify a universal (negative head) pump

Article Details

Price excl. VAT

£ 1,325.00

Technology




Certificates

kiwa

Product image



Scale drawing




AXOR Citterio

Electronic basin mixer for concealed installation wall-mounted with spout 221 mm

Surfaces: **polished redgold** Art. no. : **39118300**



Flowchart



Surfaces: **polished redgold** Art. no. : **39118300**



Technical drawing of the ECHER-3000 unit, showing dimensions and connection details.

Dimensions:

- Overall height: 2250
- Overall width: max. 7000
- Minimum width for installation: min. 600
- Height of the unit body: 850 - 900
- Height of the control panel: 540
- Height of the top section: 220
- Radius of the top section: $R > 100$
- Maximum height of the top section: max. 1800

Connections and Labels:

- IN:** 100 - 240 V
- OUT:** 6 V DC
- FI** (Fusible Insert): $< 30\text{mA}$
- EN 20** (European standard for safety)
- Ø 60 mm** (Diameter of the connection point)

The drawing includes a large '1' and '2' indicating different sections or views, and a large '0' indicating a specific feature or warning.

0, 1, 2 = Schutzbereich
0, 1, 2 = Zone de protecţiön
0, 1, 2 = Protected area
0, 1, 2 = Zona protetta
0, 1, 2 = Área protegida
0, 1, 2 = Veiligheidszone
0, 1, 2 = Beskyttelsesklasse
0, 1, 2 = Área de protecção
0, 1, 2 = Strefa ochronna
0, 1, 2 = Чрэнэнá област
0, 1, 2 = Очрэнáа област
0, 1, 2 = 保护区
0, 1, 2 = Защитная зона
0, 1, 2 = Biztonsági zóna
0, 1, 2 = Suoja-alue
0, 1, 2 = Skyddsområde
0, 1, 2 = Saugos zona
0, 1, 2 = Zaštitno područje
0, 1, 2 = Koruma bölgesi
0, 1, 2 = Domeniu de protecție
0, 1, 2 = Εύρος προστασίας
0, 1, 2 = Zaščitno območje
0, 1, 2 = Kaitse ulatus
0, 1, 2 = Aizsardzības zona
0, 1, 2 = Zaštitno područje
0, 1, 2 = Beskyttelsessone
0, 1, 2 = Диапазон на защита
0, 1, 2 = Zona e mbrojtjes.
0, 1, 2 = منطقة حماية

