RP-SMA Antenna Extension Cable CFD/RF200 5 m low loss

Description

This antenna cable by Delock can be used to extend an RP-SMA connection. The cable is characterised by very low attenuation.



Item no. 88431

EAN: 4043619884315

Country of origin: Taiwan, Republic of China

Package: Zip poly bag

Technical details

- Connectors:
  1 x RP-SMA plug
  1 x RP-SMA jack
- Cable type: CFD/RF200
- Cable attenuation:
  0.55 dB @ 2.4 GHz per meter
  0.86 dB @ 5.7 GHz per meter
- Cable diameter: ca. 4.8 mm
- Colour: black
- Cable length: ca. 5 m


Package content

- Antenna cable

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

Images





All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

Interface

Connector 1:	1 x RP-SMA plug
Connector 2:	1 x RP-SMA jack

Technical characteristics

Impedance:	50 Ω

Physical characteristics

Cable category:	coaxial
Cable type:	CFD200
Cable attenuation:	0.46 dB @ 1.8 GHz per meter
Cable colour:	black
Cable length incl. connectors:	5 m
Smallest bending radius:	12.7 mm
Cable diameter:	4.8 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**



All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**