HERRMANS

H-BLACK MR8 E-BIKE 6-12V



HERRMANS® H-Black MR8 has a clean overall modern design with cooling elements blending effortlessly in to the main form. Long and even light pattern with excellent near field illumination without dark spots. Side windows provide additional peripheral lighting, and enhance the airy look. Strong light output, with preliminary figures up to 180 lumens. Designed to be mounted on the fork or handlebars. With the Multi joint bracket the wires can be run cleanly. Also available as topmounted.

Not all products are available in all markets. During continuous improvement specifications and design are changing. All values are nominal values. Illustrations do not necessarily show the design of every version and some features are version specific.

TECHNICAL DATA

Operational Lumens Output	**180 lm**
Power Source	**E-bike**
Nominal Voltage DC	**6 - 12 V**
Power Consumption	**3.3 W**
Max Peak Current	**750 mA**
Input connector type	**0,5 x 2,8mm cable shoes**
Number of LED's	**1**
Colour Temperature	**5000 K**
Optical System	**Mirror**


Operating modes	**On**
Mounting Options	**Fork / Handlebar**
Housing	**Alloy-Plastic**
Salt Spray Test	**ISO 9227 NSS 240H**
Type approval (light)	**Germany (StVZO), France (TP LBi)**
Type approval (reflector)	**E-IA, K**
EMC	**EN 15194**
Packaging Amount	**72 Pce**

KEY FEATURES


- Excellent near field illumination
- Strong light output
- Available as topmounted

Herrmans OY AB.
P.O. Box 36, Bennäsvägen 143
FI-68601 Jakobstad, FINLAND
Tel. +358 6 781 5100
Fax +358 6 723 3110
www.herrmans.eu

LIGHT PATTERNS



DRAWINGS



Herrmans OY AB.
P.O. Box 36, Bennäsvägen 143
FI-68601 Jakobstad, FINLAND
Tel. +358 6 781 5100
Fax +358 6 723 3110
www.herrmans.eu

ASSEMBLY OPTIONS



Multi-joint bracket



Stem bracket



Handlebar bracket



Rock shock Paragon



Stainless steel for suspension fork, steel och black



SR Suntour Ver1, fork bridge: CR8, NEX, NCX-E



SR Suntour Ver2, fork bridge: CR-9, NCX-D



SR Suntour Ver3, fork bridge: NCX mobie-E25, E45



Standard plastic bracket

Herrmans OY AB.
P.O. Box 36, Bennäsvägen 143
FI-68601 Jakobstad, FINLAND
Tel. +358 6 781 5100
Fax +358 6 723 3110
www.herrmans.eu